

Single CPU Systems

Last updated on the 26th of September 2024

Column

CPU Name	CPU Mark (higher is better)	Rank (lower is better)	CPU Value (higher is better)
<u>AArch64</u>	833	3934	NA
<u>AArch64 rev 2 (aarch64)</u>	2,383	2744	NA
<u>AArch64 rev 4 (aarch64)</u>	1,813	3099	NA
<u>AC8257V/WAB</u>	788	3982	NA
<u>AC8259V/WAB</u>	990	3771	NA
<u>Allwinner A133</u>	673	4129	NA
<u>Allwinner A523</u>	1,902	3039	NA
<u>Allwinner A527</u>	2,297	2794	NA
<u>Allwinner H618</u>	617	4192	NA
<u>AMD 3015Ce</u>	2,099	2912	NA
<u>AMD 3015e</u>	2,712	2567	NA
<u>AMD 3020e</u>	2,438	2709	NA
<u>AMD 4700S</u>	17,851	739	NA
<u>AMD A4 Micro-6400T APU</u>	1,082	3667	NA
<u>AMD A4 PRO-3340B</u>	1,645	3204	NA
<u>AMD A4 PRO-7300B APU</u>	1,458	3337	NA
<u>AMD A4 PRO-7350B</u>	1,544	3282	NA
<u>AMD A4-1200 APU</u>	369	4467	NA
<u>AMD A4-1250 APU</u>	406	4419	NA
<u>AMD A4-1350 APU</u>	911	3843	NA
<u>AMD A4-3300 APU</u>	942	3817	16.65
<u>AMD A4-3300M APU</u>	714	4070	23.81
<u>AMD A4-3305M APU</u>	758	4018	36.44
<u>AMD A4-3310MX APU</u>	782	3991	NA
<u>AMD A4-3320M APU</u>	668	4134	17.12
<u>AMD A4-3330MX APU</u>	756	4024	NA
<u>AMD A4-3400 APU</u>	1,086	3659	13.58
<u>AMD A4-3420 APU</u>	1,054	3699	7.75
<u>AMD A4-4000 APU</u>	1,145	3608	57.40
<u>AMD A4-4020 APU</u>	1,268	3483	12.04
<u>AMD A4-4300M APU</u>	1,000	3758	33.48
<u>AMD A4-4355M APU</u>	806	3962	NA
<u>AMD A4-5000 APU</u>	1,297	3457	NA
<u>AMD A4-5050 APU</u>	1,328	3432	NA
<u>AMD A4-5100 APU</u>	1,346	3422	NA
<u>AMD A4-5150M APU</u>	765	4010	NA

<u>AMD A4-5300 APU</u>	1,365	3413	50.63
<u>AMD A4-5300B APU</u>	1,243	3507	47.89
<u>AMD A4-6210 APU</u>	1,501	3318	NA
<u>AMD A4-6250J APU</u>	1,671	3186	NA
<u>AMD A4-6300 APU</u>	1,426	3365	33.93
<u>AMD A4-6300B APU</u>	1,328	3433	47.51
<u>AMD A4-6320 APU</u>	1,530	3290	21.86
<u>AMD A4-7210 APU</u>	1,656	3196	NA
<u>AMD A4-7300 APU</u>	1,529	3291	82.79
<u>AMD A4-9120</u>	1,224	3527	NA
<u>AMD A4-9120C</u>	852	3905	NA
<u>AMD A4-9120e</u>	849	3908	NA
<u>AMD A4-9125</u>	1,210	3542	NA
<u>AMD A6 Micro-6500T APU</u>	1,146	3606	NA
<u>AMD A6 PRO-7050B APU</u>	1,009	3751	NA
<u>AMD A6 PRO-7400B</u>	1,696	3172	NA
<u>AMD A6-1450 APU</u>	1,072	3679	NA
<u>AMD A6-3400M APU</u>	1,191	3557	48.69
<u>AMD A6-3410MX APU</u>	1,263	3488	316.44
<u>AMD A6-3420M APU</u>	1,294	3461	NA
<u>AMD A6-3430MX APU</u>	1,448	3347	NA
<u>AMD A6-3500 APU</u>	1,420	3374	23.58
<u>AMD A6-3600 APU</u>	1,697	3171	68.02
<u>AMD A6-3620 APU</u>	1,851	3070	82.30
<u>AMD A6-3650 APU</u>	2,070	2935	16.17
<u>AMD A6-3670 APU</u>	2,171	2876	39.52
<u>AMD A6-4400M APU</u>	1,010	3745	40.49
<u>AMD A6-4455M APU</u>	793	3977	NA
<u>AMD A6-5200 APU</u>	1,665	3188	NA
<u>AMD A6-5345M APU</u>	1,122	3625	NA
<u>AMD A6-5350M APU</u>	1,232	3517	37.18
<u>AMD A6-5357M APU</u>	1,165	3583	NA
<u>AMD A6-5400B APU</u>	1,459	3335	50.43
<u>AMD A6-5400K APU</u>	1,273	3476	24.47
<u>AMD A6-6310 APU</u>	1,677	3182	NA
<u>AMD A6-6400B APU</u>	1,616	3219	NA
<u>AMD A6-6400K APU</u>	1,501	3316	20.02
<u>AMD A6-6420B APU</u>	1,550	3273	NA
<u>AMD A6-6420K APU</u>	1,576	3253	10.51
<u>AMD A6-7000</u>	1,010	3748	NA
<u>AMD A6-7310 APU</u>	1,724	3154	NA
<u>AMD A6-7400K APU</u>	1,634	3209	19.17
<u>AMD A6-7470K</u>	1,799	3110	20.22

<u>AMD A6-7480</u>	1,836	3083	52.72
<u>AMD A6-8500P</u>	1,445	3352	NA
<u>AMD A6-8550</u>	1,604	3229	NA
<u>AMD A6-9200</u>	1,116	3631	NA
<u>AMD A6-9210</u>	1,230	3519	NA
<u>AMD A6-9220</u>	1,280	3468	NA
<u>AMD A6-9220C</u>	1,053	3702	NA
<u>AMD A6-9220e</u>	977	3783	NA
<u>AMD A6-9225</u>	1,329	3431	NA
<u>AMD A6-9230</u>	1,303	3452	NA
<u>AMD A6-9400</u>	2,717	2562	NA
<u>AMD A6-9500</u>	1,869	3058	46.73
<u>AMD A6-9500E</u>	1,756	3143	30.61
<u>AMD A8 PRO-7150B APU</u>	1,528	3292	NA
<u>AMD A8 PRO-7600B APU</u>	2,962	2463	NA
<u>AMD A8-3500M APU</u>	1,400	3388	23.36
<u>AMD A8-3510MX APU</u>	1,631	3211	21.15
<u>AMD A8-3520M APU</u>	1,448	3348	26.33
<u>AMD A8-3530MX APU</u>	1,608	3225	NA
<u>AMD A8-3550MX APU</u>	1,687	3177	NA
<u>AMD A8-3800 APU</u>	2,049	2944	18.63
<u>AMD A8-3820 APU</u>	2,174	2874	48.36
<u>AMD A8-3850 APU</u>	2,374	2754	34.90
<u>AMD A8-3870K APU</u>	2,319	2783	34.08
<u>AMD A8-4500M APU</u>	1,687	3178	35.13
<u>AMD A8-4555M APU</u>	1,331	3428	NA
<u>AMD A8-5500 APU</u>	2,610	2618	44.27
<u>AMD A8-5500B APU</u>	2,612	2615	53.27
<u>AMD A8-5545M APU</u>	1,567	3260	NA
<u>AMD A8-5550M APU</u>	1,862	3063	NA
<u>AMD A8-5557M APU</u>	1,801	3109	NA
<u>AMD A8-5600K APU</u>	2,857	2511	41.40
<u>AMD A8-6410 APU</u>	1,771	3134	NA
<u>AMD A8-6500 APU</u>	2,822	2526	101.49
<u>AMD A8-6500B APU</u>	2,886	2497	57.78
<u>AMD A8-6500T APU</u>	1,929	3017	32.18
<u>AMD A8-6600K APU</u>	3,007	2439	34.17
<u>AMD A8-7050</u>	1,152	3602	NA
<u>AMD A8-7100 APU</u>	1,638	3206	NA
<u>AMD A8-7200P</u>	2,154	2887	NA
<u>AMD A8-7410 APU</u>	1,813	3098	NA
<u>AMD A8-7500</u>	3,422	2261	NA
<u>AMD A8-7600 APU</u>	3,217	2356	107.26

<u>AMD A8-7650K</u>	3,129	2388	82.35
<u>AMD A8-7670K</u>	3,192	2365	12.84
<u>AMD A8-7680</u>	3,544	2221	96.50
<u>AMD A8-7690K</u>	2,157	2883	NA
<u>AMD A8-8600P</u>	2,240	2833	NA
<u>AMD A8-8650</u>	2,996	2443	NA
<u>AMD A8-9600</u>	3,307	2316	29.40
<u>AMD A9-9400</u>	1,329	3430	NA
<u>AMD A9-9410</u>	1,523	3299	NA
<u>AMD A9-9420</u>	1,498	3321	NA
<u>AMD A9-9420e</u>	1,107	3636	NA
<u>AMD A9-9425</u>	1,510	3310	NA
<u>AMD A9-9430</u>	1,658	3193	NA
<u>AMD A9-9820</u>	3,938	2100	NA
<u>AMD A10 Micro-6700T APU</u>	1,426	3363	NA
<u>AMD A10 PRO-7350B APU</u>	1,915	3024	NA
<u>AMD A10 PRO-7800B APU</u>	3,319	2310	NA
<u>AMD A10 PRO-7850B APU</u>	3,453	2245	23.33
<u>AMD A10-4600M APU</u>	1,938	3011	26.91
<u>AMD A10-4655M APU</u>	1,658	3194	NA
<u>AMD A10-4657M APU</u>	1,759	3142	NA
<u>AMD A10-5700 APU</u>	2,741	2555	40.29
<u>AMD A10-5745M APU</u>	1,779	3128	NA
<u>AMD A10-5750M APU</u>	2,044	2947	26.20
<u>AMD A10-5757M APU</u>	1,998	2975	NA
<u>AMD A10-5800B APU</u>	3,034	2429	67.43
<u>AMD A10-5800K APU</u>	2,960	2464	141.91
<u>AMD A10-6700 APU</u>	3,104	2400	28.73
<u>AMD A10-6700T APU</u>	2,299	2792	26.12
<u>AMD A10-6790K APU</u>	3,071	2413	73.12
<u>AMD A10-6800B APU</u>	3,106	2397	24.26
<u>AMD A10-6800K APU</u>	3,189	2366	67.45
<u>AMD A10-7300 APU</u>	1,742	3146	NA
<u>AMD A10-7400P</u>	2,078	2927	NA
<u>AMD A10-7700K APU</u>	3,203	2362	25.02
<u>AMD A10-7800 APU</u>	3,210	2360	107.03
<u>AMD A10-7850K APU</u>	3,393	2272	48.48
<u>AMD A10-7860K</u>	3,283	2327	61.73
<u>AMD A10-7870K</u>	3,442	2249	6.65
<u>AMD A10-7890K</u>	3,525	2226	25.88
<u>AMD A10-8700P</u>	2,245	2828	NA
<u>AMD A10-8750</u>	3,228	2348	NA
<u>AMD A10-8850</u>	3,438	2251	NA

<u>AMD A10-9600P</u>	2,339	2773	NA
<u>AMD A10-9620P</u>	2,540	2655	NA
<u>AMD A10-9630P</u>	2,909	2487	NA
<u>AMD A10-9700</u>	3,546	2220	118.24
<u>AMD A10-9700E</u>	3,229	2347	36.25
<u>AMD A12-9700P</u>	2,437	2711	NA
<u>AMD A12-9720P</u>	2,661	2590	NA
<u>AMD A12-9730P</u>	2,980	2454	NA
<u>AMD A12-9800</u>	3,597	2206	37.86
<u>AMD A12-9800E</u>	3,471	2240	5.18
<u>AMD Athlon64 X2 Dual Core 4600+</u>	803	3967	NA
<u>AMD Athlon 64 2000+</u>	154	4777	NA
<u>AMD Athlon 64 2600+</u>	243	4641	NA
<u>AMD Athlon 64 2800+</u>	295	4566	2.95
<u>AMD Athlon 64 3000+</u>	334	4517	16.68
<u>AMD Athlon 64 3100+</u>	484	4343	NA
<u>AMD Athlon 64 3200+</u>	305	4555	2.03
<u>AMD Athlon 64 3300+</u>	375	4461	NA
<u>AMD Athlon 64 3400+</u>	317	4536	3.17
<u>AMD Athlon 64 3500+</u>	377	4460	4.71
<u>AMD Athlon 64 3700+</u>	394	4440	4.38
<u>AMD Athlon 64 3800+</u>	292	4570	2.23
<u>AMD Athlon 64 4000+</u>	340	4501	3.40
<u>AMD Athlon 64 FX-55</u>	404	4423	6.22
<u>AMD Athlon 64 FX-57</u>	517	4310	NA
<u>AMD Athlon 64 FX-59</u>	465	4362	NA
<u>AMD Athlon 64 FX-60 Dual Core</u>	709	4075	NA
<u>AMD Athlon 64 FX-62 Dual Core</u>	993	3766	3.97
<u>AMD Athlon 64 FX-74</u>	972	3791	1.95
<u>AMD Athlon 64 X2 3800+</u>	566	4250	NA
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	4294	NA
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	633	4174	9.27
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	629	4177	NA
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	692	4099	NA
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	725	4063	6.60
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	675	4125	2.26
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	720	4066	2.06
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	679	4121	4.53
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	786	3985	2.37
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	846	3914	14.10
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	907	3852	17.11
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	907	3851	8.46
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	653	4151	21.81

<u>AMD Athlon 64 X2 Dual Core 6000+</u>	934	3824	24.27
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	998	3760	3.99
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	4213	NA
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	573	4239	NA
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	577	4235	NA
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	558	4263	NA
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	518	4308	7.13
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	620	4188	NA
<u>AMD Athlon 64 X2 QL-60</u>	652	4154	NA
<u>AMD Athlon 64 X2 QL-62</u>	525	4303	NA
<u>AMD Athlon 64 X2 QL-64</u>	624	4184	NA
<u>AMD Athlon 64 X2 QL-65</u>	637	4170	28.95
<u>AMD Athlon 64 X2 QL-66</u>	641	4164	NA
<u>AMD Athlon 64 X2 QL-67</u>	582	4229	NA
<u>AMD Athlon 200GE</u>	4,114	2058	33.20
<u>AMD Athlon 220GE</u>	4,424	1982	36.23
<u>AMD Athlon 240GE</u>	4,534	1953	46.14
<u>AMD Athlon 300GE</u>	4,273	2019	NA
<u>AMD Athlon 300U</u>	3,887	2118	NA
<u>AMD Athlon 320GE</u>	4,395	1990	NA
<u>AMD Athlon 1500+</u>	191	4724	NA
<u>AMD Athlon 1640B</u>	412	4411	8.23
<u>AMD Athlon 2650e</u>	274	4600	14.43
<u>AMD Athlon 2800+</u>	291	4574	2.65
<u>AMD Athlon 2850e</u>	333	4519	NA
<u>AMD Athlon 3000G</u>	4,484	1967	49.82
<u>AMD Athlon 5000 Dual-Core</u>	872	3885	10.91
<u>AMD Athlon 5150 APU</u>	1,388	3395	14.04
<u>AMD Athlon 5200 Dual-Core</u>	869	3889	16.40
<u>AMD Athlon 5350 APU</u>	1,780	3127	12.04
<u>AMD Athlon 5370 APU</u>	1,867	3061	3.12
<u>AMD Athlon 7450 Dual-Core</u>	789	3981	NA
<u>AMD Athlon 7550 Dual-Core</u>	900	3859	60.23
<u>AMD Athlon 7750 Dual-Core</u>	987	3772	12.34
<u>AMD Athlon 7850 Dual-Core</u>	1,058	3693	15.32
<u>AMD Athlon Dual Core 4050e</u>	674	4127	NA
<u>AMD Athlon Dual Core 4450B</u>	711	4074	22.92
<u>AMD Athlon Dual Core 4450e</u>	705	4080	48.71
<u>AMD Athlon Dual Core 4850B</u>	727	4059	NA
<u>AMD Athlon Dual Core 4850e</u>	783	3990	20.06
<u>AMD Athlon Dual Core 5000B</u>	856	3899	9.02
<u>AMD Athlon Dual Core 5050e</u>	846	3915	14.10
<u>AMD Athlon Dual Core 5200B</u>	823	3942	NA

<u>AMD Athlon Dual Core 5400B</u>	914	3840	NA
<u>AMD Athlon Dual Core 5600B</u>	737	4047	NA
<u>AMD Athlon Gold 3150C</u>	3,292	2322	NA
<u>AMD Athlon Gold 3150G</u>	7,112	1473	NA
<u>AMD Athlon Gold 3150U</u>	3,992	2089	NA
<u>AMD Athlon Gold 7220U</u>	4,740	1918	NA
<u>AMD Athlon Gold PRO 3150G</u>	7,702	1380	NA
<u>AMD Athlon Gold PRO 3150GE</u>	7,006	1492	NA
<u>AMD Athlon Gold PRO 4150GE</u>	8,259	1324	NA
<u>AMD Athlon II 160u</u>	358	4478	11.93
<u>AMD Athlon II 170u</u>	355	4482	14.78
<u>AMD Athlon II Dual-Core M300</u>	670	4132	NA
<u>AMD Athlon II Dual-Core M320</u>	743	4039	24.75
<u>AMD Athlon II Dual-Core M340</u>	807	3960	NA
<u>AMD Athlon II N330 Dual-Core</u>	665	4138	NA
<u>AMD Athlon II N350 Dual-Core</u>	767	4008	NA
<u>AMD Athlon II N370 Dual-Core</u>	899	3860	NA
<u>AMD Athlon II Neo K125</u>	315	4540	NA
<u>AMD Athlon II Neo K145</u>	298	4564	NA
<u>AMD Athlon II Neo K325 Dual-Core</u>	417	4405	16.04
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	4301	NA
<u>AMD Athlon II Neo N36L Dual-Core</u>	487	4339	NA
<u>AMD Athlon II P320 Dual-Core</u>	702	4086	35.18
<u>AMD Athlon II P340 Dual-Core</u>	697	4090	17.45
<u>AMD Athlon II P360 Dual-Core</u>	730	4056	36.60
<u>AMD Athlon II X2 210e</u>	1,105	3641	38.79
<u>AMD Athlon II X2 215</u>	973	3788	33.58
<u>AMD Athlon II X2 220</u>	1,041	3710	17.37
<u>AMD Athlon II X2 235e</u>	1,079	3671	11.07
<u>AMD Athlon II X2 240</u>	1,037	3714	41.57
<u>AMD Athlon II X2 240e</u>	987	3774	26.05
<u>AMD Athlon II X2 245</u>	1,110	3634	27.85
<u>AMD Athlon II X2 245e</u>	1,171	3577	58.66
<u>AMD Athlon II X2 250</u>	1,160	3591	33.19
<u>AMD Athlon II X2 250e</u>	1,155	3597	15.05
<u>AMD Athlon II X2 250u</u>	597	4210	23.94
<u>AMD Athlon II X2 255</u>	1,175	3575	93.62
<u>AMD Athlon II X2 260</u>	1,178	3574	94.30
<u>AMD Athlon II X2 260u</u>	713	4071	8.54
<u>AMD Athlon II X2 265</u>	1,267	3484	12.67
<u>AMD Athlon II X2 270</u>	1,301	3453	34.19
<u>AMD Athlon II X2 270u</u>	675	4123	9.98
<u>AMD Athlon II X2 280</u>	1,355	3417	17.62

<u>AMD Athlon II X2 4300e</u>	990	3769	NA
<u>AMD Athlon II X2 4400e</u>	944	3816	NA
<u>AMD Athlon II X2 4450e</u>	867	3891	NA
<u>AMD Athlon II X2 B22</u>	1,053	3701	40.57
<u>AMD Athlon II X2 B24</u>	1,120	3627	46.46
<u>AMD Athlon II X2 B26</u>	1,206	3544	48.35
<u>AMD Athlon II X2 B28</u>	1,269	3481	32.53
<u>AMD Athlon II X3 400e</u>	1,320	3443	51.80
<u>AMD Athlon II X3 405e</u>	1,331	3427	11.79
<u>AMD Athlon II X3 415e</u>	1,441	3354	19.21
<u>AMD Athlon II X3 420e</u>	1,557	3267	13.40
<u>AMD Athlon II X3 425</u>	1,576	3251	27.02
<u>AMD Athlon II X3 435</u>	1,630	3213	10.19
<u>AMD Athlon II X3 440</u>	1,712	3162	116.78
<u>AMD Athlon II X3 445</u>	1,823	3092	121.61
<u>AMD Athlon II X3 450</u>	1,847	3074	71.16
<u>AMD Athlon II X3 455</u>	1,879	3056	72.94
<u>AMD Athlon II X3 460</u>	2,008	2969	120.67
<u>AMD Athlon II X4 553</u>	2,418	2721	NA
<u>AMD Athlon II X4 555</u>	2,526	2663	NA
<u>AMD Athlon II X4 557</u>	2,567	2643	NA
<u>AMD Athlon II X4 559</u>	2,602	2620	NA
<u>AMD Athlon II X4 600e</u>	1,795	3116	90.41
<u>AMD Athlon II X4 605e</u>	1,997	2977	133.10
<u>AMD Athlon II X4 610e</u>	1,964	2992	118.33
<u>AMD Athlon II X4 615e</u>	2,000	2973	33.90
<u>AMD Athlon II X4 620</u>	2,018	2962	36.73
<u>AMD Athlon II X4 630</u>	2,153	2888	44.83
<u>AMD Athlon II X4 631 Quad-Core</u>	2,122	2903	172.37
<u>AMD Athlon II X4 635</u>	2,237	2839	38.56
<u>AMD Athlon II X4 638 Quad-Core</u>	2,250	2824	35.79
<u>AMD Athlon II X4 640</u>	2,245	2829	187.24
<u>AMD Athlon II X4 641 Quad-Core</u>	2,313	2785	196.32
<u>AMD Athlon II X4 645</u>	2,348	2767	36.67
<u>AMD Athlon II X4 650</u>	2,426	2715	14.56
<u>AMD Athlon II X4 651 Quad-Core</u>	2,500	2674	16.68
<u>AMD Athlon II X4 655</u>	2,078	2928	NA
<u>AMD Athlon L110</u>	197	4709	NA
<u>AMD Athlon LE-1600</u>	412	4410	19.63
<u>AMD Athlon LE-1620</u>	421	4398	23.40
<u>AMD Athlon LE-1640</u>	430	4384	4.78
<u>AMD Athlon LE-1660</u>	416	4406	NA
<u>AMD Athlon Neo MV-40</u>	275	4598	NA

<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456	4371	NA
<u>AMD Athlon Neo X2 Dual Core L325</u>	556	4267	NA
<u>AMD Athlon Neo X2 Dual Core L335</u>	529	4298	NA
<u>AMD Athlon PRO 200GE</u>	3,693	2180	NA
<u>AMD Athlon PRO 300GE</u>	4,308	2010	NA
<u>AMD Athlon PRO 300U</u>	4,080	2070	NA
<u>AMD Athlon PRO 3045B</u>	2,618	2611	NA
<u>AMD Athlon Silver 3050C</u>	2,879	2501	NA
<u>AMD Athlon Silver 3050e</u>	2,952	2469	NA
<u>AMD Athlon Silver 3050GE</u>	4,545	1952	NA
<u>AMD Athlon Silver 3050U</u>	2,992	2446	NA
<u>AMD Athlon Silver 7120U</u>	3,209	2361	NA
<u>AMD Athlon Silver PRO 3125GE</u>	4,633	1936	NA
<u>AMD Athlon TF-20</u>	265	4612	NA
<u>AMD Athlon TF-36</u>	338	4504	NA
<u>AMD Athlon X2 215</u>	996	3763	NA
<u>AMD Athlon X2 240</u>	921	3838	NA
<u>AMD Athlon X2 240e</u>	1,015	3740	NA
<u>AMD Athlon X2 250</u>	855	3902	NA
<u>AMD Athlon X2 255</u>	938	3821	NA
<u>AMD Athlon X2 280</u>	1,327	3436	39.63
<u>AMD Athlon X2 340 Dual Core</u>	1,307	3449	13.76
<u>AMD Athlon X2 370K Dual Core</u>	1,504	3315	NA
<u>AMD Athlon X2 450</u>	1,295	3460	NA
<u>AMD Athlon X2 Dual Core 3250e</u>	357	4479	NA
<u>AMD Athlon X2 Dual Core 6850e</u>	564	4254	NA
<u>AMD Athlon X2 Dual Core BE-2300</u>	570	4244	6.34
<u>AMD Athlon X2 Dual Core BE-2350</u>	591	4218	6.23
<u>AMD Athlon X2 Dual Core BE-2400</u>	674	4128	NA
<u>AMD Athlon X2 Dual Core L310</u>	329	4526	NA
<u>AMD Athlon X3 425</u>	1,516	3304	NA
<u>AMD Athlon X3 435</u>	1,781	3124	18.65
<u>AMD Athlon X3 440</u>	1,438	3355	16.35
<u>AMD Athlon X3 445</u>	1,626	3216	NA
<u>AMD Athlon X3 455</u>	1,783	3123	NA
<u>AMD Athlon X4 530</u>	1,786	3119	NA
<u>AMD Athlon X4 620</u>	1,810	3101	27.87
<u>AMD Athlon X4 640</u>	2,115	2907	NA
<u>AMD Athlon X4 730</u>	2,278	2805	NA
<u>AMD Athlon X4 740 Quad Core</u>	2,626	2608	262.65
<u>AMD Athlon X4 750 Quad Core</u>	2,625	2609	27.70
<u>AMD Athlon X4 750K Quad Core</u>	2,861	2509	15.02
<u>AMD Athlon X4 760K Quad Core</u>	2,971	2460	228.74

<u>AMD Athlon X4 830</u>	2,901	2492	14.34
<u>AMD Athlon X4 840</u>	3,321	2308	26.58
<u>AMD Athlon X4 845</u>	3,792	2148	106.99
<u>AMD Athlon X4 850</u>	3,366	2291	NA
<u>AMD Athlon X4 860K</u>	3,432	2252	49.05
<u>AMD Athlon X4 870K</u>	3,410	2263	99.70
<u>AMD Athlon X4 880K</u>	3,659	2185	38.68
<u>AMD Athlon X4 950</u>	3,596	2207	122.91
<u>AMD Athlon X4 970</u>	3,811	2141	NA
<u>AMD Athlon XP1600+</u>	183	4736	NA
<u>AMD Athlon XP2400+</u>	243	4640	NA
<u>AMD Athlon XP 1500+</u>	167	4756	NA
<u>AMD Athlon XP 1600+</u>	174	4748	NA
<u>AMD Athlon XP 1700+</u>	176	4747	3.44
<u>AMD Athlon XP 1800+</u>	195	4713	3.83
<u>AMD Athlon XP 1900+</u>	203	4701	4.44
<u>AMD Athlon XP 2000+</u>	195	4714	3.31
<u>AMD Athlon XP 2100+</u>	210	4689	3.30
<u>AMD Athlon XP 2200+</u>	214	4686	2.52
<u>AMD Athlon XP 2400+</u>	234	4658	2.93
<u>AMD Athlon XP 2500+</u>	231	4666	NA
<u>AMD Athlon XP 2600+</u>	242	4643	10.52
<u>AMD Athlon XP 2700+</u>	256	4622	3.02
<u>AMD Athlon XP 2800+</u>	260	4618	NA
<u>AMD Athlon XP 2900+</u>	276	4596	NA
<u>AMD Athlon XP 3000+</u>	262	4617	3.29
<u>AMD Athlon XP 3100+</u>	282	4586	NA
<u>AMD Athlon XP 3200+</u>	281	4587	NA
<u>AMD C-30</u>	178	4745	NA
<u>AMD C-50</u>	265	4611	NA
<u>AMD C-60</u>	290	4576	NA
<u>AMD C-60 APU</u>	316	4539	NA
<u>AMD C-70 APU</u>	315	4543	NA
<u>AMD Custom APU 0932</u>	9,443	1209	NA
<u>AMD E1 Micro-6200T APU</u>	600	4204	NA
<u>AMD E1-1200 APU</u>	380	4457	NA
<u>AMD E1-1500 APU</u>	398	4437	NA
<u>AMD E1-2100 APU</u>	405	4422	NA
<u>AMD E1-2200 APU</u>	474	4352	NA
<u>AMD E1-2500 APU</u>	591	4219	NA
<u>AMD E1-6010 APU</u>	535	4288	NA
<u>AMD E1-6015 APU</u>	571	4243	NA
<u>AMD E1-6050J APU</u>	1,385	3398	NA

<u>AMD E1-7010 APU</u>	592	4216	NA
<u>AMD E2-1800 APU</u>	449	4375	NA
<u>AMD E2-2000 APU</u>	496	4330	NA
<u>AMD E2-3000 APU</u>	726	4062	NA
<u>AMD E2-3000M APU</u>	668	4133	15.54
<u>AMD E2-3200 APU</u>	968	3793	121.16
<u>AMD E2-3800 APU</u>	1,152	3601	NA
<u>AMD E2-6110 APU</u>	1,128	3619	NA
<u>AMD E2-7015</u>	637	4168	NA
<u>AMD E2-7015 APU</u>	662	4141	NA
<u>AMD E2-7110 APU</u>	1,515	3306	NA
<u>AMD E2-9000</u>	979	3779	NA
<u>AMD E2-9000e</u>	890	3868	NA
<u>AMD E2-9010</u>	1,093	3650	NA
<u>AMD E2-9030</u>	983	3776	NA
<u>AMD E-240</u>	195	4712	NA
<u>AMD E-300 APU</u>	339	4502	NA
<u>AMD E-350</u>	421	4399	NA
<u>AMD E-350 APU</u>	423	4395	NA
<u>AMD E-350D APU</u>	486	4342	NA
<u>AMD E-450 APU</u>	437	4381	NA
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,064	3688	NA
<u>AMD Embedded G-Series GX-224IJ Radeon R4E</u>	1,271	3478	NA
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,587	3243	NA
<u>AMD Embedded R-Series RX-216GD</u>	1,628	3214	NA
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426	2256	NA
<u>AMD Embedded R-Series RX-421BD</u>	3,302	2317	NA
<u>AMD Embedded R-Series RX-421ND</u>	3,024	2431	NA
<u>AMD EPYC 7B12</u>	66,044	62	NA
<u>AMD EPYC 7B13</u>	77,460	39	NA
<u>AMD EPYC 7C13</u>	70,474	49	NA
<u>AMD EPYC 7D12</u>	43,032	187	NA
<u>AMD EPYC 7F32</u>	23,453	504	9.51
<u>AMD EPYC 7F52</u>	40,251	204	23.60
<u>AMD EPYC 7F72</u>	52,597	124	55.87
<u>AMD EPYC 7H12</u>	69,633	52	39.98
<u>AMD EPYC 7J13</u>	84,786	24	NA
<u>AMD EPYC 7K62</u>	58,203	98	NA
<u>AMD EPYC 7R12</u>	48,934	141	NA
<u>AMD EPYC 7R13 64-Core</u>	82,158	31	NA
<u>AMD EPYC 7R32</u>	64,727	67	NA
<u>AMD EPYC 7T83</u>	81,757	33	NA
<u>AMD EPYC 7V13</u>	82,878	29	NA

<u>AMD EPYC 9R14</u>	116,475	6	NA
<u>AMD EPYC 72F3</u>	27,252	390	21.92
<u>AMD EPYC 73F3</u>	46,103	160	20.93
<u>AMD EPYC 74F3</u>	60,666	81	20.29
<u>AMD EPYC 75F3</u>	68,505	54	12.82
<u>AMD EPYC 3101 4-Core</u>	6,050	1674	NA
<u>AMD EPYC 3151</u>	8,376	1311	NA
<u>AMD EPYC 3201</u>	8,672	1275	NA
<u>AMD EPYC 3251</u>	13,912	934	44.17
<u>AMD EPYC 3451</u>	19,532	663	NA
<u>AMD EPYC 4124P</u>	18,637	705	NA
<u>AMD EPYC 4244P</u>	27,446	381	NA
<u>AMD EPYC 4344P</u>	35,191	241	94.86
<u>AMD EPYC 4364P</u>	36,124	235	NA
<u>AMD EPYC 4464P</u>	48,793	143	NA
<u>AMD EPYC 4484PX</u>	51,115	129	NA
<u>AMD EPYC 4564P</u>	62,058	77	NA
<u>AMD EPYC 4584PX</u>	62,120	76	NA
<u>AMD EPYC 7232P</u>	17,731	748	51.39
<u>AMD EPYC 7251</u>	14,935	870	29.28
<u>AMD EPYC 7252</u>	19,411	670	50.82
<u>AMD EPYC 7262</u>	20,779	611	49.50
<u>AMD EPYC 7272</u>	25,161	446	139.82
<u>AMD EPYC 7281</u>	21,621	577	43.24
<u>AMD EPYC 7282</u>	30,128	319	182.65
<u>AMD EPYC 7301</u>	14,991	869	10.06
<u>AMD EPYC 7302</u>	33,106	270	42.07
<u>AMD EPYC 7302P</u>	32,626	278	40.83
<u>AMD EPYC 7303</u>	28,572	349	47.30
<u>AMD EPYC 7313</u>	39,091	211	42.33
<u>AMD EPYC 7313P</u>	41,657	192	40.44
<u>AMD EPYC 7343</u>	43,368	183	41.97
<u>AMD EPYC 7351</u>	23,566	502	36.31
<u>AMD EPYC 7351P</u>	25,657	427	200.44
<u>AMD EPYC 7352</u>	40,096	205	80.36
<u>AMD EPYC 7371</u>	31,094	299	50.97
<u>AMD EPYC 7401P</u>	28,546	351	11.42
<u>AMD EPYC 7402</u>	45,873	163	61.08
<u>AMD EPYC 7402P</u>	44,068	177	49.52
<u>AMD EPYC 7413</u>	50,223	135	37.24
<u>AMD EPYC 7443</u>	56,601	109	25.37
<u>AMD EPYC 7443P</u>	57,088	107	44.34
<u>AMD EPYC 7451</u>	25,863	424	14.47

<u>AMD EPYC 7452</u>	44,759	172	31.32
<u>AMD EPYC 7453</u>	50,575	132	34.61
<u>AMD EPYC 7473X</u>	59,280	88	NA
<u>AMD EPYC 7501</u>	24,925	454	18.80
<u>AMD EPYC 7502</u>	47,983	146	58.24
<u>AMD EPYC 7502P</u>	50,667	131	39.74
<u>AMD EPYC 7513</u>	59,285	87	53.12
<u>AMD EPYC 7532</u>	52,612	123	164.44
<u>AMD EPYC 7542</u>	45,003	169	93.76
<u>AMD EPYC 7543</u>	58,303	94	15.50
<u>AMD EPYC 7543P</u>	66,687	59	44.14
<u>AMD EPYC 7551</u>	24,534	471	171.63
<u>AMD EPYC 7551P</u>	38,126	216	190.68
<u>AMD EPYC 7552</u>	61,282	80	36.07
<u>AMD EPYC 7571</u>	27,445	383	NA
<u>AMD EPYC 7573X</u>	69,432	53	13.23
<u>AMD EPYC 7601</u>	34,079	258	103.29
<u>AMD EPYC 7642</u>	58,248	95	61.31
<u>AMD EPYC 7643</u>	76,050	43	51.59
<u>AMD EPYC 7662</u>	72,298	47	18.07
<u>AMD EPYC 7663</u>	82,087	32	NA
<u>AMD EPYC 7702</u>	70,107	50	50.11
<u>AMD EPYC 7702P</u>	63,300	68	40.55
<u>AMD EPYC 7713</u>	82,666	30	52.46
<u>AMD EPYC 7713P</u>	81,201	35	45.11
<u>AMD EPYC 7742</u>	69,663	51	41.27
<u>AMD EPYC 7763</u>	84,706	25	56.85
<u>AMD EPYC 7773X</u>	91,491	21	45.59
<u>AMD EPYC 8024P</u>	20,556	624	NA
<u>AMD EPYC 8124P</u>	36,470	231	NA
<u>AMD EPYC 8224P</u>	44,990	170	NA
<u>AMD EPYC 8324P</u>	57,127	106	NA
<u>AMD EPYC 8434P</u>	66,490	61	NA
<u>AMD EPYC 8534P</u>	71,900	48	NA
<u>AMD EPYC 9124</u>	43,963	180	40.15
<u>AMD EPYC 9174F</u>	55,485	112	24.39
<u>AMD EPYC 9184X</u>	50,344	134	12.75
<u>AMD EPYC 9224</u>	42,448	188	21.77
<u>AMD EPYC 9254</u>	66,708	58	27.33
<u>AMD EPYC 9274F</u>	73,463	46	28.81
<u>AMD EPYC 9334</u>	64,841	66	27.59
<u>AMD EPYC 9354</u>	67,842	56	23.43
<u>AMD EPYC 9354P</u>	76,605	41	30.76

<u>AMD EPYC 9374F</u>	79,826	38	22.84
<u>AMD EPYC 9454</u>	95,495	16	19.12
<u>AMD EPYC 9454P</u>	95,891	15	27.79
<u>AMD EPYC 9474F</u>	105,213	11	26.64
<u>AMD EPYC 9534</u>	93,884	18	26.83
<u>AMD EPYC 9554</u>	111,794	8	38.56
<u>AMD EPYC 9554P</u>	110,790	9	24.90
<u>AMD EPYC 9634</u>	107,944	10	27.33
<u>AMD EPYC 9654</u>	117,179	5	24.94
<u>AMD EPYC 9654P</u>	113,949	7	20.91
<u>AMD EPYC 9684X</u>	120,760	4	15.12
<u>AMD EPYC 9754</u>	100,460	12	12.56
<u>AMD EPYC Embedded 7292P</u>	30,542	311	NA
<u>AMD FirePro A320 APU</u>	2,153	2889	NA
<u>AMD FX-670K Quad-Core</u>	2,980	2455	NA
<u>AMD FX-770K Quad-Core</u>	2,978	2457	NA
<u>AMD FX-870K Quad Core</u>	3,227	2349	NA
<u>AMD FX-4100 Quad-Core</u>	2,610	2616	137.46
<u>AMD FX-4130 Quad-Core</u>	2,686	2580	51.64
<u>AMD FX-4150 Quad-Core</u>	3,327	2303	NA
<u>AMD FX-4170 Quad-Core</u>	3,034	2428	132.21
<u>AMD FX-4200 Quad-Core</u>	3,119	2391	52.03
<u>AMD FX-4300 Quad-Core</u>	2,986	2451	186.88
<u>AMD FX-4320</u>	3,150	2381	NA
<u>AMD FX-4330</u>	3,098	2403	4.22
<u>AMD FX-4350 Quad-Core</u>	3,313	2314	36.01
<u>AMD FX-6100 Six-Core</u>	3,684	2182	83.65
<u>AMD FX-6120 Six-Core</u>	3,887	2117	67.00
<u>AMD FX-6130 Six-Core</u>	4,353	2003	NA
<u>AMD FX-6200 Six-Core</u>	4,097	2065	14.63
<u>AMD FX-6300 Six-Core</u>	4,209	2035	177.09
<u>AMD FX-6330 Six-Core</u>	4,433	1977	NA
<u>AMD FX-6350 Six-Core</u>	4,548	1950	81.68
<u>AMD FX-7500 APU</u>	1,977	2988	NA
<u>AMD FX-7600P</u>	2,582	2631	NA
<u>AMD FX-7600P APU</u>	2,856	2512	NA
<u>AMD FX-8100 Eight-Core</u>	4,046	2080	41.28
<u>AMD FX-8120 Eight-Core</u>	4,640	1935	59.47
<u>AMD FX-8140 Eight-Core</u>	4,860	1900	32.65
<u>AMD FX-8150 Eight-Core</u>	5,250	1832	64.01
<u>AMD FX-8300 Eight-Core</u>	5,316	1816	127.14
<u>AMD FX-8310 Eight-Core</u>	5,149	1852	31.39
<u>AMD FX-8320 Eight-Core</u>	5,444	1792	108.91

<u>AMD FX-8320E Eight-Core</u>	5,090	1864	56.56
<u>AMD FX-8350 Eight-Core</u>	6,063	1669	67.38
<u>AMD FX-8370 Eight-Core</u>	6,171	1643	36.35
<u>AMD FX-8370E Eight-Core</u>	5,306	1820	211.05
<u>AMD FX-8800P</u>	2,851	2515	NA
<u>AMD FX-9370 Eight-Core</u>	6,177	1642	36.34
<u>AMD FX-9590 Eight-Core</u>	6,787	1528	22.77
<u>AMD FX-9800P</u>	2,543	2653	NA
<u>AMD FX-9830P</u>	3,322	2307	NA
<u>AMD FX-B4150 Quad-Core</u>	3,369	2286	37.57
<u>AMD G-T40E</u>	289	4577	NA
<u>AMD G-T40N</u>	299	4560	NA
<u>AMD G-T40R</u>	120	4820	NA
<u>AMD G-T44R</u>	120	4819	NA
<u>AMD G-T48E</u>	427	4390	NA
<u>AMD G-T52R</u>	177	4746	NA
<u>AMD G-T56E</u>	442	4377	NA
<u>AMD G-T56N</u>	484	4345	NA
<u>AMD Geode NX 2400+</u>	400	4433	NA
<u>AMD GX-210JA SOC</u>	248	4633	NA
<u>AMD GX-212JC SOC</u>	646	4160	NA
<u>AMD GX-217GA SOC</u>	794	3976	NA
<u>AMD GX-218GL SOC</u>	754	4028	NA
<u>AMD GX-222GC SOC</u>	1,044	3707	NA
<u>AMD GX-412HC</u>	1,095	3649	NA
<u>AMD GX-412TC SOC</u>	650	4156	NA
<u>AMD GX-415GA SOC</u>	1,414	3377	NA
<u>AMD GX-416RA SOC</u>	1,604	3230	NA
<u>AMD GX-420CA SOC</u>	1,780	3126	NA
<u>AMD GX-420MC SOC</u>	1,796	3113	NA
<u>AMD GX-424CC SOC</u>	1,796	3115	NA
<u>AMD Opteron 144</u>	316	4538	10.55
<u>AMD Opteron 146</u>	346	4490	1.57
<u>AMD Opteron 148</u>	392	4443	NA
<u>AMD Opteron 150</u>	393	4441	1.11
<u>AMD Opteron 152</u>	428	4387	NA
<u>AMD Opteron 154</u>	457	4370	NA
<u>AMD Opteron 165</u>	531	4295	0.61
<u>AMD Opteron 170</u>	648	4159	NA
<u>AMD Opteron 175</u>	682	4115	NA
<u>AMD Opteron 180</u>	746	4035	6.22
<u>AMD Opteron 185</u>	695	4094	NA
<u>AMD Opteron 254</u>	451	4374	NA

<u>AMD Opteron 270</u>	736	4051	2.72
<u>AMD Opteron 275</u>	839	3926	5.60
<u>AMD Opteron 280</u>	765	4009	2.89
<u>AMD Opteron 285</u>	956	3803	38.30
<u>AMD Opteron 290</u>	952	3808	7.05
<u>AMD Opteron 1212</u>	593	4215	2.04
<u>AMD Opteron 1212 HE</u>	771	4004	NA
<u>AMD Opteron 1214</u>	696	4091	7.72
<u>AMD Opteron 1214 HE</u>	806	3963	NA
<u>AMD Opteron 1216</u>	781	3993	14.23
<u>AMD Opteron 1216 HE</u>	727	4060	NA
<u>AMD Opteron 1218</u>	910	3844	NA
<u>AMD Opteron 1218 HE</u>	979	3782	NA
<u>AMD Opteron 1220</u>	1,036	3718	NA
<u>AMD Opteron 1222</u>	1,089	3654	NA
<u>AMD Opteron 1352</u>	1,547	3278	11.38
<u>AMD Opteron 1354</u>	1,449	3344	6.09
<u>AMD Opteron 1356</u>	1,703	3167	18.92
<u>AMD Opteron 1381</u>	1,797	3112	NA
<u>AMD Opteron 1385</u>	1,898	3043	42.19
<u>AMD Opteron 1389</u>	2,079	2926	NA
<u>AMD Opteron 2218</u>	1,036	3716	2.28
<u>AMD Opteron 2220</u>	1,106	3638	0.85
<u>AMD Opteron 2220 SE</u>	909	3847	36.35
<u>AMD Opteron 2222</u>	1,198	3550	63.08
<u>AMD Opteron 2354</u>	1,509	3311	5.29
<u>AMD Opteron 2356</u>	1,733	3151	24.08
<u>AMD Opteron 2373 EE</u>	1,744	3145	NA
<u>AMD Opteron 2378</u>	1,864	3062	128.65
<u>AMD Opteron 2384</u>	2,074	2932	1.78
<u>AMD Opteron 2393 SE</u>	1,317	3445	NA
<u>AMD Opteron 2419 EE</u>	1,902	3038	NA
<u>AMD Opteron 2427</u>	1,995	2979	36.28
<u>AMD Opteron 2431</u>	2,936	2476	117.48
<u>AMD Opteron 2435</u>	3,061	2419	279.52
<u>AMD Opteron 3250 HE</u>	2,061	2940	20.82
<u>AMD Opteron 3260 HE</u>	2,283	2802	NA
<u>AMD Opteron 3280</u>	3,723	2171	51.70
<u>AMD Opteron 3320 EE</u>	1,918	3022	3.75
<u>AMD Opteron 3350 HE</u>	2,699	2570	7.54
<u>AMD Opteron 3365</u>	4,105	2060	NA
<u>AMD Opteron 3380</u>	4,134	2049	5.11
<u>AMD Opteron 4130</u>	2,347	2768	12.35

<u>AMD Opteron 4162 EE</u>	2,058	2941	102.97
<u>AMD Opteron 4170 HE</u>	2,382	2746	7.22
<u>AMD Opteron 4174 HE</u>	2,986	2452	NA
<u>AMD Opteron 4184</u>	2,872	2505	151.24
<u>AMD Opteron 4226</u>	3,400	2269	35.81
<u>AMD Opteron 4274 HE</u>	5,776	1708	75.05
<u>AMD Opteron 4280</u>	4,504	1963	17.69
<u>AMD Opteron 4284</u>	4,665	1930	38.89
<u>AMD Opteron 4332 HE</u>	3,911	2106	7.05
<u>AMD Opteron 4334</u>	3,949	2097	30.39
<u>AMD Opteron 4365 EE</u>	3,485	2237	NA
<u>AMD Opteron 4386</u>	4,378	1995	9.52
<u>AMD Opteron 6128</u>	2,826	2524	12.29
<u>AMD Opteron 6128 HE</u>	2,932	2479	NA
<u>AMD Opteron 6136</u>	3,381	2281	9.69
<u>AMD Opteron 6164 HE</u>	3,478	2238	NA
<u>AMD Opteron 6172</u>	2,615	2612	13.76
<u>AMD Opteron 6174</u>	3,697	2178	4.98
<u>AMD Opteron 6176 SE</u>	3,564	2215	14.26
<u>AMD Opteron 6212</u>	4,007	2084	8.23
<u>AMD Opteron 6220</u>	4,753	1915	13.98
<u>AMD Opteron 6234</u>	4,072	2073	9.47
<u>AMD Opteron 6238</u>	5,625	1748	12.79
<u>AMD Opteron 6272</u>	5,240	1836	40.32
<u>AMD Opteron 6274</u>	5,643	1744	17.10
<u>AMD Opteron 6276</u>	6,348	1606	15.99
<u>AMD Opteron 6281</u>	7,279	1446	NA
<u>AMD Opteron 6282 SE</u>	6,385	1600	8.29
<u>AMD Opteron 6287 SE</u>	6,925	1509	NA
<u>AMD Opteron 6328</u>	5,306	1819	10.61
<u>AMD Opteron 6344</u>	6,069	1665	17.34
<u>AMD Opteron 6348</u>	7,850	1368	7.14
<u>AMD Opteron 6366 HE</u>	5,613	1752	7.28
<u>AMD Opteron 6376</u>	5,572	1759	2.91
<u>AMD Opteron 6378</u>	5,889	1694	29.45
<u>AMD Opteron 6380</u>	6,687	1543	18.08
<u>AMD Opteron 6386 SE</u>	8,291	1322	9.42
<u>AMD Opteron 8439 SE</u>	2,479	2684	0.68
<u>AMD Opteron X2170 APU</u>	1,911	3029	NA
<u>AMD Opteron X3216 APU</u>	1,475	3325	NA
<u>AMD Opteron X3418 APU</u>	3,043	2424	NA
<u>AMD Opteron X3421 APU</u>	3,440	2250	NA
<u>AMD Phenom 8250 Triple-Core</u>	1,114	3632	NA

<u>AMD Phenom 8250e Triple-Core</u>	1,084	3663	23.08
<u>AMD Phenom 8400 Triple-Core</u>	1,164	3588	NA
<u>AMD Phenom 8450 Triple-Core</u>	1,216	3537	8.11
<u>AMD Phenom 8450e Triple-Core</u>	1,257	3493	NA
<u>AMD Phenom 8600 Triple-Core</u>	1,210	3541	22.84
<u>AMD Phenom 8600B Triple-Core</u>	1,464	3333	97.94
<u>AMD Phenom 8650 Triple-Core</u>	1,254	3495	66.02
<u>AMD Phenom 8750 Triple-Core</u>	1,445	3350	NA
<u>AMD Phenom 8750B Triple-Core</u>	1,188	3560	NA
<u>AMD Phenom 8850 Triple-Core</u>	1,142	3609	NA
<u>AMD Phenom 8850B Triple-Core</u>	1,281	3467	NA
<u>AMD Phenom 9100e Quad-Core</u>	1,279	3471	36.58
<u>AMD Phenom 9150e Quad-Core</u>	1,414	3378	5.71
<u>AMD Phenom 9350e Quad-Core</u>	1,590	3240	0.47
<u>AMD Phenom 9450e Quad-Core</u>	1,455	3339	13.86
<u>AMD Phenom 9500 Quad-Core</u>	1,549	3275	51.64
<u>AMD Phenom 9550 Quad-Core</u>	1,656	3195	71.69
<u>AMD Phenom 9600 Quad-Core</u>	1,597	3238	39.93
<u>AMD Phenom 9600B Quad-Core</u>	1,822	3093	45.59
<u>AMD Phenom 9650 Quad-Core</u>	1,713	3160	42.82
<u>AMD Phenom 9750 Quad-Core</u>	1,843	3078	38.38
<u>AMD Phenom 9750B Quad-Core</u>	1,520	3300	NA
<u>AMD Phenom 9850 Quad-Core</u>	1,712	3161	13.17
<u>AMD Phenom 9850B Quad-Core</u>	1,946	3003	NA
<u>AMD Phenom 9950 Quad-Core</u>	1,884	3053	9.42
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599	3233	NA
<u>AMD Phenom FX-5200 Quad-Core</u>	1,699	3169	NA
<u>AMD Phenom II N620 Dual-Core</u>	992	3768	248.61
<u>AMD Phenom II N640 Dual-Core</u>	965	3796	17.57
<u>AMD Phenom II N660 Dual-Core</u>	1,083	3665	12.17
<u>AMD Phenom II N830 3+1</u>	1,768	3140	NA
<u>AMD Phenom II N830 Triple-Core</u>	1,222	3531	NA
<u>AMD Phenom II N850 Triple-Core</u>	1,298	3455	51.92
<u>AMD Phenom II N870 Triple-Core</u>	1,324	3438	NA
<u>AMD Phenom II N930 Quad-Core</u>	1,584	3246	12.19
<u>AMD Phenom II N950 Quad-Core</u>	1,587	3244	14.10
<u>AMD Phenom II N970 Quad-Core</u>	1,687	3179	11.25
<u>AMD Phenom II P650 Dual-Core</u>	933	3826	26.66
<u>AMD Phenom II P820 Triple-Core</u>	1,068	3685	NA
<u>AMD Phenom II P840 Triple-Core</u>	1,079	3673	NA
<u>AMD Phenom II P860 Triple-Core</u>	1,250	3501	NA
<u>AMD Phenom II P920 Quad-Core</u>	1,006	3754	15.48
<u>AMD Phenom II P940 Quad-Core</u>	1,319	3444	NA

<u>AMD Phenom II P960 Quad-Core</u>	1,386	3397	35.42
<u>AMD Phenom II X2 511</u>	1,265	3487	NA
<u>AMD Phenom II X2 521</u>	1,374	3408	NA
<u>AMD Phenom II X2 545</u>	1,222	3532	27.78
<u>AMD Phenom II X2 550</u>	1,167	3581	28.22
<u>AMD Phenom II X2 555</u>	1,296	3458	99.47
<u>AMD Phenom II X2 560</u>	1,375	3406	77.61
<u>AMD Phenom II X2 565</u>	1,442	3353	8.54
<u>AMD Phenom II X2 570</u>	1,395	3392	NA
<u>AMD Phenom II X2 B53</u>	1,137	3613	NA
<u>AMD Phenom II X2 B55</u>	1,183	3564	31.18
<u>AMD Phenom II X2 B57</u>	1,247	3504	NA
<u>AMD Phenom II X2 B59</u>	1,431	3359	29.80
<u>AMD Phenom II X3 700e</u>	1,451	3342	NA
<u>AMD Phenom II X3 705e</u>	1,222	3530	8.02
<u>AMD Phenom II X3 710</u>	1,551	3271	9.18
<u>AMD Phenom II X3 720</u>	1,575	3254	24.44
<u>AMD Phenom II X3 740</u>	1,424	3368	16.00
<u>AMD Phenom II X3 B73</u>	1,538	3285	20.50
<u>AMD Phenom II X3 B75</u>	1,781	3125	35.66
<u>AMD Phenom II X3 B77</u>	1,844	3077	82.71
<u>AMD Phenom II X4 805</u>	1,959	2994	11.26
<u>AMD Phenom II X4 810</u>	2,003	2972	9.41
<u>AMD Phenom II X4 820</u>	2,081	2925	33.55
<u>AMD Phenom II X4 830</u>	2,070	2934	108.91
<u>AMD Phenom II X4 840</u>	2,401	2729	80.04
<u>AMD Phenom II X4 840T</u>	2,330	2777	40.16
<u>AMD Phenom II X4 850</u>	2,400	2731	36.93
<u>AMD Phenom II X4 900e</u>	1,505	3314	NA
<u>AMD Phenom II X4 905e</u>	1,936	3012	35.86
<u>AMD Phenom II X4 910</u>	1,776	3131	17.76
<u>AMD Phenom II X4 910e</u>	2,131	2898	30.49
<u>AMD Phenom II X4 920</u>	2,156	2884	77.31
<u>AMD Phenom II X4 925</u>	2,271	2809	109.39
<u>AMD Phenom II X4 940</u>	2,345	2769	11.07
<u>AMD Phenom II X4 945</u>	2,386	2742	54.18
<u>AMD Phenom II X4 955</u>	2,510	2672	42.54
<u>AMD Phenom II X4 960T</u>	2,353	2763	45.24
<u>AMD Phenom II X4 965</u>	2,636	2602	41.18
<u>AMD Phenom II X4 970</u>	2,739	2556	63.85
<u>AMD Phenom II X4 973</u>	2,204	2855	NA
<u>AMD Phenom II X4 975</u>	2,536	2660	36.25
<u>AMD Phenom II X4 977</u>	2,377	2750	NA

<u>AMD Phenom II X4 980</u>	2,839	2518	21.83
<u>AMD Phenom II X4 B05e</u>	1,906	3034	NA
<u>AMD Phenom II X4 B15e</u>	1,825	3088	NA
<u>AMD Phenom II X4 B25</u>	2,108	2910	NA
<u>AMD Phenom II X4 B35</u>	2,319	2784	NA
<u>AMD Phenom II X4 B40</u>	2,238	2836	NA
<u>AMD Phenom II X4 B45</u>	2,267	2812	NA
<u>AMD Phenom II X4 B50</u>	2,379	2748	NA
<u>AMD Phenom II X4 B55</u>	2,483	2683	NA
<u>AMD Phenom II X4 B60</u>	2,627	2607	NA
<u>AMD Phenom II X4 B65</u>	2,690	2574	NA
<u>AMD Phenom II X4 B70</u>	2,303	2790	NA
<u>AMD Phenom II X4 B93</u>	2,159	2882	NA
<u>AMD Phenom II X4 B95</u>	2,401	2728	38.72
<u>AMD Phenom II X4 B97</u>	2,539	2657	31.75
<u>AMD Phenom II X4 B99</u>	2,536	2659	NA
<u>AMD Phenom II X6 1035T</u>	3,000	2442	27.78
<u>AMD Phenom II X6 1045T</u>	3,200	2363	66.67
<u>AMD Phenom II X6 1055T</u>	3,323	2305	96.88
<u>AMD Phenom II X6 1065T</u>	3,387	2276	51.04
<u>AMD Phenom II X6 1075T</u>	3,423	2260	52.63
<u>AMD Phenom II X6 1090T</u>	3,761	2156	69.80
<u>AMD Phenom II X6 1100T</u>	3,864	2127	35.13
<u>AMD Phenom II X6 1405T</u>	3,335	2301	NA
<u>AMD Phenom II X620 Dual-Core</u>	1,262	3489	NA
<u>AMD Phenom II X640 Dual-Core</u>	1,165	3586	NA
<u>AMD Phenom II X920 Quad-Core</u>	1,669	3187	NA
<u>AMD Phenom II X940 Quad-Core</u>	1,797	3111	NA
<u>AMD Phenom X2 Dual-Core GE-5060</u>	1,566	3261	NA
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722	3156	NA
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010	3747	NA
<u>AMD Phenom X2 Dual-Core GP-7730</u>	884	3873	NA
<u>AMD Phenom X3 8550</u>	1,079	3672	38.51
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,297	3456	NA
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,228	3524	NA
<u>AMD Phenom X4 Quad-Core GP-9600</u>	1,649	3203	NA
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784	3122	NA
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063	3690	NA
<u>AMD PRO A4-3350B APU</u>	1,805	3108	NA
<u>AMD PRO A4-4350B</u>	1,134	3616	NA
<u>AMD PRO A4-8350B</u>	1,651	3201	56.94
<u>AMD PRO A6-7350B</u>	1,218	3535	NA
<u>AMD PRO A6-8500B</u>	1,601	3231	NA

<u>AMD PRO A6-8530B</u>	1,127	3620	NA
<u>AMD PRO A6-8550B</u>	1,882	3054	NA
<u>AMD PRO A6-8570</u>	1,906	3033	NA
<u>AMD PRO A6-8570E</u>	1,642	3205	NA
<u>AMD PRO A6-9500</u>	1,770	3138	23.92
<u>AMD PRO A6-9500B</u>	1,371	3410	NA
<u>AMD PRO A6-9500E</u>	1,662	3190	22.46
<u>AMD PRO A8-8600B</u>	2,190	2865	NA
<u>AMD PRO A8-8650B</u>	3,211	2358	NA
<u>AMD PRO A8-8670E</u>	2,989	2450	NA
<u>AMD PRO A8-9600</u>	3,322	2306	27.92
<u>AMD PRO A8-9600B</u>	2,292	2798	NA
<u>AMD PRO A10-8700B</u>	2,212	2852	NA
<u>AMD PRO A10-8730B</u>	2,344	2772	NA
<u>AMD PRO A10-8750B</u>	2,879	2500	NA
<u>AMD PRO A10-8770</u>	3,574	2213	NA
<u>AMD PRO A10-8770E</u>	3,036	2427	NA
<u>AMD PRO A10-8850B</u>	3,752	2161	NA
<u>AMD PRO A10-9700</u>	3,652	2189	21.61
<u>AMD PRO A10-9700B</u>	2,545	2652	NA
<u>AMD PRO A10-9700E</u>	2,985	2453	21.47
<u>AMD PRO A12-8800B</u>	2,580	2635	NA
<u>AMD PRO A12-8830B</u>	2,517	2669	NA
<u>AMD PRO A12-8870</u>	3,869	2123	NA
<u>AMD PRO A12-8870E</u>	3,043	2423	NA
<u>AMD PRO A12-9800</u>	3,705	2176	21.92
<u>AMD PRO A12-9800B</u>	2,691	2573	NA
<u>AMD PRO A12-9800E</u>	3,171	2370	18.76
<u>AMD QC-4000</u>	1,155	3596	NA
<u>AMD R-260H APU</u>	954	3806	NA
<u>AMD R-272F APU</u>	1,215	3538	NA
<u>AMD R-460L APU</u>	1,538	3284	NA
<u>AMD R-464L APU</u>	1,773	3133	NA
<u>AMD RX-225FB</u>	892	3866	NA
<u>AMD RX-425BB</u>	2,648	2594	NA
<u>AMD RX-427BB</u>	2,788	2534	NA
<u>AMD Ryzen 3 1200</u>	6,282	1622	66.13
<u>AMD Ryzen 3 1300X</u>	6,974	1500	112.01
<u>AMD Ryzen 3 2200G</u>	6,756	1531	115.70
<u>AMD Ryzen 3 2200GE</u>	6,018	1681	NA
<u>AMD Ryzen 3 2200U</u>	3,690	2181	NA
<u>AMD Ryzen 3 2300U</u>	5,544	1769	NA
<u>AMD Ryzen 3 2300X</u>	7,570	1399	42.51

<u>AMD Ryzen 3 3100</u>	11,600	1068	161.23
<u>AMD Ryzen 3 3200G</u>	7,129	1472	93.33
<u>AMD Ryzen 3 3200GE</u>	7,309	1441	NA
<u>AMD Ryzen 3 3200U</u>	3,793	2146	NA
<u>AMD Ryzen 3 3250C</u>	3,153	2378	NA
<u>AMD Ryzen 3 3250U</u>	3,815	2140	NA
<u>AMD Ryzen 3 3300U</u>	5,679	1736	NA
<u>AMD Ryzen 3 3300X</u>	12,632	1009	157.91
<u>AMD Ryzen 3 3350U</u>	5,822	1701	NA
<u>AMD Ryzen 3 4100</u>	11,050	1097	165.79
<u>AMD Ryzen 3 4300G</u>	10,922	1108	78.77
<u>AMD Ryzen 3 4300GE</u>	11,211	1087	NA
<u>AMD Ryzen 3 4300U</u>	7,441	1419	NA
<u>AMD Ryzen 3 5300G</u>	12,896	996	NA
<u>AMD Ryzen 3 5300GE</u>	13,074	983	NA
<u>AMD Ryzen 3 5300U</u>	9,682	1189	NA
<u>AMD Ryzen 3 5400U</u>	11,039	1099	NA
<u>AMD Ryzen 3 5425U</u>	11,339	1080	NA
<u>AMD Ryzen 3 7320C</u>	8,614	1281	NA
<u>AMD Ryzen 3 7320U</u>	8,865	1266	NA
<u>AMD Ryzen 3 7330U</u>	10,978	1104	NA
<u>AMD Ryzen 3 7335U</u>	12,131	1037	NA
<u>AMD Ryzen 3 7440U</u>	12,991	991	NA
<u>AMD Ryzen 3 8300GE</u>	13,846	938	NA
<u>AMD Ryzen 3 8440U</u>	12,805	1001	NA
<u>AMD Ryzen 3 PRO 1200</u>	6,154	1646	NA
<u>AMD Ryzen 3 PRO 1300</u>	7,234	1455	NA
<u>AMD Ryzen 3 PRO 2100GE</u>	4,062	2076	NA
<u>AMD Ryzen 3 PRO 2200G</u>	6,812	1522	NA
<u>AMD Ryzen 3 PRO 2200GE</u>	6,398	1597	NA
<u>AMD Ryzen 3 PRO 2300U</u>	5,795	1706	NA
<u>AMD Ryzen 3 PRO 3200G</u>	6,991	1497	NA
<u>AMD Ryzen 3 PRO 3200GE</u>	6,701	1541	NA
<u>AMD Ryzen 3 PRO 3300U</u>	5,950	1688	NA
<u>AMD Ryzen 3 PRO 4200G</u>	11,315	1082	NA
<u>AMD Ryzen 3 PRO 4200GE</u>	10,930	1106	NA
<u>AMD Ryzen 3 PRO 4350G</u>	10,921	1109	NA
<u>AMD Ryzen 3 PRO 4350GE</u>	10,971	1105	NA
<u>AMD Ryzen 3 PRO 4355GE</u>	10,559	1126	NA
<u>AMD Ryzen 3 PRO 4450U</u>	9,979	1166	NA
<u>AMD Ryzen 3 PRO 5350G</u>	13,851	936	NA
<u>AMD Ryzen 3 PRO 5350GE</u>	12,584	1016	NA
<u>AMD Ryzen 3 PRO 5450U</u>	11,021	1101	NA

<u>AMD Ryzen 3 PRO 5475U</u>	11,381	1077	NA
<u>AMD Ryzen 3 PRO 7330U</u>	12,331	1024	NA
<u>AMD Ryzen 3 PRO 7335U</u>	12,162	1034	NA
<u>AMD Ryzen 3 PRO 8300G</u>	14,605	897	NA
<u>AMD Ryzen 3 PRO 8300GE</u>	14,753	883	NA
<u>AMD Ryzen 5 1400</u>	7,753	1377	70.48
<u>AMD Ryzen 5 1500X</u>	9,100	1244	201.06
<u>AMD Ryzen 5 1600</u>	12,279	1027	102.33
<u>AMD Ryzen 5 1600X</u>	13,057	985	189.25
<u>AMD Ryzen 5 2400G</u>	8,728	1271	117.31
<u>AMD Ryzen 5 2400GE</u>	7,521	1405	NA
<u>AMD Ryzen 5 2500U</u>	6,539	1568	NA
<u>AMD Ryzen 5 2500X</u>	9,469	1206	NA
<u>AMD Ryzen 5 2600</u>	13,193	975	219.92
<u>AMD Ryzen 5 2600H</u>	7,860	1367	NA
<u>AMD Ryzen 5 2600X</u>	13,907	935	79.47
<u>AMD Ryzen 5 3350G</u>	8,989	1255	NA
<u>AMD Ryzen 5 3350GE</u>	9,343	1216	NA
<u>AMD Ryzen 5 3400G</u>	9,259	1230	91.68
<u>AMD Ryzen 5 3400GE</u>	8,907	1261	25.06
<u>AMD Ryzen 5 3450U</u>	6,722	1538	NA
<u>AMD Ryzen 5 3500</u>	12,787	1002	116.26
<u>AMD Ryzen 5 3500C</u>	5,682	1734	NA
<u>AMD Ryzen 5 3500U</u>	6,942	1505	NA
<u>AMD Ryzen 5 3500X</u>	13,164	978	196.51
<u>AMD Ryzen 5 3550H</u>	7,767	1376	NA
<u>AMD Ryzen 5 3550U</u>	7,681	1385	NA
<u>AMD Ryzen 5 3580U</u>	7,271	1450	NA
<u>AMD Ryzen 5 3600</u>	17,749	745	219.15
<u>AMD Ryzen 5 3600X</u>	18,196	726	230.32
<u>AMD Ryzen 5 3600XT</u>	18,641	704	69.75
<u>AMD Ryzen 5 4400G</u>	17,160	771	NA
<u>AMD Ryzen 5 4500</u>	16,129	820	254.48
<u>AMD Ryzen 5 4500U</u>	10,925	1107	NA
<u>AMD Ryzen 5 4600G</u>	16,067	826	160.69
<u>AMD Ryzen 5 4600GE</u>	15,816	835	NA
<u>AMD Ryzen 5 4600H</u>	14,429	909	NA
<u>AMD Ryzen 5 4600HS</u>	14,230	922	NA
<u>AMD Ryzen 5 4600U</u>	13,470	961	NA
<u>AMD Ryzen 5 5500</u>	19,406	671	255.34
<u>AMD Ryzen 5 5500GT</u>	20,188	639	161.51
<u>AMD Ryzen 5 5500H</u>	11,661	1063	NA
<u>AMD Ryzen 5 5500U</u>	13,011	989	NA

<u>AMD Ryzen 5 5560U</u>	15,131	859	NA
<u>AMD Ryzen 5 5600</u>	21,574	579	215.98
<u>AMD Ryzen 5 5600G</u>	19,880	652	140.00
<u>AMD Ryzen 5 5600GE</u>	18,727	700	NA
<u>AMD Ryzen 5 5600GT</u>	20,287	635	161.66
<u>AMD Ryzen 5 5600H</u>	16,997	783	NA
<u>AMD Ryzen 5 5600U</u>	15,460	847	NA
<u>AMD Ryzen 5 5600X</u>	21,888	566	183.18
<u>AMD Ryzen 5 5600X3D</u>	21,953	564	NA
<u>AMD Ryzen 5 5625U</u>	14,933	871	NA
<u>AMD Ryzen 5 6600H</u>	18,720	701	NA
<u>AMD Ryzen 5 6600HS Creator Edition</u>	18,361	719	NA
<u>AMD Ryzen 5 6600U</u>	16,792	789	NA
<u>AMD Ryzen 5 7235HS</u>	11,176	1089	NA
<u>AMD Ryzen 5 7430U</u>	15,586	842	NA
<u>AMD Ryzen 5 7500F</u>	26,948	398	NA
<u>AMD Ryzen 5 7520U</u>	9,220	1234	NA
<u>AMD Ryzen 5 7530U</u>	16,073	825	NA
<u>AMD Ryzen 5 7535HS</u>	18,440	714	NA
<u>AMD Ryzen 5 7535U</u>	17,061	775	NA
<u>AMD Ryzen 5 7540U</u>	18,855	694	NA
<u>AMD Ryzen 5 7600</u>	27,096	394	148.76
<u>AMD Ryzen 5 7600X</u>	28,461	353	142.31
<u>AMD Ryzen 5 7600X3D</u>	26,141	417	56.83
<u>AMD Ryzen 5 7640HS</u>	22,882	522	NA
<u>AMD Ryzen 5 7640U</u>	21,193	591	NA
<u>AMD Ryzen 5 7645HX</u>	26,868	399	NA
<u>AMD Ryzen 5 8400F</u>	23,077	515	143.92
<u>AMD Ryzen 5 8500G</u>	21,739	573	145.90
<u>AMD Ryzen 5 8500GE</u>	21,042	598	NA
<u>AMD Ryzen 5 8540U</u>	18,147	730	NA
<u>AMD Ryzen 5 8600G</u>	25,309	439	150.66
<u>AMD Ryzen 5 8640HS</u>	19,512	666	NA
<u>AMD Ryzen 5 8640U</u>	20,772	612	NA
<u>AMD Ryzen 5 8645HS</u>	22,540	539	NA
<u>AMD Ryzen 5 9600X</u>	29,810	326	106.85
<u>AMD Ryzen 5 Microsoft Surface Edition</u>	7,243	1454	NA
<u>AMD Ryzen 5 PRO 1500</u>	9,099	1245	NA
<u>AMD Ryzen 5 PRO 1600</u>	11,240	1085	NA
<u>AMD Ryzen 5 PRO 2400G</u>	8,513	1296	NA
<u>AMD Ryzen 5 PRO 2400GE</u>	7,654	1388	NA
<u>AMD Ryzen 5 PRO 2500U</u>	6,657	1548	NA
<u>AMD Ryzen 5 PRO 2600</u>	13,509	957	NA

<u>AMD Ryzen 5 PRO 3350G</u>	9,282	1227	NA
<u>AMD Ryzen 5 PRO 3350GE</u>	9,643	1192	NA
<u>AMD Ryzen 5 PRO 3400G</u>	9,090	1246	NA
<u>AMD Ryzen 5 PRO 3400GE</u>	8,285	1323	NA
<u>AMD Ryzen 5 PRO 3500U</u>	7,011	1491	NA
<u>AMD Ryzen 5 PRO 3600</u>	17,606	752	NA
<u>AMD Ryzen 5 PRO 4400G</u>	16,365	809	NA
<u>AMD Ryzen 5 PRO 4400GE</u>	14,795	882	NA
<u>AMD Ryzen 5 PRO 4500U</u>	12,117	1041	NA
<u>AMD Ryzen 5 PRO 4650G</u>	16,165	818	140.57
<u>AMD Ryzen 5 PRO 4650GE</u>	15,572	844	NA
<u>AMD Ryzen 5 PRO 4650U</u>	12,631	1010	NA
<u>AMD Ryzen 5 PRO 4655G</u>	16,355	811	NA
<u>AMD Ryzen 5 PRO 4655GE</u>	14,436	906	NA
<u>AMD Ryzen 5 PRO 5645</u>	21,904	565	NA
<u>AMD Ryzen 5 PRO 5650G</u>	20,785	610	NA
<u>AMD Ryzen 5 PRO 5650GE</u>	18,383	718	NA
<u>AMD Ryzen 5 PRO 5650U</u>	14,897	872	NA
<u>AMD Ryzen 5 PRO 5675U</u>	14,639	894	NA
<u>AMD Ryzen 5 PRO 6650H</u>	18,928	691	NA
<u>AMD Ryzen 5 PRO 6650U</u>	16,717	792	NA
<u>AMD Ryzen 5 PRO 7530U</u>	15,015	867	NA
<u>AMD Ryzen 5 Pro 7535U</u>	17,756	741	NA
<u>AMD Ryzen 5 PRO 7540U</u>	18,071	734	NA
<u>AMD Ryzen 5 PRO 7640HS</u>	22,778	528	NA
<u>AMD Ryzen 5 PRO 7640U</u>	21,287	587	NA
<u>AMD Ryzen 5 PRO 7645</u>	27,106	393	NA
<u>AMD Ryzen 5 PRO 8500G</u>	22,437	543	NA
<u>AMD Ryzen 5 PRO 8500GE</u>	22,235	554	NA
<u>AMD Ryzen 5 PRO 8540U</u>	18,409	717	NA
<u>AMD Ryzen 5 PRO 8600G</u>	25,288	441	NA
<u>AMD Ryzen 5 PRO 8600GE</u>	24,262	475	NA
<u>AMD Ryzen 5 PRO 8640HS</u>	22,041	562	NA
<u>AMD Ryzen 7 1700</u>	14,816	881	211.99
<u>AMD Ryzen 7 1700X</u>	15,668	839	80.35
<u>AMD Ryzen 7 1800X</u>	16,357	810	181.76
<u>AMD Ryzen 7 2700</u>	15,700	838	182.98
<u>AMD Ryzen 7 2700E</u>	14,657	892	NA
<u>AMD Ryzen 7 2700U</u>	6,796	1526	NA
<u>AMD Ryzen 7 2700X</u>	17,518	755	95.21
<u>AMD Ryzen 7 2800H</u>	8,013	1352	NA
<u>AMD Ryzen 7 3700C</u>	6,346	1608	NA
<u>AMD Ryzen 7 3700U</u>	7,157	1466	NA

<u>AMD Ryzen 7 3700X</u>	22,549	538	242.22
<u>AMD Ryzen 7 3750H</u>	8,103	1344	NA
<u>AMD Ryzen 7 3780U</u>	6,961	1501	NA
<u>AMD Ryzen 7 3800X</u>	23,147	512	107.17
<u>AMD Ryzen 7 3800XT</u>	23,607	500	42.16
<u>AMD Ryzen 7 4700G</u>	20,155	641	85.72
<u>AMD Ryzen 7 4700GE</u>	19,831	654	NA
<u>AMD Ryzen 7 4700U</u>	13,376	968	NA
<u>AMD Ryzen 7 4800H</u>	18,519	712	NA
<u>AMD Ryzen 7 4800HS</u>	18,349	721	NA
<u>AMD Ryzen 7 4800U</u>	16,693	794	NA
<u>AMD Ryzen 7 4850U Mobile</u>	15,920	830	NA
<u>AMD Ryzen 7 4980U Microsoft Surface Edition</u>	17,469	759	NA
<u>AMD Ryzen 7 5700</u>	24,232	477	161.57
<u>AMD Ryzen 7 5700G</u>	24,556	470	154.45
<u>AMD Ryzen 7 5700GE</u>	22,436	544	NA
<u>AMD Ryzen 7 5700U</u>	15,842	832	NA
<u>AMD Ryzen 7 5700X</u>	26,671	401	179.01
<u>AMD Ryzen 7 5700X3D</u>	26,294	413	136.54
<u>AMD Ryzen 7 5800</u>	25,760	426	NA
<u>AMD Ryzen 7 5800H</u>	21,029	599	NA
<u>AMD Ryzen 7 5800HS</u>	20,087	644	NA
<u>AMD Ryzen 7 5800HS Creator Edition</u>	21,166	592	NA
<u>AMD Ryzen 7 5800U</u>	18,415	715	NA
<u>AMD Ryzen 7 5800X</u>	27,853	371	167.79
<u>AMD Ryzen 7 5800X3D</u>	28,290	356	63.01
<u>AMD Ryzen 7 5825U</u>	18,357	720	NA
<u>AMD Ryzen 7 6800H</u>	23,430	505	NA
<u>AMD Ryzen 7 6800HS</u>	23,025	518	NA
<u>AMD Ryzen 7 6800HS Creator Edition</u>	21,735	574	NA
<u>AMD Ryzen 7 6800U</u>	20,625	619	NA
<u>AMD Ryzen 7 7435HS</u>	24,136	481	NA
<u>AMD Ryzen 7 7700</u>	34,577	248	123.49
<u>AMD Ryzen 7 7700X</u>	36,021	236	147.33
<u>AMD Ryzen 7 7730U</u>	18,636	706	NA
<u>AMD Ryzen 7 7735H</u>	24,025	484	NA
<u>AMD Ryzen 7 7735HS</u>	24,011	485	NA
<u>AMD Ryzen 7 7735U</u>	21,204	589	NA
<u>AMD Ryzen 7 7736U</u>	22,195	555	NA
<u>AMD Ryzen 7 7745HX</u>	32,669	277	NA
<u>AMD Ryzen 7 7800X3D</u>	34,264	256	76.31
<u>AMD Ryzen 7 7840H</u>	28,373	354	NA
<u>AMD Ryzen 7 7840HS</u>	28,918	338	NA

<u>AMD Ryzen 7 7840S</u>	24,635	466	NA
<u>AMD Ryzen 7 7840U</u>	24,944	453	NA
<u>AMD Ryzen 7 8700F</u>	30,780	304	128.25
<u>AMD Ryzen 7 8700G</u>	31,795	289	118.21
<u>AMD Ryzen 7 8840HS</u>	24,183	478	NA
<u>AMD Ryzen 7 8840U</u>	23,823	491	NA
<u>AMD Ryzen 7 8845H</u>	27,805	372	NA
<u>AMD Ryzen 7 8845HS</u>	28,701	344	NA
<u>AMD Ryzen 7 9700X</u>	37,424	224	115.51
<u>AMD Ryzen 7 Extreme Edition</u>	16,903	787	NA
<u>AMD Ryzen 7 PRO 1700</u>	14,658	891	NA
<u>AMD Ryzen 7 PRO 1700X</u>	15,577	843	NA
<u>AMD Ryzen 7 PRO 2700</u>	15,300	854	NA
<u>AMD Ryzen 7 PRO 2700U</u>	7,196	1461	NA
<u>AMD Ryzen 7 PRO 2700X</u>	16,948	786	NA
<u>AMD Ryzen 7 PRO 3700</u>	22,898	521	69.39
<u>AMD Ryzen 7 PRO 3700U</u>	7,465	1415	NA
<u>AMD Ryzen 7 PRO 4700G</u>	19,786	655	NA
<u>AMD Ryzen 7 PRO 4750G</u>	20,470	627	59.19
<u>AMD Ryzen 7 PRO 4750GE</u>	18,444	713	NA
<u>AMD Ryzen 7 PRO 4750U</u>	15,191	856	NA
<u>AMD Ryzen 7 PRO 5750G</u>	24,421	473	NA
<u>AMD Ryzen 7 PRO 5750GE</u>	21,882	567	NA
<u>AMD Ryzen 7 PRO 5845</u>	25,961	421	NA
<u>AMD Ryzen 7 PRO 5850U</u>	16,988	785	NA
<u>AMD Ryzen 7 PRO 5875U</u>	16,078	822	NA
<u>AMD Ryzen 7 PRO 6850H</u>	23,076	516	NA
<u>AMD Ryzen 7 PRO 6850HS</u>	22,264	553	NA
<u>AMD Ryzen 7 PRO 6850U</u>	20,795	609	NA
<u>AMD Ryzen 7 PRO 6860Z</u>	20,863	605	NA
<u>AMD Ryzen 7 PRO 7730U</u>	19,045	684	NA
<u>AMD Ryzen 7 Pro 7735U</u>	19,895	651	NA
<u>AMD Ryzen 7 PRO 7745</u>	34,652	245	NA
<u>AMD Ryzen 7 PRO 7840HS</u>	26,632	405	NA
<u>AMD Ryzen 7 PRO 7840U</u>	24,888	455	NA
<u>AMD Ryzen 7 PRO 8700G</u>	32,070	286	NA
<u>AMD Ryzen 7 PRO 8700GE</u>	30,199	316	NA
<u>AMD Ryzen 7 PRO 8840HS</u>	27,495	379	NA
<u>AMD Ryzen 7 PRO 8840U</u>	23,796	492	NA
<u>AMD Ryzen 7 PRO 8845HS</u>	29,329	334	NA
<u>AMD Ryzen 9 3900</u>	30,810	301	61.13
<u>AMD Ryzen 9 3900X</u>	32,626	279	155.37
<u>AMD Ryzen 9 3900XT</u>	32,673	276	136.71

<u>AMD Ryzen 9 3950X</u>	38,758	213	121.12
<u>AMD Ryzen 9 4900H</u>	19,165	678	NA
<u>AMD Ryzen 9 4900HS</u>	18,977	689	NA
<u>AMD Ryzen 9 5900</u>	34,400	252	NA
<u>AMD Ryzen 9 5900H</u>	20,557	623	NA
<u>AMD Ryzen 9 5900HS</u>	21,671	576	NA
<u>AMD Ryzen 9 5900HS Creator Edition</u>	22,138	558	NA
<u>AMD Ryzen 9 5900HX</u>	22,536	540	NA
<u>AMD Ryzen 9 5900X</u>	39,123	210	167.58
<u>AMD Ryzen 9 5900XT</u>	45,990	162	131.78
<u>AMD Ryzen 9 5950X</u>	45,628	166	127.10
<u>AMD Ryzen 9 5980HS</u>	21,318	586	NA
<u>AMD Ryzen 9 5980HX</u>	23,525	503	NA
<u>AMD Ryzen 9 6900HS</u>	23,610	498	NA
<u>AMD Ryzen 9 6900HS Creator Edition</u>	21,855	569	NA
<u>AMD Ryzen 9 6900HX</u>	24,802	461	NA
<u>AMD Ryzen 9 7845HX</u>	45,536	167	NA
<u>AMD Ryzen 9 7900</u>	48,855	142	132.70
<u>AMD Ryzen 9 7900X</u>	51,742	128	161.12
<u>AMD Ryzen 9 7900X3D</u>	50,346	133	110.17
<u>AMD Ryzen 9 7940H</u>	28,608	348	NA
<u>AMD Ryzen 9 7940HS</u>	30,369	313	NA
<u>AMD Ryzen 9 7940HX</u>	53,658	119	NA
<u>AMD Ryzen 9 7945HX</u>	54,746	115	NA
<u>AMD Ryzen 9 7945HX3D</u>	58,038	99	NA
<u>AMD Ryzen 9 7950X</u>	62,737	70	130.57
<u>AMD Ryzen 9 7950X3D</u>	62,481	73	106.81
<u>AMD Ryzen 9 8945H</u>	30,800	302	NA
<u>AMD Ryzen 9 8945HS</u>	29,346	333	NA
<u>AMD Ryzen 9 9900X</u>	54,320	117	120.98
<u>AMD Ryzen 9 9950X</u>	66,607	60	106.87
<u>AMD Ryzen 9 PRO 3900</u>	31,609	291	NA
<u>AMD Ryzen 9 PRO 5945</u>	34,573	249	NA
<u>AMD Ryzen 9 PRO 6950H</u>	22,576	537	NA
<u>AMD Ryzen 9 PRO 6950HS</u>	22,697	529	NA
<u>AMD Ryzen 9 PRO 7940HS</u>	28,072	360	NA
<u>AMD Ryzen 9 PRO 7945</u>	47,847	147	NA
<u>AMD Ryzen 9 PRO 8945HS</u>	31,160	297	NA
<u>AMD Ryzen AI 9 365</u>	29,509	329	NA
<u>AMD Ryzen AI 9 HX 370</u>	35,791	238	NA
<u>AMD Ryzen Embedded R1305G</u>	2,953	2468	NA
<u>AMD Ryzen Embedded R1505G</u>	3,805	2143	NA
<u>AMD Ryzen Embedded R1600</u>	3,365	2293	NA

<u>AMD Ryzen Embedded R1606G</u>	4,144	2045	NA
<u>AMD Ryzen Embedded R2312</u>	3,865	2126	NA
<u>AMD Ryzen Embedded R2314</u>	6,031	1678	NA
<u>AMD Ryzen Embedded R2514</u>	6,998	1494	NA
<u>AMD Ryzen Embedded R2544</u>	8,486	1300	NA
<u>AMD Ryzen Embedded V3C18I</u>	17,053	776	NA
<u>AMD Ryzen Embedded V3C48</u>	20,203	638	NA
<u>AMD Ryzen Embedded V1202B</u>	3,512	2233	NA
<u>AMD Ryzen Embedded V1404I</u>	6,007	1684	NA
<u>AMD Ryzen Embedded V1500B</u>	4,633	1937	NA
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,417	1798	NA
<u>AMD Ryzen Embedded V1605B</u>	6,677	1544	NA
<u>AMD Ryzen Embedded V1756B</u>	8,291	1321	NA
<u>AMD Ryzen Embedded V1807B</u>	8,553	1288	NA
<u>AMD Ryzen Embedded V1807F</u>	7,775	1375	NA
<u>AMD Ryzen Embedded V2516</u>	13,016	988	NA
<u>AMD Ryzen Embedded V2546</u>	16,236	814	NA
<u>AMD Ryzen Embedded V2718</u>	16,075	824	NA
<u>AMD Ryzen Embedded V2748</u>	16,706	793	NA
<u>AMD Ryzen Threadripper 1900X</u>	16,802	788	120.01
<u>AMD Ryzen Threadripper 1920</u>	22,066	560	NA
<u>AMD Ryzen Threadripper 1920X</u>	23,086	514	109.94
<u>AMD Ryzen Threadripper 1950X</u>	27,606	376	38.24
<u>AMD Ryzen Threadripper 2920X</u>	25,443	436	33.92
<u>AMD Ryzen Threadripper 2950X</u>	29,452	330	34.38
<u>AMD Ryzen Threadripper 2970WX</u>	30,653	307	25.21
<u>AMD Ryzen Threadripper 2990WX</u>	32,109	285	11.90
<u>AMD Ryzen Threadripper 2990X</u>	25,874	423	NA
<u>AMD Ryzen Threadripper 3960X</u>	54,880	114	62.36
<u>AMD Ryzen Threadripper 3970X</u>	63,104	69	40.58
<u>AMD Ryzen Threadripper 3990X</u>	80,693	37	26.03
<u>AMD Ryzen Threadripper 7960X</u>	83,077	28	60.22
<u>AMD Ryzen Threadripper 7970X</u>	97,913	14	42.53
<u>AMD Ryzen Threadripper 7980X</u>	134,187	3	28.53
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,539	267	NA
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,291	202	49.74
<u>AMD Ryzen Threadripper PRO 3975WX</u>	62,555	72	30.15
<u>AMD Ryzen Threadripper PRO 3995WX</u>	83,697	27	55.84
<u>AMD Ryzen Threadripper PRO 5945WX</u>	40,579	201	NA
<u>AMD Ryzen Threadripper PRO 5955WX</u>	50,026	137	45.90
<u>AMD Ryzen Threadripper PRO 5965WX</u>	66,732	57	41.71
<u>AMD Ryzen Threadripper PRO 5975WX</u>	75,609	44	38.48
<u>AMD Ryzen Threadripper PRO 5995WX</u>	93,192	19	22.73

<u>AMD Ryzen Threadripper PRO 7945WX</u>	49,599	138	NA
<u>AMD Ryzen Threadripper PRO 7955WX</u>	59,759	85	NA
<u>AMD Ryzen Threadripper PRO 7965WX</u>	80,867	36	31.46
<u>AMD Ryzen Threadripper PRO 7975WX</u>	95,247	17	22.45
<u>AMD Ryzen Threadripper PRO 7985WX</u>	135,597	2	18.45
<u>AMD Ryzen Threadripper PRO 7995WX</u>	153,935	1	15.39
<u>AMD Ryzen Z1</u>	18,674	702	NA
<u>AMD Ryzen Z1 Extreme</u>	25,071	448	NA
<u>AMD Sempron 130</u>	511	4317	17.03
<u>AMD Sempron 140</u>	486	4340	40.69
<u>AMD Sempron 145</u>	518	4309	12.95
<u>AMD Sempron 150</u>	597	4209	39.96
<u>AMD Sempron 200U</u>	125	4813	1.43
<u>AMD Sempron 210U</u>	267	4607	NA
<u>AMD Sempron 240</u>	1,278	3474	35.39
<u>AMD Sempron 2200+</u>	184	4735	4.60
<u>AMD Sempron 2300+</u>	207	4695	4.60
<u>AMD Sempron 2400+</u>	205	4699	15.74
<u>AMD Sempron 2500+</u>	207	4694	3.45
<u>AMD Sempron 2600+</u>	253	4626	7.23
<u>AMD Sempron 2650 APU</u>	551	4273	5.82
<u>AMD Sempron 2800+</u>	243	4642	8.11
<u>AMD Sempron 3000+</u>	286	4581	8.18
<u>AMD Sempron 3100+</u>	298	4563	4.58
<u>AMD Sempron 3200+</u>	251	4631	2.01
<u>AMD Sempron 3300+</u>	315	4544	15.74
<u>AMD Sempron 3400+</u>	292	4571	3.37
<u>AMD Sempron 3500+</u>	232	4665	9.28
<u>AMD Sempron 3600+</u>	364	4471	24.24
<u>AMD Sempron 3800+</u>	360	4475	24.03
<u>AMD Sempron 3850 APU</u>	1,150	3603	24.16
<u>AMD Sempron Dual Core 2100</u>	533	4291	14.04
<u>AMD Sempron Dual Core 2200</u>	563	4257	14.09
<u>AMD Sempron Dual Core 2300</u>	555	4268	13.22
<u>AMD Sempron LE-1100</u>	315	4541	9.02
<u>AMD Sempron LE-1150</u>	251	4629	16.82
<u>AMD Sempron LE-1200</u>	349	4487	23.32
<u>AMD Sempron LE-1250</u>	301	4559	3.01
<u>AMD Sempron LE-1300</u>	417	4404	15.44
<u>AMD Sempron M100</u>	332	4522	27.66
<u>AMD Sempron M120</u>	247	4634	NA
<u>AMD Sempron SI-40</u>	288	4579	24.02
<u>AMD Sempron SI-42</u>	245	4638	8.15

<u>AMD Sempron X2 180</u>	826	3939	11.90
<u>AMD Sempron X2 190</u>	879	3876	10.53
<u>AMD Sempron X2 198 Dual-Core</u>	930	3830	NA
<u>AMD Turion 64 Mobile MK-36</u>	334	4516	NA
<u>AMD Turion 64 Mobile MK-38</u>	362	4474	NA
<u>AMD Turion 64 Mobile ML-28</u>	254	4624	NA
<u>AMD Turion 64 Mobile ML-30</u>	277	4595	NA
<u>AMD Turion 64 Mobile ML-32</u>	285	4583	NA
<u>AMD Turion 64 Mobile ML-34</u>	319	4532	NA
<u>AMD Turion 64 Mobile ML-37</u>	334	4514	12.86
<u>AMD Turion 64 Mobile ML-40</u>	336	4508	NA
<u>AMD Turion 64 Mobile ML-42</u>	400	4432	NA
<u>AMD Turion 64 Mobile ML-44</u>	384	4454	NA
<u>AMD Turion 64 Mobile MT-30</u>	246	4636	NA
<u>AMD Turion 64 Mobile MT-32</u>	286	4580	NA
<u>AMD Turion 64 Mobile MT-34</u>	279	4591	NA
<u>AMD Turion 64 Mobile MT-37</u>	274	4599	NA
<u>AMD Turion 64 X2 Mobile TL-50</u>	474	4351	24.97
<u>AMD Turion 64 X2 Mobile TL-52</u>	534	4290	NA
<u>AMD Turion 64 X2 Mobile TL-56</u>	498	4327	7.61
<u>AMD Turion 64 X2 Mobile TL-58</u>	483	4346	NA
<u>AMD Turion 64 X2 Mobile TL-60</u>	639	4165	40.06
<u>AMD Turion 64 X2 Mobile TL-62</u>	649	4157	22.39
<u>AMD Turion 64 X2 Mobile TL-64</u>	675	4124	17.14
<u>AMD Turion 64 X2 Mobile TL-66</u>	696	4092	7.82
<u>AMD Turion 64 X2 Mobile TL-68</u>	866	3892	9.62
<u>AMD Turion Dual-Core RM-70</u>	561	4260	22.46
<u>AMD Turion Dual-Core RM-72</u>	649	4158	21.69
<u>AMD Turion Dual-Core RM-74</u>	588	4221	NA
<u>AMD Turion Dual-Core RM-75</u>	659	4143	30.65
<u>AMD Turion II Dual-Core Mobile M500</u>	756	4022	NA
<u>AMD Turion II Dual-Core Mobile M520</u>	844	3920	12.21
<u>AMD Turion II Dual-Core Mobile M540</u>	912	3842	NA
<u>AMD Turion II N530 Dual-Core</u>	855	3901	28.51
<u>AMD Turion II N550 Dual-Core</u>	877	3882	NA
<u>AMD Turion II Neo K625 Dual-Core</u>	618	4190	NA
<u>AMD Turion II Neo K685 Dual-Core</u>	684	4113	NA
<u>AMD Turion II Neo N40L Dual-Core</u>	617	4191	NA
<u>AMD Turion II Neo N54L Dual-Core</u>	853	3903	NA
<u>AMD Turion II P520 Dual-Core</u>	812	3954	NA
<u>AMD Turion II P540 Dual-Core</u>	1,021	3732	20.45
<u>AMD Turion II P560 Dual-Core</u>	878	3877	NA
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	955	3805	56.97

<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814	3952	NA
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,034	3719	NA
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	3743	NA
<u>AMD Turion Neo X2 Dual Core L625</u>	432	4383	NA
<u>AMD Turion X2 Dual Core L510</u>	603	4203	NA
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497	4329	3.75
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691	4102	NA
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	612	4194	NA
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	653	4150	2.91
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	655	4148	43.83
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	708	4077	NA
<u>AMD Turion X2 Dual-Core Mobile RM-76</u>	799	3970	NA
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	562	4258	NA
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	506	4321	10.14
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	733	4054	NA
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	802	3969	16.05
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	828	3936	18.39
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695	4095	11.39
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	741	4042	18.56
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536	4286	NA
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471	4354	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	841	3924	NA
<u>AMD TurionX2 Ultra DualCore Mobile ZM-87</u>	599	4205	NA
<u>AMD V105</u>	184	4734	NA
<u>AMD V120</u>	352	4485	NA
<u>AMD V140</u>	422	4397	10.57
<u>AMD V160</u>	337	4507	NA
<u>AMD Z-01</u>	305	4556	NA
<u>AMD Z-60 APU</u>	262	4616	NA
<u>Amlogic</u>	637	4167	NA
<u>Amlogic AMLS905D3</u>	815	3951	NA
<u>Amlogic AMLS905X4</u>	827	3938	NA
<u>Amlogic AMLT982</u>	972	3790	NA
<u>Ampere ARM - 192 Core 3200 MHz</u>	57,444	100	NA
<u>ap201</u>	565	4253	NA
<u>Apple A8</u>	1,515	3308	NA
<u>Apple A8X</u>	2,376	2751	NA
<u>Apple A9</u>	2,068	2936	NA
<u>Apple A9X</u>	2,516	2670	NA
<u>Apple A11 Bionic</u>	4,415	1986	NA
<u>Apple A12 Bionic</u>	4,972	1884	NA
<u>Apple A12X Bionic</u>	11,028	1100	NA
<u>Apple A12Z Bionic</u>	9,365	1214	NA

<u>Apple A13 Bionic</u>	5,698	1728	NA
<u>Apple A14 Bionic</u>	8,546	1290	NA
<u>Apple A15 Bionic</u>	9,905	1171	NA
<u>Apple A16 Bionic</u>	11,083	1093	NA
<u>Apple A17 Pro</u>	12,255	1030	NA
<u>Apple A18</u>	13,103	981	NA
<u>Apple A18 Pro</u>	12,980	992	NA
<u>Apple M1 8 Core 3200 MHz</u>	14,165	925	NA
<u>Apple M1 Max 10 Core 3200 MHz</u>	22,066	561	NA
<u>Apple M1 Pro 8 Core 3200 MHz</u>	17,179	769	NA
<u>Apple M1 Pro 10 Core 3200 MHz</u>	21,866	568	NA
<u>Apple M1 Ultra 20 Core</u>	41,176	195	NA
<u>Apple M2 8 Core 3500 MHz</u>	15,532	845	NA
<u>Apple M2 Max 12 Core 3680 MHz</u>	26,590	406	NA
<u>Apple M2 Pro 10 Core 3480 MHz</u>	21,710	575	NA
<u>Apple M2 Pro 12 Core 3480 MHz</u>	26,517	408	NA
<u>Apple M2 Ultra 24 Core</u>	50,180	136	NA
<u>Apple M3 8 Core</u>	19,299	675	NA
<u>Apple M3 Max 14 Core</u>	36,473	230	NA
<u>Apple M3 Max 16 Core</u>	40,836	198	NA
<u>Apple M3 Pro 11 Core</u>	24,803	460	NA
<u>Apple M3 Pro 12 Core</u>	26,634	404	NA
<u>Apple M4 9 Core</u>	22,360	550	NA
<u>Apple M4 10 Core</u>	25,036	449	NA
<u>ARM - 8 Core 1766 MHz</u>	4,080	2069	NA
<u>ARM - 8 Core 1800 MHz</u>	3,292	2323	NA
<u>ARM - 8 Core 2208 MHz</u>	2,270	2811	NA
<u>ARM - 8 Core 2424 MHz</u>	8,610	1282	NA
<u>ARM - 32 Core 2911 MHz</u>	8,132	1341	NA
<u>ARM - 32 Core 3300 MHz</u>	8,684	1273	NA
<u>ARM ARMv7 rev 1 (v7l) 4 Core 1608 MHz</u>	776	3997	NA
<u>ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz</u>	843	3921	NA
<u>ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</u>	984	3775	NA
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</u>	403	4427	NA
<u>ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</u>	399	4436	NA
<u>ARM ARMv7 rev 5 (v7l) 4 Core 1200 MHz</u>	325	4530	NA
<u>ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz</u>	1,312	3447	NA
<u>ARM ARMv8 rev 1 (v8l) 6 Core 1510 MHz</u>	2,550	2650	NA
<u>ARM Avalanche-M2 4 Core 2424 MHz</u>	8,233	1326	NA
<u>ARM Cortex-A7 2 Core 960 MHz</u>	111	4831	NA
<u>ARM Cortex-A7 2 Core 996 MHz</u>	138	4798	NA
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142	4792	NA
<u>ARM Cortex-A7 4 Core 900 MHz</u>	229	4669	NA

<u>ARM Cortex-A7 4 Core 1000 MHz</u>	278	4593	NA
<u>ARM Cortex-A7 4 Core 1008 MHz</u>	269	4604	NA
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	262	4615	NA
<u>ARM Cortex-A7 4 Core 1296 MHz</u>	225	4673	NA
<u>ARM Cortex-A7 4 Core 1300 MHz</u>	343	4494	NA
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	354	4483	NA
<u>ARM Cortex-A15 4 Core 1400 MHz</u>	1,141	3610	NA
<u>ARM Cortex-A15 4 Core 1500 MHz</u>	1,304	3451	NA
<u>ARM Cortex-A15 4 Core 2000 MHz</u>	923	3837	NA
<u>ARM Cortex-A15 8 Core 1400 MHz</u>	1,160	3593	NA
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	781	3992	NA
<u>ARM Cortex-A35 4 Core 1200 MHz</u>	329	4527	NA
<u>ARM Cortex-A35 4 Core 1296 MHz</u>	334	4515	NA
<u>ARM Cortex-A53 4 Core 600 MHz</u>	220	4681	NA
<u>ARM Cortex-A53 4 Core 1000 MHz</u>	215	4684	NA
<u>ARM Cortex-A53 4 Core 1008 MHz</u>	310	4549	NA
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	342	4495	NA
<u>ARM Cortex-A53 4 Core 1199 MHz</u>	407	4416	NA
<u>ARM Cortex-A53 4 Core 1200 MHz</u>	288	4578	NA
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	416	4407	NA
<u>ARM Cortex-A53 4 Core 1300 MHz</u>	438	4380	NA
<u>ARM Cortex-A53 4 Core 1333 MHz</u>	207	4693	NA
<u>ARM Cortex-A53 4 Core 1368 MHz</u>	385	4453	NA
<u>ARM Cortex-A53 4 Core 1392 MHz</u>	417	4403	NA
<u>ARM Cortex-A53 4 Core 1400 MHz</u>	295	4567	NA
<u>ARM Cortex-A53 4 Core 1500 MHz</u>	340	4500	NA
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	471	4353	NA
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	213	4687	NA
<u>ARM Cortex-A53 4 Core 1600 MHz</u>	453	4373	NA
<u>ARM Cortex-A53 4 Core 1608 MHz</u>	462	4366	NA
<u>ARM Cortex-A53 4 Core 1704 MHz</u>	556	4266	NA
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	513	4315	NA
<u>ARM Cortex-A53 4 Core 1908 MHz</u>	638	4166	NA
<u>ARM Cortex-A53 4 Core 2016 MHz</u>	500	4324	NA
<u>ARM Cortex-A53 6 Core 1896 MHz</u>	1,851	3071	NA
<u>ARM Cortex-A53 8 Core 1512 MHz</u>	681	4117	NA
<u>ARM Cortex-A55 4 Core 1416 MHz</u>	460	4367	NA
<u>ARM Cortex-A55 4 Core 1800 MHz</u>	625	4182	NA
<u>ARM Cortex-A55 4 Core 1908 MHz</u>	707	4079	NA
<u>ARM Cortex-A55 4 Core 1992 MHz</u>	685	4111	NA
<u>ARM Cortex-A55 4 Core 2016 MHz</u>	755	4026	NA
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	663	4140	NA
<u>ARM Cortex-A55 4 Core 2124 MHz</u>	742	4041	NA

<u>ARM Cortex-A55 8 Core 1800 MHz</u>	3,013	2436	NA
<u>ARM Cortex-A57 2 Core 1479 MHz</u>	318	4534	NA
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	951	3811	NA
<u>ARM Cortex-A57 4 Core 1734 MHz</u>	1,170	3579	NA
<u>ARM Cortex-A57 4 Core 1912 MHz</u>	1,007	3753	NA
<u>ARM Cortex-A57 4 Core 2014 MHz</u>	1,229	3522	NA
<u>ARM Cortex-A57 4 Core 2091 MHz</u>	1,170	3580	NA
<u>ARM Cortex-A57 8 Core 1500 MHz</u>	1,022	3731	NA
<u>ARM Cortex-A57 8 Core 1766 MHz</u>	3,766	2154	NA
<u>ARM Cortex-A72 4 Core 800 MHz</u>	279	4590	NA
<u>ARM Cortex-A72 4 Core 1000 MHz</u>	608	4197	NA
<u>ARM Cortex-A72 4 Core 1200 MHz</u>	174	4749	NA
<u>ARM Cortex-A72 4 Core 1416 MHz</u>	927	3834	NA
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	627	4179	NA
<u>ARM Cortex-A72 4 Core 1600 MHz</u>	667	4135	NA
<u>ARM Cortex-A72 4 Core 1700 MHz</u>	577	4236	NA
<u>ARM Cortex-A72 4 Core 1750 MHz</u>	335	4511	NA
<u>ARM Cortex-A72 4 Core 1800 MHz</u>	693	4098	NA
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199	4704	NA
<u>ARM Cortex-A72 4 Core 1900 MHz</u>	755	4025	NA
<u>ARM Cortex-A72 4 Core 2000 MHz</u>	772	4002	NA
<u>ARM Cortex-A72 4 Core 2016 MHz</u>	2,186	2869	NA
<u>ARM Cortex-A72 4 Core 2100 MHz</u>	674	4126	NA
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	815	3950	NA
<u>ARM Cortex-A72 4 Core 2208 MHz</u>	2,290	2799	NA
<u>ARM Cortex-A72 4 Core 2300 MHz</u>	915	3839	NA
<u>ARM Cortex-A72 4 Core 2394 MHz</u>	1,254	3496	NA
<u>ARM Cortex-A72 4 Core 2400 MHz</u>	1,295	3459	NA
<u>ARM Cortex-A72 4 Core 2800 MHz</u>	314	4545	NA
<u>ARM Cortex-A72 6 Core 1008 MHz</u>	734	4053	NA
<u>ARM Cortex-A72 6 Core 1416 MHz</u>	1,065	3686	NA
<u>ARM Cortex-A72 6 Core 1512 MHz</u>	1,183	3566	NA
<u>ARM Cortex-A72 16 Core 2200 MHz</u>	5,470	1788	NA
<u>ARM Cortex-A73 4 Core 1844 MHz</u>	1,368	3411	NA
<u>ARM Cortex-A73 4 Core 1900 MHz</u>	1,547	3277	NA
<u>ARM Cortex-A73 4 Core 1989 MHz</u>	1,820	3094	NA
<u>ARM Cortex-A73 4 Core 2100 MHz</u>	1,185	3563	NA
<u>ARM Cortex-A73 6 Core 1896 MHz</u>	1,242	3508	NA
<u>ARM Cortex-A73 6 Core 1992 MHz</u>	1,311	3448	NA
<u>ARM Cortex-A73 6 Core 2016 MHz</u>	1,445	3351	NA
<u>ARM Cortex-A76 4 Core 1500 MHz</u>	1,488	3323	NA
<u>ARM Cortex-A76 4 Core 1800 MHz</u>	3,139	2385	NA
<u>ARM Cortex-A76 4 Core 2400 MHz</u>	2,147	2892	NA

<u>ARM Cortex-A76 4 Core 2600 MHz</u>	2,320	2781	NA
<u>ARM Cortex-A76 4 Core 2700 MHz</u>	2,375	2752	NA
<u>ARM Cortex-A76 4 Core 2800 MHz</u>	2,460	2696	NA
<u>ARM Cortex-A76 4 Core 2900 MHz</u>	2,465	2693	NA
<u>ARM Cortex-A76 4 Core 3000 MHz</u>	2,547	2651	NA
<u>ARM Cortex-A76 4 Core 3100 MHz</u>	2,610	2617	NA
<u>ARM Cortex-A76 4 Core 3200 MHz</u>	2,579	2637	NA
<u>ARM Cortex-A76 4 Core 3300 MHz</u>	2,493	2681	NA
<u>ARM Cortex-A76 4 Core 3400 MHz</u>	2,580	2634	NA
<u>ARM Cortex-A76 8 Core 1800 MHz</u>	2,792	2532	NA
<u>ARM Cortex-A78 4 Core 2000 MHz</u>	3,016	2435	NA
<u>ARM Cortex-X1C 4 Core 2438 MHz</u>	6,007	1683	NA
<u>ARM D2000/8 8 Core 2300 MHz</u>	2,674	2585	NA
<u>ARM Falkor V1/Kryo 8 Core 1900 MHz</u>	1,652	3199	NA
<u>ARM Firestorm 4 Core 2064 MHz</u>	7,804	1372	NA
<u>ARM Firestorm 8 Core 2064 MHz</u>	6,775	1529	NA
<u>ARM Firestorm-M1 4 Core 2064 MHz</u>	7,798	1374	NA
<u>ARM Firestorm-M1-Pro 8 Core 2064 MHz</u>	9,872	1174	NA
<u>ARM FT-2000/4 4 Core 2200 MHz</u>	881	3874	NA
<u>ARM HUAWEI,Kunpeng 920 24 Core 2600 MHz</u>	9,496	1202	NA
<u>ARM Kryo-3XX-Gold 4 Core 1766 MHz</u>	2,222	2849	NA
<u>ARM Kryo-4XX-Gold 8 Core 1804 MHz</u>	2,531	2662	NA
<u>ARM Kunpeng-920 8 Core 2600 MHz</u>	3,910	2107	NA
<u>ARM Neoverse-N1 32 Core 1700 MHz</u>	11,841	1050	NA
<u>ARM Neoverse-N1 64 Core 0 MHz</u>	28,064	361	NA
<u>ARM Neoverse-N1 64 Core 2200 MHz</u>	20,250	637	NA
<u>ARM Neoverse-N1 80 Core 2600 MHz</u>	18,823	697	NA
<u>ARM Neoverse-N1 80 Core 2800 MHz</u>	11,755	1057	NA
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	34,639	246	NA
<u>ARM Neoverse-N1 128 Core 2800 MHz</u>	43,111	185	NA
<u>ARM Neoverse-N1 128 Core 3000 MHz</u>	43,229	184	NA
<u>ARM Neoverse-N2 8 Core 2500 MHz</u>	5,544	1768	NA
<u>ARM Neoverse-V2 72 Core 3465 MHz</u>	57,369	102	NA
<u>ARM Neoverse-V2 72 Core 3519 MHz</u>	57,240	103	NA
<u>ARM Phytium D3000 8 Core 2500 MHz</u>	5,528	1773	NA
<u>ARM phytium FT1500a 4 Core 2000 MHz</u>	1,579	3249	NA
<u>ARM Phytium,D2000/8 8 Core 2000 MHz</u>	2,409	2724	NA
<u>ARM Phytium,D2000/8 8 Core 2300 MHz</u>	2,690	2576	NA
<u>ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</u>	2,500	2676	NA
<u>ARM Phytium,FT-2000/4 8 Core 2300 MHz</u>	2,720	2561	NA
<u>ARM X-Gene 32 Core 3000 MHz</u>	8,202	1332	NA
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684	1274	NA
<u>ASUS Tinker Board 2/2S</u>	1,771	3135	NA

Athlon 64 Dual Core 3800+	736	4049	NA
Athlon 64 Dual Core 5000+	850	3906	NA
Athlon 64 Dual Core 5600+	875	3883	NA
Athlon Dual Core 4050e	670	4131	NA
Athlon Dual Core 4450e	681	4118	NA
Athlon Dual Core 4850e	769	4006	NA
BCM2711	852	3904	NA
BCM2712	3,236	2340	NA
BCM2835	1,239	3510	NA
Broadcom STB (Flattened Device Tree)	659	4142	NA
Celeron Dual-Core T3000 @ 1.80GHz	687	4108	NA
Celeron Dual-Core T3100 @ 1.90GHz	599	4206	18.73
Celeron Dual-Core T3300 @ 2.00GHz	633	4173	42.31
Celeron Dual-Core T3500 @ 2.10GHz	756	4023	NA
CentaurHauls @2000MHz	6,549	1563	NA
CentaurHauls @2500MHz	8,055	1349	NA
DG1301SML87HY	3,624	2199	NA
DO-Regular	1,070	3680	NA
Dual-Core AMD Opteron 1220 SE	748	4034	NA
Generic DT based system	632	4175	NA
Giada JHS558 (Android)	2,022	2959	NA
Google GS201	7,320	1438	NA
Google R11 BtWifi Evt1.1	187	4730	NA
Google Tensor	6,728	1536	NA
Google Tensor G3	8,134	1340	NA
Google Tensor G4	9,048	1251	NA
Grandstream GXV3480 Video Phone	1,078	3674	NA
Hardkernel ODROID-N2Plus	2,115	2908	NA
Haydn based on Qualcomm Technologies, Inc SM8350	5,359	1809	NA
hi6210sft	796	3971	NA
High Performance Datacenter v	1,610	3221	NA
HiSilicon Kirin	6,669	1546	NA
Hisilicon Kirin710	2,438	2710	NA
Hisilicon Kirin810	2,945	2473	NA
Hisilicon Kirin820	3,893	2115	NA
Hisilicon Kirin970	2,681	2583	NA
Hisilicon Kirin980	4,373	1998	NA
Hisilicon Kirin985	4,162	2042	NA
Hisilicon Kirin9000	5,083	1867	NA
HiSilicon Kirin 659	1,893	3045	NA
Hisilicon Kirin 925	1,053	3700	NA
Hisilicon Kirin 930	1,415	3376	NA
Hisilicon Kirin 935	1,599	3234	NA

<u>HiSilicon Kirin 950</u>	2,457	2699	NA
<u>HiSilicon Kirin 955</u>	2,936	2475	NA
<u>HiSilicon Kirin 960</u>	2,813	2528	NA
<u>HiSilicon Kirin 970</u>	2,908	2489	NA
<u>HiSilicon Kirin 990</u>	3,965	2094	NA
<u>HP Hexa-Core 2.0GHz</u>	1,741	3147	3.45
<u>Hygon C86 3185 8-core</u>	9,243	1231	NA
<u>Hygon C86 3250 8-core</u>	11,476	1072	NA
<u>Hygon C86 3350 8-core</u>	12,292	1025	NA
<u>Hygon C86 7255 16-core</u>	18,831	696	NA
<u>Intel 2.80GHz</u>	341	4496	NA
<u>Intel 300</u>	7,160	1465	87.32
<u>Intel Atom 230 @ 1.60GHz</u>	169	4753	NA
<u>Intel Atom 330 @ 1.60GHz</u>	363	4472	NA
<u>Intel Atom C1110</u>	3,170	2371	NA
<u>Intel Atom C2338 @ 1.74GHz</u>	584	4227	NA
<u>Intel Atom C2350 @ 1.74GHz</u>	520	4307	12.10
<u>Intel Atom C2358 @ 1.74GHz</u>	578	4233	NA
<u>Intel Atom C2538 @ 2.40GHz</u>	960	3800	9.23
<u>Intel Atom C2550 @ 2.40GHz</u>	1,422	3372	NA
<u>Intel Atom C2558 @ 2.40GHz</u>	1,424	3367	10.47
<u>Intel Atom C2750 @ 2.40GHz</u>	2,789	2533	12.02
<u>Intel Atom C2750 @ 2.41GHz</u>	2,174	2873	NA
<u>Intel Atom C2758 @ 2.40GHz</u>	2,397	2736	11.16
<u>Intel Atom C3338 @ 1.50GHz</u>	1,028	3723	NA
<u>Intel Atom C3508 @ 1.60GHz</u>	1,796	3114	20.47
<u>Intel Atom C3538 @ 2.10GHz</u>	1,889	3051	25.18
<u>Intel Atom C3558 @ 2.20GHz</u>	2,426	2716	28.20
<u>Intel Atom C3758 @ 2.20GHz</u>	4,614	1941	23.91
<u>Intel Atom C3758R @ 2.40GHz</u>	5,116	1861	22.84
<u>Intel Atom C3858 @ 2.00GHz</u>	4,707	1923	14.18
<u>Intel Atom C3958 @ 2.00GHz</u>	3,929	2102	8.75
<u>Intel Atom C5125</u>	8,631	1279	28.87
<u>Intel Atom D410 @ 1.66GHz</u>	180	4741	0.28
<u>Intel Atom D425 @ 1.80GHz</u>	204	4700	0.21
<u>Intel Atom D510 @ 1.66GHz</u>	406	4420	4.18
<u>Intel Atom D525 @ 1.80GHz</u>	402	4430	NA
<u>Intel Atom D2500 @ 1.86GHz</u>	246	4635	NA
<u>Intel Atom D2550 @ 1.86GHz</u>	409	4413	NA
<u>Intel Atom D2560 @ 2.00GHz</u>	433	4382	NA
<u>Intel Atom D2700 @ 2.13GHz</u>	467	4360	NA
<u>Intel Atom D2701 @ 2.13GHz</u>	511	4316	NA
<u>Intel Atom E3805 @ 1.33GHz</u>	406	4418	20.31

<u>Intel Atom E3815 @ 1.46GHz</u>	184	4731	1.36
<u>Intel Atom E3825 @ 1.33GHz</u>	378	4459	5.37
<u>Intel Atom E3826 @ 1.46GHz</u>	304	4557	NA
<u>Intel Atom E3827 @ 1.74GHz</u>	463	4365	NA
<u>Intel Atom E3840 @ 1.91GHz</u>	704	4084	NA
<u>Intel Atom E3845 @ 1.91GHz</u>	1,052	3703	NA
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953	2997	NA
<u>Intel Atom N270 @ 1.60GHz</u>	136	4801	NA
<u>Intel Atom N280 @ 1.66GHz</u>	157	4772	NA
<u>Intel Atom N435 @ 1.33GHz</u>	153	4779	NA
<u>Intel Atom N450 @ 1.66GHz</u>	203	4702	NA
<u>Intel Atom N455 @ 1.66GHz</u>	193	4720	NA
<u>Intel Atom N470 @ 1.83GHz</u>	224	4676	NA
<u>Intel Atom N475 @ 1.83GHz</u>	179	4743	NA
<u>Intel Atom N550 @ 1.50GHz</u>	283	4585	3.29
<u>Intel Atom N570 @ 1.66GHz</u>	341	4498	3.96
<u>Intel Atom N2100 @ 1.60GHz</u>	188	4727	NA
<u>Intel Atom N2600 @ 1.60GHz</u>	360	4476	NA
<u>Intel Atom N2800 @ 1.86GHz</u>	444	4376	NA
<u>Intel Atom P5322</u>	7,378	1429	20.96
<u>Intel Atom P5342</u>	12,291	1026	19.45
<u>Intel Atom P5362</u>	17,276	767	24.40
<u>Intel Atom S1260 @ 2.00GHz</u>	526	4302	8.22
<u>Intel Atom T5700 @ 1.70GHz</u>	2,363	2759	NA
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	928	3831	NA
<u>Intel Atom x5-E3940 @ 1.60GHz</u>	1,941	3008	NA
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	962	3798	NA
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	814	3953	6.12
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	809	3958	NA
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	892	3867	42.46
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,236	3515	19.75
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,156	3595	NA
<u>Intel Atom x7-E3950 @ 1.60GHz</u>	2,096	2916	NA
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,328	3434	18.03
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,289	3465	NA
<u>Intel Atom x6211E @ 1.20GHz</u>	1,695	3173	48.43
<u>Intel Atom x6211E @ 1.30GHz</u>	1,833	3086	52.36
<u>Intel Atom x6214RE @ 1.40GHz</u>	1,109	3635	23.59
<u>Intel Atom x6413E @ 1.50GHz</u>	3,903	2112	90.77
<u>Intel Atom x6414RE @ 1.50GHz</u>	1,544	3281	28.07
<u>Intel Atom x6425E @ 2.00GHz</u>	3,905	2111	69.72
<u>Intel Atom x6425RE @ 1.90GHz</u>	2,990	2448	50.67
<u>Intel Atom x6427FE @ 1.90GHz</u>	3,196	2364	38.51

<u>Intel Atom x7425E</u>	5,570	1761	NA
<u>Intel Atom x7835RE</u>	8,400	1309	66.14
<u>Intel Atom Z520 @ 1.33GHz</u>	122	4816	NA
<u>Intel Atom Z530 @ 1.60GHz</u>	183	4737	NA
<u>Intel Atom Z670 @ 1.50GHz</u>	158	4769	NA
<u>Intel Atom Z2760 @ 1.80GHz</u>	298	4561	NA
<u>Intel Atom Z3530 @ 1.33GHz</u>	565	4252	NA
<u>Intel Atom Z3560 @ 1.00GHz</u>	749	4030	NA
<u>Intel Atom Z3560 @ 1.83GHz</u>	690	4103	NA
<u>Intel Atom Z3580 @ 1.33GHz</u>	802	3968	NA
<u>Intel Atom Z3735D @ 1.33GHz</u>	704	4082	NA
<u>Intel Atom Z3735E @ 1.33GHz</u>	557	4265	4.76
<u>Intel Atom Z3735F @ 1.33GHz</u>	541	4281	1.08
<u>Intel Atom Z3735G @ 1.33GHz</u>	772	4003	NA
<u>Intel Atom Z3736F @ 1.33GHz</u>	496	4331	NA
<u>Intel Atom Z3740 @ 1.33GHz</u>	634	4172	NA
<u>Intel Atom Z3740D @ 1.33GHz</u>	614	4193	NA
<u>Intel Atom Z3745 @ 1.33GHz</u>	621	4186	20.72
<u>Intel Atom Z3745D @ 1.33GHz</u>	599	4208	NA
<u>Intel Atom Z3770 @ 1.46GHz</u>	736	4050	4.93
<u>Intel Atom Z3770D @ 1.49GHz</u>	488	4337	NA
<u>Intel Atom Z3775 @ 1.46GHz</u>	704	4081	1.41
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	3975	NA
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,188	3559	NA
<u>Intel CC150 @ 3.50GHz</u>	14,459	903	NA
<u>Intel Celeron 1.70GHz</u>	101	4835	NA
<u>Intel Celeron 1.80GHz</u>	96	4839	NA
<u>Intel Celeron 2.00GHz</u>	125	4812	NA
<u>Intel Celeron 2.13GHz</u>	166	4757	NA
<u>Intel Celeron 2.20GHz</u>	139	4797	NA
<u>Intel Celeron 2.26GHz</u>	182	4740	NA
<u>Intel Celeron 2.30GHz</u>	148	4785	NA
<u>Intel Celeron 2.40GHz</u>	143	4791	NA
<u>Intel Celeron 2.50GHz</u>	164	4760	NA
<u>Intel Celeron 2.53GHz</u>	222	4678	NA
<u>Intel Celeron 2.60GHz</u>	143	4790	NA
<u>Intel Celeron 2.66GHz</u>	131	4807	NA
<u>Intel Celeron 2.70GHz</u>	159	4767	NA
<u>Intel Celeron 2.80GHz</u>	190	4726	NA
<u>Intel Celeron 2.93GHz</u>	230	4667	NA
<u>Intel Celeron 3.06GHz</u>	307	4551	NA
<u>Intel Celeron 3.20GHz</u>	267	4608	NA
<u>Intel Celeron 3.33GHz</u>	263	4613	NA

<u>Intel Celeron 215 @ 1.33GHz</u>	174	4750	NA
<u>Intel Celeron 220 @ 1.20GHz</u>	209	4691	NA
<u>Intel Celeron 420 @ 1.60GHz</u>	235	4657	3.36
<u>Intel Celeron 430 @ 1.80GHz</u>	280	4589	8.00
<u>Intel Celeron 440 @ 2.00GHz</u>	368	4468	12.33
<u>Intel Celeron 450 @ 2.20GHz</u>	415	4409	1.39
<u>Intel Celeron 530 @ 1.73GHz</u>	268	4606	20.62
<u>Intel Celeron 540 @ 1.86GHz</u>	305	4554	14.56
<u>Intel Celeron 550 @ 2.00GHz</u>	334	4513	6.09
<u>Intel Celeron 560 @ 2.13GHz</u>	339	4503	4.84
<u>Intel Celeron 570 @ 2.26GHz</u>	344	4493	NA
<u>Intel Celeron 723 @ 1.20GHz</u>	213	4688	NA
<u>Intel Celeron 743 @ 1.30GHz</u>	275	4597	NA
<u>Intel Celeron 807 @ 1.50GHz</u>	392	4445	NA
<u>Intel Celeron 807UE @ 1.00GHz</u>	241	4646	NA
<u>Intel Celeron 827E @ 1.40GHz</u>	371	4466	NA
<u>Intel Celeron 847 @ 1.10GHz</u>	484	4344	1.54
<u>Intel Celeron 847E @ 1.10GHz</u>	584	4226	NA
<u>Intel Celeron 857 @ 1.20GHz</u>	569	4246	NA
<u>Intel Celeron 867 @ 1.30GHz</u>	562	4259	10.08
<u>Intel Celeron 877 @ 1.40GHz</u>	692	4100	NA
<u>Intel Celeron 887 @ 1.50GHz</u>	754	4027	NA
<u>Intel Celeron 900 @ 2.20GHz</u>	406	4417	21.39
<u>Intel Celeron 925 @ 2.30GHz</u>	477	4350	NA
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,070	3681	NA
<u>Intel Celeron 1000MHz</u>	139	4795	NA
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,106	3639	NA
<u>Intel Celeron 1007U @ 1.50GHz</u>	837	3930	4.53
<u>Intel Celeron 1017U @ 1.60GHz</u>	893	3865	NA
<u>Intel Celeron 1019Y @ 1.00GHz</u>	576	4238	NA
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	3385	31.26
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275	3475	NA
<u>Intel Celeron 1037U @ 1.80GHz</u>	998	3761	NA
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748	4031	NA
<u>Intel Celeron 1100MHz</u>	113	4829	7.55
<u>Intel Celeron 1200MHz</u>	159	4768	NA
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,607	3227	NA
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	3651	12.68
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,234	3516	NA
<u>Intel Celeron 2955U @ 1.40GHz</u>	877	3881	NA
<u>Intel Celeron 2957U @ 1.40GHz</u>	858	3896	NA
<u>Intel Celeron 2961Y @ 1.10GHz</u>	684	4112	NA
<u>Intel Celeron 2970M @ 2.20GHz</u>	1,501	3319	NA

<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056	3697	NA
<u>Intel Celeron 2981U @ 1.60GHz</u>	1,027	3726	NA
<u>Intel Celeron 3205U @ 1.50GHz</u>	947	3815	3.30
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,083	3666	NA
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,182	3568	NA
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,252	3498	NA
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,245	3506	13.94
<u>Intel Celeron 3865U @ 1.80GHz</u>	1,321	3442	NA
<u>Intel Celeron 3867U @ 1.80GHz</u>	1,467	3332	13.71
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,507	3312	NA
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,732	3152	16.19
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,194	3554	11.16
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,366	3412	12.77
<u>Intel Celeron 4305U @ 2.20GHz</u>	1,807	3105	16.89
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,699	3170	NA
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,427	3362	13.34
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,075	2931	NA
<u>Intel Celeron 6305E @ 1.80GHz</u>	2,008	2968	18.77
<u>Intel Celeron 6600HE @ 2.60GHz</u>	3,286	2324	27.85
<u>Intel Celeron 7305</u>	2,470	2689	23.09
<u>Intel Celeron 7305E</u>	2,404	2726	22.46
<u>Intel Celeron @ 1.30GHz</u>	572	4240	NA
<u>Intel Celeron B710 @ 1.60GHz</u>	106	4832	NA
<u>Intel Celeron B800 @ 1.50GHz</u>	652	4153	24.16
<u>Intel Celeron B810 @ 1.60GHz</u>	775	3999	28.70
<u>Intel Celeron B815 @ 1.60GHz</u>	731	4055	27.07
<u>Intel Celeron B820 @ 1.70GHz</u>	811	3955	27.70
<u>Intel Celeron B830 @ 1.80GHz</u>	863	3894	17.25
<u>Intel Celeron B840 @ 1.90GHz</u>	967	3795	NA
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	4663	NA
<u>Intel Celeron D 352 @ 3.20GHz</u>	274	4601	NA
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	4630	NA
<u>Intel Celeron D 360 @ 3.46GHz</u>	372	4465	NA
<u>Intel Celeron D 420 @ 1.60GHz</u>	313	4546	NA
<u>Intel Celeron E1200 @ 1.60GHz</u>	516	4311	5.21
<u>Intel Celeron E1400 @ 2.00GHz</u>	735	4052	52.50
<u>Intel Celeron E1500 @ 2.20GHz</u>	626	4181	31.86
<u>Intel Celeron E1600 @ 2.40GHz</u>	840	3925	NA
<u>Intel Celeron E3200 @ 2.40GHz</u>	839	3927	41.96
<u>Intel Celeron E3300 @ 2.50GHz</u>	795	3974	12.86
<u>Intel Celeron E3400 @ 2.60GHz</u>	869	3888	45.79
<u>Intel Celeron E3500 @ 2.70GHz</u>	935	3823	62.40
<u>Intel Celeron G440 @ 1.60GHz</u>	425	4392	1.66

<u>Intel Celeron G460 @ 1.80GHz</u>	469	4357	9.38
<u>Intel Celeron G465 @ 1.90GHz</u>	547	4280	13.69
<u>Intel Celeron G470 @ 2.00GHz</u>	570	4245	16.20
<u>Intel Celeron G530 @ 2.40GHz</u>	1,123	3623	56.16
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056	3696	62.15
<u>Intel Celeron G540 @ 2.50GHz</u>	1,181	3570	107.05
<u>Intel Celeron G540T @ 2.10GHz</u>	1,137	3614	NA
<u>Intel Celeron G550 @ 2.60GHz</u>	1,259	3491	25.70
<u>Intel Celeron G550T @ 2.20GHz</u>	1,074	3676	NA
<u>Intel Celeron G555 @ 2.70GHz</u>	1,388	3396	18.50
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086	3660	54.92
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,518	3302	41.03
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,327	3435	88.59
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,560	3265	31.84
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,541	3283	36.69
<u>Intel Celeron G1630 @ 2.80GHz</u>	1,707	3164	24.39
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,715	3158	36.96
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,631	3210	38.84
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,020	3734	NA
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,560	3264	24.00
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,778	3129	15.09
<u>Intel Celeron G1840T @ 2.50GHz</u>	1,576	3252	NA
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,900	3041	32.21
<u>Intel Celeron G3900 @ 2.80GHz</u>	2,165	2880	135.49
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034	2952	19.01
<u>Intel Celeron G3900T @ 2.60GHz</u>	2,020	2961	17.96
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850	3072	44.10
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,358	2761	2.18
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,249	2825	43.26
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,040	2950	61.84
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,218	2850	52.82
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,322	2779	16.24
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,394	2738	35.19
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,239	2834	37.35
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,500	2675	27.81
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,591	2625	112.69
<u>Intel Celeron G4930T @ 3.00GHz</u>	2,297	2795	54.68
<u>Intel Celeron G4950 @ 3.30GHz</u>	2,714	2565	43.00
<u>Intel Celeron G5900 @ 3.40GHz</u>	2,643	2599	82.85
<u>Intel Celeron G5900T @ 3.20GHz</u>	2,155	2886	51.30
<u>Intel Celeron G5905 @ 3.50GHz</u>	2,785	2535	71.42
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,206	2854	52.52
<u>Intel Celeron G5920 @ 3.50GHz</u>	2,577	2638	64.51

<u>Intel Celeron G5925 @ 3.60GHz</u>	2,849	2517	40.62
<u>Intel Celeron G6900</u>	4,550	1949	113.77
<u>Intel Celeron G6900T</u>	4,003	2086	95.32
<u>Intel Celeron G6900TE</u>	2,373	2755	NA
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	4211	NA
<u>Intel Celeron J1800 @ 2.41GHz</u>	572	4241	NA
<u>Intel Celeron J1850 @ 1.99GHz</u>	942	3820	NA
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,154	3598	NA
<u>Intel Celeron J3060 @ 1.60GHz</u>	679	4122	NA
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,266	3486	NA
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,197	3551	NA
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,254	2822	6.46
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,193	2861	NA
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,550	3272	9.19
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,467	3331	NA
<u>Intel Celeron J4105 @ 1.50GHz</u>	2,908	2488	27.17
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,687	2578	NA
<u>Intel Celeron J4125 @ 2.00GHz</u>	2,956	2467	NA
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,870	2122	71.66
<u>Intel Celeron J6413 @ 1.80GHz</u>	4,349	2005	NA
<u>Intel Celeron M 1.00GHz</u>	149	4784	10.65
<u>Intel Celeron M 1.30GHz</u>	205	4696	NA
<u>Intel Celeron M 1.50GHz</u>	192	4722	NA
<u>Intel Celeron M 1.60GHz</u>	190	4725	NA
<u>Intel Celeron M 1.70GHz</u>	252	4627	NA
<u>Intel Celeron M 360 1.40GHz</u>	221	4680	NA
<u>Intel Celeron M 410 @ 1.46GHz</u>	123	4814	NA
<u>Intel Celeron M 420 @ 1.60GHz</u>	139	4796	NA
<u>Intel Celeron M 430 @ 1.73GHz</u>	169	4754	NA
<u>Intel Celeron M 440 @ 1.86GHz</u>	169	4752	NA
<u>Intel Celeron M 443 @ 1.20GHz</u>	125	4811	NA
<u>Intel Celeron M 450 @ 2.00GHz</u>	230	4668	NA
<u>Intel Celeron M 520 @ 1.60GHz</u>	239	4649	NA
<u>Intel Celeron M 530 @ 1.73GHz</u>	302	4558	NA
<u>Intel Celeron M 723 @ 1.20GHz</u>	267	4609	NA
<u>Intel Celeron M 900MHz</u>	123	4815	NA
<u>Intel Celeron M 1300MHz</u>	197	4708	NA
<u>Intel Celeron M 1500MHz</u>	217	4683	NA
<u>Intel Celeron N2805 @ 1.46GHz</u>	335	4512	NA
<u>Intel Celeron N2806 @ 1.60GHz</u>	489	4336	NA
<u>Intel Celeron N2807 @ 1.58GHz</u>	486	4341	NA
<u>Intel Celeron N2808 @ 1.58GHz</u>	510	4318	NA
<u>Intel Celeron N2810 @ 2.00GHz</u>	420	4400	3.00

<u>Intel Celeron N2815 @ 1.86GHz</u>	495	4333	NA
<u>Intel Celeron N2820 @ 2.13GHz</u>	502	4323	2.23
<u>Intel Celeron N2830 @ 2.16GHz</u>	550	4275	3.67
<u>Intel Celeron N2840 @ 2.16GHz</u>	587	4224	NA
<u>Intel Celeron N2910 @ 1.60GHz</u>	773	4001	NA
<u>Intel Celeron N2920 @ 1.86GHz</u>	950	3813	NA
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,018	3737	NA
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,043	3708	NA
<u>Intel Celeron N3000 @ 1.04GHz</u>	621	4187	NA
<u>Intel Celeron N3010 @ 1.04GHz</u>	605	4200	NA
<u>Intel Celeron N3050 @ 1.60GHz</u>	586	4225	3.45
<u>Intel Celeron N3060 @ 1.60GHz</u>	664	4139	2.36
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,192	3555	NA
<u>Intel Celeron N3160 @ 1.60GHz</u>	1,182	3569	3.39
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,106	3637	4.02
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,980	2983	10.70
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,423	3370	13.30
<u>Intel Celeron N4000C @ 1.10GHz</u>	1,406	3387	NA
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,553	3270	NA
<u>Intel Celeron N4020C @ 1.10GHz</u>	1,532	3289	NA
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,454	2700	22.94
<u>Intel Celeron N4120 @ 1.10GHz</u>	2,476	2686	NA
<u>Intel Celeron N4500 @ 1.10GHz</u>	1,978	2987	NA
<u>Intel Celeron N4505 @ 2.00GHz</u>	2,266	2813	NA
<u>Intel Celeron N5095 @ 2.00GHz</u>	4,086	2068	NA
<u>Intel Celeron N5095A @ 2.00GHz</u>	4,117	2057	NA
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,314	2313	NA
<u>Intel Celeron N5105 @ 2.00GHz</u>	4,053	2078	13.55
<u>Intel Celeron N6210 @ 1.20GHz</u>	1,995	2978	36.95
<u>Intel Celeron N6211 @ 1.20GHz</u>	2,245	2830	41.57
<u>Intel Celeron P4500 @ 1.87GHz</u>	848	3911	NA
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	4105	NA
<u>Intel Celeron P4600 @ 2.00GHz</u>	846	3913	NA
<u>Intel Celeron SU2300 @ 1.20GHz</u>	482	4347	NA
<u>Intel Celeron T1600 @ 1.66GHz</u>	551	4274	27.55
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028	3724	NA
<u>Intel Celeron U3400 @ 1.07GHz</u>	516	4313	NA
<u>Intel Celeron U3600 @ 1.20GHz</u>	579	4232	NA
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	593	4214	15.20
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	701	4088	35.04
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	739	4044	67.15
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	870	3887	5.51
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	908	3850	33.63

<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	634	4171	7.05
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	717	4068	17.94
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	780	3995	26.05
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	760	4015	19.00
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	808	3959	NA
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	898	3861	67.54
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	942	3819	53.94
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	990	3770	33.02
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,013	3742	98.39
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,130	3617	22.08
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	996	3764	21.19
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	942	3818	18.85
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	1,027	3727	20.96
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,136	3615	11.40
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,165	3584	9.72
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	973	3787	NA
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,112	3633	NA
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,119	3628	14.72
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	1,020	3735	NA
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	1,408	3382	NA
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	997	3762	49.86
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,057	3694	NA
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,002	3755	NA
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,205	3545	15.65
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,104	3643	18.41
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,271	3479	64.37
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,376	3405	18.00
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	467	4359	NA
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	536	4287	NA
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516	4314	NA
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	657	4146	NA
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	607	4198	NA
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680	4120	NA
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	690	4104	NA
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	788	3984	NA
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	748	4032	37.43
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	3980	NA
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	783	3989	19.58
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	856	3900	3.72
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	845	3918	NA
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	850	3907	2.86
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	845	3917	17.18
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	961	3799	11.31

<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	937	3822	16.44
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	952	3809	NA
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	993	3767	0.99
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,040	3711	46.23
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,088	3656	NA
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,149	3604	NA
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	759	4016	3.00
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	863	3893	3.04
<u>Intel Core2 Duo SU9400 @ 1.40GHz</u>	503	4322	NA
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	470	4355	NA
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	549	4276	6.11
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	427	4391	NA
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	530	4297	NA
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	583	4228	NA
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	590	4220	NA
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	548	4278	NA
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	637	4169	NA
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	658	4144	NA
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	587	4223	NA
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	693	4097	69.37
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	628	4178	NA
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	687	4107	24.73
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	698	4089	NA
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652	4155	NA
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	726	4061	48.46
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	742	4040	49.52
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	758	4019	19.69
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	793	3978	19.83
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	818	3947	NA
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	604	4201	40.28
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	738	4045	7.77
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	708	4076	3.52
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	680	4119	7.56
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	761	4013	5.07
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	828	3935	14.04
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	824	3940	8.24
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	948	3814	7.29
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	932	3827	1.53
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	768	4007	0.77
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	896	3863	8.23
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	979	3780	10.31
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	1,009	3750	28.87
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,046	3706	9.68

<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	972	3789	3.25
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,074	3678	19.54
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,216	3536	2.87
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	1,187	3561	2.98
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	522	4304	NA
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	392	4444	NA
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	347	4489	NA
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	429	4385	NA
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	440	4378	NA
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	577	4234	NA
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,145	2894	1.91
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	2,304	2789	1.54
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,011	2966	NA
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,966	2991	NA
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	1,095	3648	4.15
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,138	3612	NA
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,104	3642	6.91
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,099	3646	2.68
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,171	3578	1.38
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,404	2725	2.80
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,348	2766	NA
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,689	2577	1.67
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	2,780	2539	1.54
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,816	3097	47.91
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,093	2918	16.11
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,777	3130	27.78
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,892	3046	23.92
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,068	2937	16.04
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,575	3255	13.04
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,915	3023	4.96
<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	1,984	2982	52.14
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,130	2899	76.02
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,189	2866	61.31
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,224	2848	45.38
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	2,156	2885	43.13
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,344	2771	48.82
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,471	2688	45.38
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	4660	NA
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252	4628	NA
<u>Intel Core 3 100U</u>	15,072	865	NA
<u>Intel Core 5 120U</u>	16,991	784	49.97
<u>Intel Core 7 150U</u>	15,974	828	NA
<u>Intel Core 860 @ 2.80GHz</u>	2,754	2552	9.55

<u>Intel Core Duo L2300 @ 1.50GHz</u>	387	4450	NA
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348	4488	NA
<u>Intel Core Duo L2500 @ 1.83GHz</u>	404	4426	NA
<u>Intel Core Duo T2050 @ 1.60GHz</u>	333	4520	NA
<u>Intel Core Duo T2250 @ 1.73GHz</u>	350	4486	NA
<u>Intel Core Duo T2300 @ 1.66GHz</u>	325	4531	NA
<u>Intel Core Duo T2350 @ 1.86GHz</u>	385	4451	NA
<u>Intel Core Duo T2400 @ 1.83GHz</u>	362	4473	22.64
<u>Intel Core Duo T2450 @ 2.00GHz</u>	411	4412	NA
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408	4415	3.40
<u>Intel Core Duo T2600 @ 2.16GHz</u>	460	4368	NA
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498	4325	NA
<u>Intel Core Duo U2400 @ 1.06GHz</u>	255	4623	NA
<u>Intel Core Duo U2500 @ 1.20GHz</u>	223	4677	NA
<u>Intel Core i3-330E @ 2.13GHz</u>	1,260	3490	NA
<u>Intel Core i3-330M @ 2.13GHz</u>	1,023	3729	6.82
<u>Intel Core i3-330UM @ 1.20GHz</u>	555	4269	NA
<u>Intel Core i3-350M @ 2.27GHz</u>	1,086	3658	37.46
<u>Intel Core i3-370M @ 2.40GHz</u>	1,154	3599	46.26
<u>Intel Core i3-380M @ 2.53GHz</u>	1,201	3547	24.04
<u>Intel Core i3-380UM @ 1.33GHz</u>	745	4036	NA
<u>Intel Core i3-390M @ 2.67GHz</u>	1,259	3492	32.32
<u>Intel Core i3-530 @ 2.93GHz</u>	1,499	3320	35.26
<u>Intel Core i3-540 @ 3.07GHz</u>	1,534	3287	25.57
<u>Intel Core i3-550 @ 3.20GHz</u>	1,609	3224	123.86
<u>Intel Core i3-560 @ 3.33GHz</u>	1,662	3191	27.69
<u>Intel Core i3-1000NG4 @ 1.10GHz</u>	3,572	2214	NA
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	4,918	1891	17.50
<u>Intel Core i3-1025G1 @ 1.20GHz</u>	6,180	1640	NA
<u>Intel Core i3-1110G4 @ 1.80GHz</u>	4,236	2029	15.07
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,056	1671	21.55
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,483	1783	19.24
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	4,524	1956	13.38
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,622	1194	NA
<u>Intel Core i3-1210U</u>	10,513	1130	NA
<u>Intel Core i3-1215U</u>	10,885	1112	NA
<u>Intel Core i3-1215UE</u>	9,643	1191	30.81
<u>Intel Core i3-1215UL</u>	6,161	1645	21.62
<u>Intel Core i3-1220P</u>	14,482	900	51.54
<u>Intel Core i3-1220PE</u>	16,146	819	54.73
<u>Intel Core i3-1305U</u>	8,826	1268	28.56
<u>Intel Core i3-1315U</u>	12,273	1028	39.72
<u>Intel Core i3-1315UE</u>	8,906	1262	28.55

<u>Intel Core i3-2100 @ 3.10GHz</u>	1,855	3066	37.86
<u>Intel Core i3-2100T @ 2.50GHz</u>	1,501	3317	7.00
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,029	2955	34.98
<u>Intel Core i3-2105 @ 3.10GHz</u>	1,837	3081	16.26
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,958	2996	163.28
<u>Intel Core i3-2120T @ 2.60GHz</u>	1,524	3298	30.47
<u>Intel Core i3-2125 @ 3.30GHz</u>	2,083	2923	13.44
<u>Intel Core i3-2130 @ 3.40GHz</u>	2,042	2948	40.41
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307	2787	NA
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845	3076	8.20
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,221	3533	30.56
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,128	3618	NA
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,237	3514	8.24
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823	3090	NA
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,228	3523	30.75
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353	3419	NA
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	3784	NA
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,279	3470	NA
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,251	3500	33.76
<u>Intel Core i3-2357M @ 1.30GHz</u>	788	3983	NA
<u>Intel Core i3-2365M @ 1.40GHz</u>	820	3944	NA
<u>Intel Core i3-2367M @ 1.40GHz</u>	847	3912	NA
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,371	3409	36.05
<u>Intel Core i3-2375M @ 1.50GHz</u>	903	3855	NA
<u>Intel Core i3-2377M @ 1.50GHz</u>	833	3933	NA
<u>Intel Core i3-3110M @ 2.40GHz</u>	1,634	3208	23.36
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,700	3168	6.46
<u>Intel Core i3-3130M @ 2.60GHz</u>	1,900	3040	NA
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,227	2846	31.81
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,226	3526	6.16
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362	3414	NA
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,264	2816	45.28
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,940	3009	24.25
<u>Intel Core i3-3225 @ 3.30GHz</u>	2,239	2835	13.41
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,290	3464	NA
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,008	3752	NA
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,321	2780	154.85
<u>Intel Core i3-3240T @ 2.90GHz</u>	2,037	2951	NA
<u>Intel Core i3-3245 @ 3.40GHz</u>	2,379	2749	39.65
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,442	2707	50.87
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650	2593	NA
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,784	3121	30.69
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,663	3189	NA

<u>Intel Core i3-4010U @ 1.70GHz</u>	1,654	3197	13.24
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,358	3416	NA
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,278	3472	NA
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,462	3334	NA
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,959	2995	NA
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,873	3057	NA
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,654	3198	NA
<u>Intel Core i3-4100E @ 2.40GHz</u>	1,848	3073	8.22
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,519	2668	11.53
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,678	2584	NA
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,860	3065	NA
<u>Intel Core i3-4120U @ 2.00GHz</u>	1,948	3002	NA
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,314	2312	80.83
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,885	2498	144.31
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,396	2270	82.56
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,864	2507	6.86
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,921	3021	NA
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,522	2229	75.09
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,112	2394	51.88
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,581	2210	86.07
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,218	2353	16.10
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,542	2222	38.24
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,115	2392	NA
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,022	2958	NA
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,460	2242	19.22
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,548	2219	31.65
<u>Intel Core i3-4350T @ 3.10GHz</u>	3,142	2384	NA
<u>Intel Core i3-4360 @ 3.70GHz</u>	3,647	2193	53.63
<u>Intel Core i3-4360T @ 3.20GHz</u>	3,286	2325	NA
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,857	2129	93.77
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,361	2294	24.35
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244	2337	NA
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,023	2957	6.57
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,195	2859	7.32
<u>Intel Core i3-5015U @ 2.10GHz</u>	1,869	3059	NA
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,203	2856	4.80
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,593	2623	NA
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,279	2804	NA
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,017	2083	68.09
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,141	2046	48.72
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	2311	NA
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041	2425	NA
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,656	2186	85.05

<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,152	2380	NA
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,631	2605	4.96
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349	2765	10.44
<u>Intel Core i3-6157U @ 2.40GHz</u>	2,767	2546	NA
<u>Intel Core i3-6167U @ 2.70GHz</u>	3,255	2334	NA
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,343	2006	46.90
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,002	2087	30.78
<u>Intel Core i3-6320 @ 3.90GHz</u>	4,473	1969	46.31
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,581	2633	9.19
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,326	2008	78.67
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	2253	15.25
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,757	2159	90.30
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,722	2560	5.89
<u>Intel Core i3-7101E @ 3.90GHz</u>	4,430	1978	37.87
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,957	2096	33.82
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521	2667	11.21
<u>Intel Core i3-7130U @ 2.70GHz</u>	3,021	2432	6.57
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,368	2288	NA
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,523	1957	48.64
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,211	2034	32.65
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,844	1902	45.28
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,965	1886	141.85
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,107	1655	152.72
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,045	1675	45.45
<u>Intel Core i3-8100H @ 3.00GHz</u>	4,310	2009	19.16
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,274	1827	52.74
<u>Intel Core i3-8109U @ 3.00GHz</u>	4,262	2023	8.52
<u>Intel Core i3-8121U @ 2.20GHz</u>	4,391	1993	15.14
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,550	2218	12.63
<u>Intel Core i3-8140U @ 2.10GHz</u>	4,227	2030	NA
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,792	2149	13.49
<u>Intel Core i3-8145UE @ 2.20GHz</u>	4,099	2063	14.59
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,296	1620	52.91
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,749	1715	36.17
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,865	1516	43.17
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,622	1552	73.71
<u>Intel Core i3-9100E @ 3.10GHz</u>	6,868	1514	NA
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,737	1533	134.77
<u>Intel Core i3-9100HL @ 1.60GHz</u>	3,065	2416	13.62
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,463	1789	44.78
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,791	1909	39.27
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,137	1470	36.60
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,164	1644	43.11

<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358	1434	34.12
<u>Intel Core i3-9350K @ 4.00GHz</u>	7,700	1381	64.71
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,549	1400	50.68
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,652	1276	98.78
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,365	1313	66.92
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,764	1270	127.49
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,273	1448	59.62
<u>Intel Core i3-10100TE @ 2.30GHz</u>	6,237	1630	45.19
<u>Intel Core i3-10100Y @ 1.30GHz</u>	2,896	2495	NA
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,569	1286	99.15
<u>Intel Core i3-10105F @ 3.70GHz</u>	8,994	1254	110.31
<u>Intel Core i3-10105T @ 3.00GHz</u>	7,992	1354	88.81
<u>Intel Core i3-10110U @ 2.10GHz</u>	3,901	2113	8.99
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,297	2320	11.49
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,308	1221	103.42
<u>Intel Core i3-10300T @ 3.00GHz</u>	7,975	1356	80.55
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,291	1224	41.69
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136	1339	56.90
<u>Intel Core i3-10320 @ 3.80GHz</u>	10,011	1163	71.51
<u>Intel Core i3-10325 @ 3.90GHz</u>	10,268	1146	54.01
<u>Intel Core i3-11100B @ 3.60GHz</u>	11,357	1078	NA
<u>Intel Core i3-11100HE @ 2.40GHz</u>	11,289	1083	48.45
<u>Intel Core i3-12100</u>	13,597	952	111.45
<u>Intel Core i3-12100E</u>	14,250	920	103.26
<u>Intel Core i3-12100F</u>	14,116	928	178.70
<u>Intel Core i3-12100T</u>	12,608	1013	103.34
<u>Intel Core i3-12100TE</u>	11,859	1048	94.87
<u>Intel Core i3-12300</u>	14,540	898	101.68
<u>Intel Core i3-12300T</u>	13,077	982	83.29
<u>Intel Core i3-13100</u>	13,425	964	100.70
<u>Intel Core i3-13100E</u>	11,650	1064	85.03
<u>Intel Core i3-13100F</u>	14,629	895	144.15
<u>Intel Core i3-13100T</u>	13,054	986	97.42
<u>Intel Core i3-14100</u>	15,043	866	102.34
<u>Intel Core i3-14100F</u>	15,306	853	139.14
<u>Intel Core i3-14100T</u>	13,727	941	102.44
<u>Intel Core i3-21050 @ 3.10GHz</u>	2,193	2862	NA
<u>Intel Core i3-N300</u>	8,594	1284	27.81
<u>Intel Core i3-N305</u>	9,979	1165	32.30
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326	3437	9.47
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619	3218	NA
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,645	2595	NA
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,590	2626	NA

<u>Intel Core i5-430M @ 2.27GHz</u>	1,202	3546	9.25
<u>Intel Core i5-430UM @ 1.20GHz</u>	627	4180	NA
<u>Intel Core i5-450M @ 2.40GHz</u>	1,238	3512	38.74
<u>Intel Core i5-460M @ 2.53GHz</u>	1,299	3454	10.00
<u>Intel Core i5-470UM @ 1.33GHz</u>	778	3996	NA
<u>Intel Core i5-480M @ 2.67GHz</u>	1,323	3440	16.42
<u>Intel Core i5-520M @ 2.40GHz</u>	1,724	3155	17.24
<u>Intel Core i5-520UM @ 1.07GHz</u>	908	3848	NA
<u>Intel Core i5-540M @ 2.53GHz</u>	1,805	3106	25.78
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002	3756	NA
<u>Intel Core i5-560M @ 2.67GHz</u>	1,902	3037	23.79
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	3741	NA
<u>Intel Core i5-580M @ 2.67GHz</u>	1,951	2998	19.52
<u>Intel Core i5-650 @ 3.20GHz</u>	2,246	2827	56.56
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017	2963	26.24
<u>Intel Core i5-660 @ 3.33GHz</u>	2,394	2737	52.45
<u>Intel Core i5-661 @ 3.33GHz</u>	2,469	2691	30.86
<u>Intel Core i5-670 @ 3.47GHz</u>	2,533	2661	8.65
<u>Intel Core i5-680 @ 3.60GHz</u>	2,640	2600	8.51
<u>Intel Core i5-750 @ 2.67GHz</u>	2,538	2658	42.31
<u>Intel Core i5-760 @ 2.80GHz</u>	2,630	2606	26.30
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440	1795	NA
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	5,740	1718	NA
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,369	1431	24.81
<u>Intel Core i5-1035G4 @ 1.10GHz</u>	7,874	1364	25.48
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,108	1343	25.34
<u>Intel Core i5-1038NG7 @ 2.00GHz</u>	8,905	1263	27.83
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	8,564	1287	27.72
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	9,761	1184	31.59
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	9,056	1250	NA
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	9,790	1180	NA
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	9,279	1228	29.74
<u>Intel Core i5-1145GRE @ 2.60GHz</u>	8,536	1292	23.58
<u>Intel Core i5-1155G7 @ 2.50GHz</u>	10,124	1154	32.76
<u>Intel Core i5-1230U</u>	11,006	1102	35.62
<u>Intel Core i5-1235U</u>	13,389	965	43.33
<u>Intel Core i5-1240P</u>	17,151	772	27.71
<u>Intel Core i5-1240U</u>	12,778	1003	NA
<u>Intel Core i5-1245U</u>	13,377	967	43.29
<u>Intel Core i5-1245UE</u>	9,283	1226	29.75
<u>Intel Core i5-1250P</u>	20,144	643	NA
<u>Intel Core i5-1250PE</u>	17,738	746	49.97
<u>Intel Core i5-1334U</u>	13,371	969	39.33

<u>Intel Core i5-1335U</u>	14,744	885	43.36
<u>Intel Core i5-1335UE</u>	11,921	1044	38.21
<u>Intel Core i5-1340P</u>	18,832	695	53.35
<u>Intel Core i5-1340PE</u>	20,041	646	63.62
<u>Intel Core i5-1345U</u>	15,124	860	48.95
<u>Intel Core i5-1350P</u>	19,542	662	61.07
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,430	2254	155.96
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,654	2187	76.79
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,666	2184	140.41
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797	2145	45.84
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,493	2680	24.96
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,867	2124	54.28
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,155	2377	45.08
<u>Intel Core i5-2405S @ 2.50GHz</u>	3,157	2375	14.60
<u>Intel Core i5-2410M @ 2.30GHz</u>	1,941	3007	46.19
<u>Intel Core i5-2415M @ 2.30GHz</u>	1,948	3001	NA
<u>Intel Core i5-2430M @ 2.40GHz</u>	2,004	2971	32.31
<u>Intel Core i5-2435M @ 2.40GHz</u>	2,120	2905	NA
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,076	2929	28.05
<u>Intel Core i5-2450P @ 3.20GHz</u>	4,203	2036	32.33
<u>Intel Core i5-2467M @ 1.60GHz</u>	1,448	3349	NA
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,117	2056	137.28
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,117	2055	137.29
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,391	2273	61.28
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,929	2481	32.55
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	3050	NA
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	3055	NA
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,240	2832	66.14
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,223	3529	NA
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,364	2758	29.56
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,134	2050	59.14
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,713	3159	NA
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,397	2735	NA
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882	1264	NA
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,467	2692	47.42
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,562	2645	25.62
<u>Intel Core i5-3317U @ 1.70GHz</u>	2,016	2964	8.96
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,662	2589	60.45
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,098	2064	36.92
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,889	2116	19.45
<u>Intel Core i5-3335S @ 2.70GHz</u>	3,727	2169	NA
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,091	2921	9.29
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,589	3241	NA

<u>Intel Core i5-3340 @ 3.10GHz</u>	4,227	2031	32.53
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,696	2571	25.67
<u>Intel Core i5-3340S @ 2.80GHz</u>	3,928	2103	39.28
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,287	2014	71.46
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,873	2503	36.82
<u>Intel Core i5-3380M @ 2.90GHz</u>	2,916	2485	NA
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,254	2821	5.37
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,301	2791	NA
<u>Intel Core i5-3439Y @ 1.50GHz</u>	1,907	3031	NA
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,501	1964	47.38
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,375	1996	49.16
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,676	1928	67.80
<u>Intel Core i5-3470S @ 2.90GHz</u>	4,387	1994	60.91
<u>Intel Core i5-3470T @ 2.90GHz</u>	3,002	2441	11.12
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,277	2018	17.11
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,810	1907	14.35
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,422	1984	29.49
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,929	1889	86.97
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,953	1887	50.03
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,628	1940	77.14
<u>Intel Core i5-3570T @ 2.30GHz</u>	3,962	2095	NA
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,666	2586	NA
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,089	2408	NA
<u>Intel Core i5-4200M @ 2.50GHz</u>	2,808	2531	31.56
<u>Intel Core i5-4200U @ 1.60GHz</u>	2,181	2871	NA
<u>Intel Core i5-4200Y @ 1.40GHz</u>	1,558	3266	NA
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,511	3309	NA
<u>Intel Core i5-4210H @ 2.90GHz</u>	3,068	2414	NA
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,889	2496	32.81
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,310	2786	NA
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,577	3250	NA
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591	3239	NA
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853	3068	NA
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,149	2890	6.16
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,640	2601	NA
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,304	2788	NA
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,833	2522	NA
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,635	2603	NA
<u>Intel Core i5-4300M @ 2.60GHz</u>	2,970	2461	6.33
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,496	2678	NA
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,505	3313	NA
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,516	3305	NA
<u>Intel Core i5-4308U @ 2.80GHz</u>	2,935	2478	NA

<u>Intel Core i5-4310M @ 2.70GHz</u>	3,097	2404	NA
<u>Intel Core i5-4310U @ 2.00GHz</u>	2,524	2665	NA
<u>Intel Core i5-4330M @ 2.80GHz</u>	3,232	2342	11.75
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,376	2282	NA
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,425	2717	NA
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,251	2336	12.22
<u>Intel Core i5-4402E @ 1.60GHz</u>	2,681	2581	NA
<u>Intel Core i5-4422E @ 1.80GHz</u>	1,907	3032	7.17
<u>Intel Core i5-4430 @ 3.00GHz</u>	4,661	1931	66.68
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,335	2007	22.87
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,786	1911	53.90
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,393	1992	35.47
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,889	1896	76.34
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,581	1946	28.64
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,647	2192	NA
<u>Intel Core i5-4470 @ 3.30GHz</u>	3,971	2092	NA
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742	1917	NA
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,224	1841	102.43
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,534	1954	NA
<u>Intel Core i5-4570S @ 2.90GHz</u>	5,020	1879	25.11
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,224	2351	46.05
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,074	2412	8.99
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,366	1807	286.35
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,134	1856	367.00
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,070	2074	51.59
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,492	1781	137.33
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,565	1762	139.20
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034	1875	NA
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233	1837	18.96
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,160	1851	24.23
<u>Intel Core i5-4670T @ 2.30GHz</u>	4,441	1974	17.15
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,570	1760	99.47
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,687	1732	118.47
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,518	1774	91.98
<u>Intel Core i5-4690T @ 2.50GHz</u>	4,608	1943	NA
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,501	2673	8.90
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,438	2708	4.60
<u>Intel Core i5-5257U @ 2.70GHz</u>	2,810	2530	NA
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,105	2399	NA
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,735	2557	9.43
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,571	2641	NA
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,078	1869	NA
<u>Intel Core i5-5675C @ 3.10GHz</u>	5,606	1753	62.29

<u>Intel Core i5-5675R @ 3.10GHz</u>	5,561	1763	NA
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,115	2393	NA
<u>Intel Core i5-6200U @ 2.30GHz</u>	2,995	2444	NA
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,211	2359	6.43
<u>Intel Core i5-6267U @ 2.90GHz</u>	3,370	2283	NA
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,823	2136	12.58
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,697	1925	NA
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,230	2346	NA
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255	2025	13.90
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,106	2398	NA
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,164	1850	73.78
<u>Intel Core i5-6400T @ 2.20GHz</u>	4,280	2016	26.75
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,365	1808	72.48
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,445	1791	NA
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,101	1863	NA
<u>Intel Core i5-6442EQ @ 1.90GHz</u>	4,487	1966	17.95
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,623	1749	135.99
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,792	1908	21.63
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,772	1912	9.74
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,054	1672	121.10
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,321	1613	91.61
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,603	1754	112.09
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,385	2278	6.78
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,987	2090	8.48
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,634	2198	NA
<u>Intel Core i5-7287U @ 3.30GHz</u>	3,743	2163	NA
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,088	1865	NA
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,653	2188	5.83
<u>Intel Core i5-7360U @ 2.30GHz</u>	3,853	2130	NA
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,473	1787	109.45
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,715	1922	62.86
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711	1725	22.84
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	5,496	1779	NA
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,834	1904	19.34
<u>Intel Core i5-7500 @ 3.40GHz</u>	6,037	1677	104.11
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,215	1842	92.01
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,538	1569	82.76
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,804	1524	85.06
<u>Intel Core i5-7600T @ 2.80GHz</u>	5,927	1689	40.07
<u>Intel Core i5-7640X @ 4.00GHz</u>	7,043	1483	47.27
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,174	2875	7.47
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,759	2548	NA
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,869	1696	NA

<u>Intel Core i5-8257U @ 1.40GHz</u>	7,483	1410	23.39
<u>Intel Core i5-8259U @ 2.30GHz</u>	7,873	1365	15.14
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,485	1409	17.01
<u>Intel Core i5-8265U @ 1.60GHz</u>	5,953	1687	11.91
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,073	1870	NA
<u>Intel Core i5-8269U @ 2.60GHz</u>	7,111	1474	22.22
<u>Intel Core i5-8279U @ 2.40GHz</u>	7,469	1413	23.34
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,469	1412	29.88
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,951	1504	NA
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,216	1631	20.93
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,106	1656	11.33
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,711	1724	19.23
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,233	1233	126.69
<u>Intel Core i5-8400H @ 2.50GHz</u>	7,647	1389	30.59
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,440	1420	53.53
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,542	1201	119.29
<u>Intel Core i5-8500B @ 3.00GHz</u>	8,944	1257	46.59
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,721	1379	33.58
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,961	1167	109.47
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,200	1151	113.33
<u>Intel Core i5-8600T @ 2.30GHz</u>	9,331	1217	46.66
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,579	1398	30.32
<u>Intel Core i5-9300HF @ 2.40GHz</u>	7,322	1437	29.29
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,376	1213	70.01
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,466	1207	135.25
<u>Intel Core i5-9400H @ 2.50GHz</u>	7,911	1361	31.64
<u>Intel Core i5-9400T @ 1.80GHz</u>	8,357	1314	45.91
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,806	1179	97.66
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,031	1160	77.16
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,210	1330	42.76
<u>Intel Core i5-9500TE @ 2.20GHz</u>	9,861	1176	51.36
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,429	1135	65.18
<u>Intel Core i5-9600K @ 3.70GHz</u>	10,669	1124	107.77
<u>Intel Core i5-9600KF @ 3.70GHz</u>	10,682	1122	67.18
<u>Intel Core i5-9600T @ 2.30GHz</u>	9,621	1195	45.17
<u>Intel Core i5-10200H @ 2.40GHz</u>	8,139	1338	32.56
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,196	1634	8.82
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,475	1968	NA
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,372	1312	33.49
<u>Intel Core i5-10310U @ 1.70GHz</u>	6,431	1589	21.65
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,131	1036	98.15
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,198	1033	131.17
<u>Intel Core i5-10400H @ 2.60GHz</u>	8,493	1299	33.97

<u>Intel Core i5-10400T @ 2.00GHz</u>	9,771	1182	53.69
<u>Intel Core i5-10500 @ 3.10GHz</u>	13,389	966	89.27
<u>Intel Core i5-10500E @ 3.10GHz</u>	10,827	1116	55.52
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,224	1086	44.90
<u>Intel Core i5-10500T @ 2.30GHz</u>	10,074	1157	100.75
<u>Intel Core i5-10500TE @ 2.30GHz</u>	8,449	1302	43.33
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,156	1035	NA
<u>Intel Core i5-10600 @ 3.30GHz</u>	13,691	944	138.29
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,306	913	110.06
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,223	923	142.23
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,419	1076	53.61
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,738	836	62.95
<u>Intel Core i5-11300H @ 3.10GHz</u>	10,917	1110	35.33
<u>Intel Core i5-11320H @ 3.20GHz</u>	10,988	1103	35.56
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,022	781	131.97
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,039	778	162.66
<u>Intel Core i5-11400H @ 2.70GHz</u>	15,643	840	62.57
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,668	945	75.10
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,354	765	104.02
<u>Intel Core i5-11500B @ 3.30GHz</u>	17,468	760	NA
<u>Intel Core i5-11500H @ 2.90GHz</u>	16,077	823	64.31
<u>Intel Core i5-11500T @ 1.50GHz</u>	13,035	987	67.89
<u>Intel Core i5-11600 @ 2.80GHz</u>	18,053	736	143.30
<u>Intel Core i5-11600K @ 3.90GHz</u>	19,599	660	130.66
<u>Intel Core i5-11600KF @ 3.90GHz</u>	19,617	658	141.13
<u>Intel Core i5-11600T @ 1.70GHz</u>	14,679	887	68.92
<u>Intel Core i5-12400</u>	19,370	673	100.88
<u>Intel Core i5-12400F</u>	19,531	664	179.20
<u>Intel Core i5-12400T</u>	16,185	817	107.91
<u>Intel Core i5-12450H</u>	17,013	782	54.71
<u>Intel Core i5-12450HX</u>	19,000	685	NA
<u>Intel Core i5-12490F</u>	20,344	632	169.55
<u>Intel Core i5-12500</u>	19,907	650	98.55
<u>Intel Core i5-12500E</u>	20,699	614	92.00
<u>Intel Core i5-12500H</u>	21,107	594	67.87
<u>Intel Core i5-12500T</u>	16,613	798	82.24
<u>Intel Core i5-12500TE</u>	14,536	899	70.91
<u>Intel Core i5-12600</u>	21,266	588	78.19
<u>Intel Core i5-12600H</u>	22,859	525	73.50
<u>Intel Core i5-12600HE</u>	24,599	468	78.09
<u>Intel Core i5-12600HL</u>	20,739	613	66.69
<u>Intel Core i5-12600HX</u>	23,949	487	84.33
<u>Intel Core i5-12600K</u>	27,711	375	153.96

<u>Intel Core i5-12600KF</u>	27,881	368	176.50
<u>Intel Core i5-12600T</u>	17,576	753	NA
<u>Intel Core i5-13400</u>	23,143	513	136.14
<u>Intel Core i5-13400F</u>	25,202	444	131.47
<u>Intel Core i5-13400T</u>	21,078	596	95.38
<u>Intel Core i5-13420H</u>	18,548	710	54.24
<u>Intel Core i5-13450HX</u>	25,511	435	78.26
<u>Intel Core i5-13490F</u>	27,496	378	141.01
<u>Intel Core i5-13500</u>	31,909	288	130.79
<u>Intel Core i5-13500E</u>	28,036	362	119.30
<u>Intel Core i5-13500H</u>	22,691	530	NA
<u>Intel Core i5-13500HX</u>	30,573	310	93.78
<u>Intel Core i5-13500T</u>	23,178	511	99.90
<u>Intel Core i5-13500TE</u>	21,478	583	91.40
<u>Intel Core i5-13600</u>	32,148	284	126.07
<u>Intel Core i5-13600H</u>	24,255	476	77.99
<u>Intel Core i5-13600HE</u>	26,540	407	83.72
<u>Intel Core i5-13600HX</u>	27,606	377	97.20
<u>Intel Core i5-13600K</u>	37,965	217	154.96
<u>Intel Core i5-13600KF</u>	37,810	220	135.04
<u>Intel Core i5-13600T</u>	27,351	386	107.26
<u>Intel Core i5-14400</u>	25,788	425	117.22
<u>Intel Core i5-14400F</u>	25,642	429	128.21
<u>Intel Core i5-14400T</u>	24,598	469	111.30
<u>Intel Core i5-14450HX</u>	27,773	374	82.41
<u>Intel Core i5-14490F</u>	28,662	346	NA
<u>Intel Core i5-14500</u>	32,507	280	126.87
<u>Intel Core i5-14500HX</u>	27,788	373	82.46
<u>Intel Core i5-14500T</u>	23,846	490	102.79
<u>Intel Core i5-14600</u>	35,217	240	138.11
<u>Intel Core i5-14600K</u>	39,149	209	115.15
<u>Intel Core i5-14600KF</u>	39,333	207	134.24
<u>Intel Core i5-14600T</u>	27,855	370	109.23
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061	2418	NA
<u>Intel Core i5-L16G7 @ 1.40GHz</u>	3,386	2277	12.05
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,644	2597	NA
<u>Intel Core i7-610E @ 2.53GHz</u>	2,071	2933	NA
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,406	3386	NA
<u>Intel Core i7-620M @ 2.67GHz</u>	1,979	2985	11.31
<u>Intel Core i7-620UM @ 1.07GHz</u>	1,010	3749	NA
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,525	3295	NA
<u>Intel Core i7-640M @ 2.80GHz</u>	2,065	2938	14.56
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,183	3565	NA

<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284	3466	NA
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,196	3553	NA
<u>Intel Core i7-720QM @ 1.60GHz</u>	1,651	3200	5.50
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,824	3089	9.60
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,774	3132	13.75
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,945	3004	5.74
<u>Intel Core i7-860 @ 2.80GHz</u>	2,994	2445	62.38
<u>Intel Core i7-860S @ 2.53GHz</u>	2,280	2803	22.80
<u>Intel Core i7-870 @ 2.93GHz</u>	3,130	2387	78.27
<u>Intel Core i7-870S @ 2.67GHz</u>	2,765	2547	NA
<u>Intel Core i7-875K @ 2.93GHz</u>	3,090	2407	15.45
<u>Intel Core i7-880 @ 3.07GHz</u>	3,319	2309	47.42
<u>Intel Core i7-920 @ 2.67GHz</u>	2,837	2520	31.53
<u>Intel Core i7-920XM @ 2.00GHz</u>	1,950	2999	4.89
<u>Intel Core i7-930 @ 2.80GHz</u>	2,962	2462	186.53
<u>Intel Core i7-940 @ 2.93GHz</u>	2,947	2471	8.47
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,187	2867	NA
<u>Intel Core i7-950 @ 3.07GHz</u>	3,213	2357	32.13
<u>Intel Core i7-960 @ 3.20GHz</u>	3,347	2296	68.30
<u>Intel Core i7-965 @ 3.20GHz</u>	3,424	2259	85.61
<u>Intel Core i7-970 @ 3.20GHz</u>	6,546	1564	12.51
<u>Intel Core i7-975 @ 3.33GHz</u>	3,493	2236	7.63
<u>Intel Core i7-980 @ 3.33GHz</u>	6,930	1507	23.83
<u>Intel Core i7-980X @ 3.33GHz</u>	6,811	1523	87.32
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928	2104	NA
<u>Intel Core i7-990X @ 3.47GHz</u>	7,111	1475	71.12
<u>Intel Core i7-995X @ 3.60GHz</u>	7,862	1366	NA
<u>Intel Core i7-1060NG7 @ 1.20GHz</u>	6,514	1573	NA
<u>Intel Core i7-1065G7 @ 1.30GHz</u>	8,296	1318	19.48
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	9,269	1229	21.76
<u>Intel Core i7-1160G7 @ 1.20GHz</u>	9,181	1237	21.55
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,194	1152	23.93
<u>Intel Core i7-1180G7 @ 1.30GHz</u>	8,293	1320	19.47
<u>Intel Core i7-1185G7 @ 3.00GHz</u>	10,379	1139	24.36
<u>Intel Core i7-1185G7E @ 2.80GHz</u>	10,256	1147	23.80
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	8,179	1333	NA
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	10,747	1121	25.23
<u>Intel Core i7-1250U</u>	11,689	1061	27.44
<u>Intel Core i7-1255U</u>	13,634	946	32.01
<u>Intel Core i7-1260P</u>	17,033	780	NA
<u>Intel Core i7-1260U</u>	14,127	926	NA
<u>Intel Core i7-1265U</u>	13,791	940	32.37
<u>Intel Core i7-1265UE</u>	9,471	1205	20.06

<u>Intel Core i7-1270P</u>	17,430	762	NA
<u>Intel Core i7-1270PE</u>	17,960	737	40.73
<u>Intel Core i7-1280P</u>	20,376	631	42.27
<u>Intel Core i7-1355U</u>	14,825	878	31.61
<u>Intel Core i7-1360P</u>	19,166	677	39.93
<u>Intel Core i7-1365U</u>	14,851	875	34.86
<u>Intel Core i7-1365URE</u>	10,278	1144	22.20
<u>Intel Core i7-1370P</u>	20,165	640	NA
<u>Intel Core i7-1370PRE</u>	14,103	929	29.57
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,346	1811	59.41
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,490	1782	109.84
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,628	1939	38.89
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,409	3380	NA
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,687	3180	NA
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,423	2718	30.76
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,553	2217	18.70
<u>Intel Core i7-2630UM @ 1.60GHz</u>	400	4431	NA
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,406	2266	NA
<u>Intel Core i7-2637M @ 1.70GHz</u>	1,854	3067	NA
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,465	2694	29.66
<u>Intel Core i7-2655LE @ 2.20GHz</u>	1,999	2974	NA
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,737	2165	47.90
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,828	2134	NA
<u>Intel Core i7-2677M @ 1.80GHz</u>	1,912	3027	NA
<u>Intel Core i7-2700K @ 3.50GHz</u>	5,744	1716	64.54
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,044	2081	NA
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221	2352	NA
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,000	2088	47.06
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,374	1997	35.85
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,372	1999	11.82
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,842	2133	NA
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,521	1958	45.21
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,240	2027	35.33
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,754	1914	17.07
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,083	2924	NA
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,384	2743	NA
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,867	2506	23.49
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,339	2774	NA
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,977	2458	27.56
<u>Intel Core i7-3555LE @ 2.50GHz</u>	2,238	2837	NA
<u>Intel Core i7-3610QE @ 2.30GHz</u>	5,026	1878	NA
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,120	1859	17.07
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929	1890	NA

<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,655	1933	NA
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,601	1756	NA
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,194	1845	NA
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,117	1860	22.34
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,698	1924	69.07
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,816	1906	NA
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,401	2730	NA
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,645	2596	NA
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,967	2990	NA
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,669	1739	56.71
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,694	1730	26.12
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,413	1596	130.88
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,464	1581	99.52
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,179	1641	104.73
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,444	1793	34.77
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,764	1712	164.73
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,630	1746	10.26
<u>Intel Core i7-3840QM @ 2.80GHz</u>	5,909	1692	10.76
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,710	1726	5.21
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,205	1331	164.13
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,830	1700	16.95
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,446	1304	30.73
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,541	1291	123.78
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,484	2682	NA
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,591	2624	NA
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,272	2808	NA
<u>Intel Core i7-4558U @ 2.80GHz</u>	3,013	2437	NA
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	2470	NA
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,101	2402	NA
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,186	2367	NA
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,717	2563	NA
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,217	2355	NA
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446	2703	NA
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,460	2697	NA
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	5,417	1799	NA
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,631	1745	14.70
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,345	1812	28.43
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,339	1813	NA
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,184	1847	14.73
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,537	1772	14.65
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,844	1699	21.52
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,352	1810	133.84
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,300	1822	NA

<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,769	1710	NA
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	1750	NA
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,687	1731	NA
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,300	1618	NA
<u>Intel Core i7-4765T @ 2.00GHz</u>	5,127	1857	10.27
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,059	1478	116.78
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,065	1668	NA
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,131	1471	52.82
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,620	1554	NA
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,747	1532	84.34
<u>Intel Core i7-4770T @ 2.50GHz</u>	5,973	1686	79.65
<u>Intel Core i7-4770TE @ 2.30GHz</u>	4,877	1897	NA
<u>Intel Core i7-4771 @ 3.50GHz</u>	7,137	1469	55.32
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,503	1777	NA
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,270	1451	121.19
<u>Intel Core i7-4790K @ 4.00GHz</u>	8,068	1348	80.69
<u>Intel Core i7-4790S @ 3.20GHz</u>	7,011	1490	61.61
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,346	1609	25.39
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,712	1723	23.80
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	6,066	1667	33.71
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,495	1576	80.63
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,133	1650	14.13
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,500	1778	NA
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,242	1628	NA
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,311	1614	NA
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	6,109	1654	30.55
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,241	1629	13.57
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,402	1210	95.94
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,348	1607	5.79
<u>Intel Core i7-4940MX @ 3.10GHz</u>	6,828	1518	9.75
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,344	1610	10.18
<u>Intel Core i7-4960X @ 3.60GHz</u>	10,062	1158	56.21
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,525	1571	NA
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,784	2536	NA
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,864	2508	NA
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,092	2406	5.10
<u>Intel Core i7-5600U @ 2.60GHz</u>	3,038	2426	NA
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,011	2438	NA
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089	1659	NA
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,803	1705	NA
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	6,059	1670	NA
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,693	1382	44.00
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,609	1392	NA

<u>Intel Core i7-5820K @ 3.30GHz</u>	9,845	1178	70.83
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036	1487	16.17
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,866	1515	15.82
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,325	1143	46.43
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,807	1371	NA
<u>Intel Core i7-5960X @ 3.00GHz</u>	12,741	1004	60.96
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,454	2244	NA
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,274	2329	8.33
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,358	2295	NA
<u>Intel Core i7-6567U @ 3.30GHz</u>	3,673	2183	NA
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,429	2255	NA
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,605	2204	NA
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,577	2211	8.62
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,080	1346	103.73
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,523	1572	17.26
<u>Intel Core i7-6700K @ 4.00GHz</u>	8,928	1259	80.44
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,213	1458	80.98
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,135	1648	NA
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,087	1477	11.45
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,769	1119	119.65
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	7,001	1493	NA
<u>Intel Core i7-6820HK @ 2.70GHz</u>	7,053	1480	18.66
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,820	1520	NA
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241	1835	NA
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,466	1073	99.70
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,476	901	120.64
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,351	1435	12.94
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,391	764	79.06
<u>Intel Core i7-6970HQ @ 2.80GHz</u>	4,632	1938	NA
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,646	2194	6.76
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,792	2147	NA
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,073	2072	5.55
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,708	2174	NA
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,075	2071	NA
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,645	1277	83.94
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,907	1512	18.27
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,649	1190	87.73
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,581	1397	51.46
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,607	1196	107.94
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,885	997	58.84
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,542	1401	19.95
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,385	1427	19.54
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,170	1464	18.97

<u>Intel Core i7-7820X @ 3.60GHz</u>	17,164	770	190.74
<u>Intel Core i7-7900X @ 3.30GHz</u>	21,008	600	NA
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,362	1433	12.96
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,275	915	65.18
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,474	2687	6.29
<u>Intel Core i7-8550U @ 1.80GHz</u>	5,905	1693	NA
<u>Intel Core i7-8557U @ 1.70GHz</u>	7,342	1436	17.04
<u>Intel Core i7-8559U @ 2.70GHz</u>	8,380	1310	13.58
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,071	1664	9.87
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	1638	NA
<u>Intel Core i7-8569U @ 2.80GHz</u>	8,230	1327	19.10
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,268	1624	5.98
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,246	1626	8.87
<u>Intel Core i7-8665UE @ 1.70GHz</u>	5,170	1849	12.64
<u>Intel Core i7-8700 @ 3.20GHz</u>	12,844	999	103.71
<u>Intel Core i7-8700B @ 3.20GHz</u>	11,913	1045	39.32
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,629	947	86.45
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,172	1153	51.12
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,689	1383	5.01
<u>Intel Core i7-8706G @ 3.10GHz</u>	7,287	1445	NA
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,947	1357	NA
<u>Intel Core i7-8750H @ 2.20GHz</u>	9,887	1173	25.03
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,548	1289	NA
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,212	1149	25.85
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,167	977	77.45
<u>Intel Core i7-9700E @ 2.60GHz</u>	12,600	1014	39.01
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,249	974	77.94
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,459	902	64.84
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,262	916	83.90
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,782	1118	33.38
<u>Intel Core i7-9700TE @ 1.80GHz</u>	10,203	1150	31.59
<u>Intel Core i7-9750H @ 2.60GHz</u>	10,819	1117	11.27
<u>Intel Core i7-9750HF @ 2.60GHz</u>	10,608	1125	26.86
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,084	733	54.97
<u>Intel Core i7-9850H @ 2.60GHz</u>	11,044	1098	8.46
<u>Intel Core i7-9850HE @ 2.70GHz</u>	10,868	1114	27.51
<u>Intel Core i7-9850HL @ 1.90GHz</u>	7,897	1362	19.99
<u>Intel Core i7-10510U @ 1.80GHz</u>	6,586	1558	16.10
<u>Intel Core i7-10510Y @ 1.20GHz</u>	4,905	1894	12.17
<u>Intel Core i7-10610U @ 1.80GHz</u>	6,698	1542	16.38
<u>Intel Core i7-10700 @ 2.90GHz</u>	16,407	807	68.36
<u>Intel Core i7-10700E @ 2.90GHz</u>	16,599	799	50.30
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,424	805	78.59

<u>Intel Core i7-10700K @ 3.80GHz</u>	18,790	698	76.07
<u>Intel Core i7-10700KF @ 3.80GHz</u>	18,589	709	85.94
<u>Intel Core i7-10700T @ 2.00GHz</u>	12,819	1000	59.63
<u>Intel Core i7-10700TE @ 2.00GHz</u>	13,368	970	40.51
<u>Intel Core i7-10710U @ 1.10GHz</u>	9,582	1198	14.86
<u>Intel Core i7-10750H @ 2.60GHz</u>	11,864	1047	NA
<u>Intel Core i7-10810U @ 1.10GHz</u>	8,165	1335	18.43
<u>Intel Core i7-10850H @ 2.70GHz</u>	11,797	1053	29.87
<u>Intel Core i7-10870H @ 2.20GHz</u>	14,431	908	34.61
<u>Intel Core i7-10875H @ 2.30GHz</u>	14,884	873	33.08
<u>Intel Core i7-11370H @ 3.30GHz</u>	11,690	1060	27.44
<u>Intel Core i7-11375H @ 3.30GHz</u>	11,819	1051	24.52
<u>Intel Core i7-11390H @ 3.40GHz</u>	9,946	1169	23.35
<u>Intel Core i7-11600H @ 2.90GHz</u>	16,685	795	42.24
<u>Intel Core i7-11700 @ 2.50GHz</u>	19,742	657	84.73
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,576	536	NA
<u>Intel Core i7-11700F @ 2.50GHz</u>	21,006	601	84.37
<u>Intel Core i7-11700K @ 3.60GHz</u>	24,600	467	99.22
<u>Intel Core i7-11700KF @ 3.60GHz</u>	23,962	486	104.58
<u>Intel Core i7-11700T @ 1.40GHz</u>	15,447	848	47.82
<u>Intel Core i7-11800H @ 2.30GHz</u>	20,459	628	51.80
<u>Intel Core i7-11850H @ 2.50GHz</u>	20,522	625	51.96
<u>Intel Core i7-11850HE @ 2.60GHz</u>	18,899	692	42.95
<u>Intel Core i7-12650H</u>	22,587	534	49.43
<u>Intel Core i7-12650HX</u>	20,612	621	43.67
<u>Intel Core i7-12700</u>	30,794	303	114.46
<u>Intel Core i7-12700E</u>	29,384	332	85.42
<u>Intel Core i7-12700F</u>	30,655	306	123.12
<u>Intel Core i7-12700H</u>	26,154	416	57.23
<u>Intel Core i7-12700K</u>	34,609	247	84.62
<u>Intel Core i7-12700KF</u>	34,374	253	176.28
<u>Intel Core i7-12700T</u>	21,535	580	63.52
<u>Intel Core i7-12700TE</u>	17,189	768	49.97
<u>Intel Core i7-12800H</u>	24,825	459	54.32
<u>Intel Core i7-12800HE</u>	29,805	327	58.90
<u>Intel Core i7-12800HX</u>	32,152	283	70.35
<u>Intel Core i7-12850HX</u>	30,642	308	71.59
<u>Intel Core i7-13620H</u>	25,026	450	49.85
<u>Intel Core i7-13650HX</u>	31,405	295	64.75
<u>Intel Core i7-13700</u>	37,041	227	115.76
<u>Intel Core i7-13700E</u>	34,728	244	89.05
<u>Intel Core i7-13700F</u>	38,869	212	115.07
<u>Intel Core i7-13700H</u>	27,252	389	54.29

<u>Intel Core i7-13700HX</u>	33,672	266	69.43
<u>Intel Core i7-13700K</u>	46,456	155	136.88
<u>Intel Core i7-13700KF</u>	46,366	156	154.56
<u>Intel Core i7-13700T</u>	27,237	391	70.93
<u>Intel Core i7-13700TE</u>	23,074	517	59.16
<u>Intel Core i7-13705H</u>	23,662	496	47.14
<u>Intel Core i7-13790F</u>	46,309	158	100.89
<u>Intel Core i7-13800H</u>	27,082	396	59.26
<u>Intel Core i7-13800HRE</u>	9,781	1181	19.72
<u>Intel Core i7-13850HX</u>	37,965	218	88.70
<u>Intel Core i7-14650HX</u>	36,687	229	74.11
<u>Intel Core i7-14700</u>	43,643	182	114.85
<u>Intel Core i7-14700F</u>	44,035	178	128.10
<u>Intel Core i7-14700HX</u>	37,218	225	75.19
<u>Intel Core i7-14700K</u>	53,328	120	137.90
<u>Intel Core i7-14700KF</u>	53,201	121	135.38
<u>Intel Core i7-14700T</u>	31,416	294	81.81
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,087	595	64.88
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,680	495	55.66
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,036	419	82.92
<u>Intel Core i9-7960X @ 2.80GHz</u>	28,810	343	57.74
<u>Intel Core i9-7980XE @ 2.60GHz</u>	30,108	320	30.95
<u>Intel Core i9-8950HK @ 2.90GHz</u>	10,502	1132	18.01
<u>Intel Core i9-9820X @ 3.30GHz</u>	20,148	642	44.77
<u>Intel Core i9-9880H @ 2.30GHz</u>	13,698	943	24.64
<u>Intel Core i9-9900 @ 3.10GHz</u>	16,490	802	41.33
<u>Intel Core i9-9900B @ 3.10GHz</u>	9,060	1249	NA
<u>Intel Core i9-9900K @ 3.60GHz</u>	18,271	723	58.94
<u>Intel Core i9-9900KF @ 3.60GHz</u>	18,263	724	64.53
<u>Intel Core i9-9900KS @ 4.00GHz</u>	19,473	667	48.68
<u>Intel Core i9-9900T @ 2.10GHz</u>	12,960	994	29.52
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,847	570	91.41
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,163	445	43.46
<u>Intel Core i9-9940X @ 3.30GHz</u>	27,996	364	29.19
<u>Intel Core i9-9960X @ 3.10GHz</u>	30,360	314	60.84
<u>Intel Core i9-9980HK @ 2.40GHz</u>	14,127	927	24.23
<u>Intel Core i9-9980XE @ 3.00GHz</u>	31,979	287	45.69
<u>Intel Core i9-9990XE @ 4.00GHz</u>	30,162	318	13.94
<u>Intel Core i9-10850K @ 3.60GHz</u>	22,387	548	86.10
<u>Intel Core i9-10880H @ 2.30GHz</u>	14,642	893	NA
<u>Intel Core i9-10885H @ 2.40GHz</u>	14,845	877	26.70
<u>Intel Core i9-10900 @ 2.80GHz</u>	19,841	653	46.25
<u>Intel Core i9-10900E @ 2.80GHz</u>	19,456	668	43.82

<u>Intel Core i9-10900F @ 2.80GHz</u>	19,957	649	91.55
<u>Intel Core i9-10900K @ 3.70GHz</u>	22,804	527	41.54
<u>Intel Core i9-10900KF @ 3.70GHz</u>	22,532	541	90.49
<u>Intel Core i9-10900T @ 1.90GHz</u>	14,822	879	42.35
<u>Intel Core i9-10900TE @ 1.80GHz</u>	16,251	813	36.60
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,479	542	39.79
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,445	584	NA
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,167	415	39.71
<u>Intel Core i9-10940X @ 3.30GHz</u>	27,902	367	38.75
<u>Intel Core i9-10980HK @ 2.40GHz</u>	15,442	849	26.49
<u>Intel Core i9-10980XE @ 3.00GHz</u>	32,774	274	40.21
<u>Intel Core i9-11900 @ 2.50GHz</u>	22,826	526	84.55
<u>Intel Core i9-11900F @ 2.50GHz</u>	22,289	551	106.14
<u>Intel Core i9-11900H @ 2.50GHz</u>	20,576	622	37.69
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,251	442	97.12
<u>Intel Core i9-11900KB @ 3.30GHz</u>	22,907	520	42.50
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,021	451	93.01
<u>Intel Core i9-11900T @ 1.50GHz</u>	18,968	690	43.21
<u>Intel Core i9-11950H @ 2.60GHz</u>	21,202	590	38.13
<u>Intel Core i9-11980HK @ 2.60GHz</u>	22,866	523	39.22
<u>Intel Core i9-12900</u>	34,279	255	83.24
<u>Intel Core i9-12900E</u>	26,666	402	NA
<u>Intel Core i9-12900F</u>	36,408	232	88.51
<u>Intel Core i9-12900H</u>	27,994	365	45.37
<u>Intel Core i9-12900HK</u>	27,362	385	43.09
<u>Intel Core i9-12900HX</u>	34,076	259	56.23
<u>Intel Core i9-12900K</u>	41,479	193	138.79
<u>Intel Core i9-12900KF</u>	41,135	196	140.39
<u>Intel Core i9-12900KS</u>	44,004	179	118.95
<u>Intel Core i9-12900T</u>	30,056	322	61.46
<u>Intel Core i9-12900TE</u>	35,057	242	64.44
<u>Intel Core i9-12950HX</u>	32,323	281	54.78
<u>Intel Core i9-13900</u>	47,246	151	89.99
<u>Intel Core i9-13900E</u>	34,049	260	61.46
<u>Intel Core i9-13900F</u>	51,080	130	117.43
<u>Intel Core i9-13900H</u>	28,820	342	46.71
<u>Intel Core i9-13900HK</u>	31,569	292	45.29
<u>Intel Core i9-13900HX</u>	44,242	175	66.23
<u>Intel Core i9-13900K</u>	59,102	89	122.28
<u>Intel Core i9-13900KF</u>	58,457	93	122.30
<u>Intel Core i9-13900KS</u>	61,632	78	105.35
<u>Intel Core i9-13900T</u>	44,241	176	80.58
<u>Intel Core i9-13900TE</u>	15,819	833	28.55

<u>Intel Core i9-13905H</u>	30,184	317	43.31
<u>Intel Core i9-13950HX</u>	43,736	181	74.13
<u>Intel Core i9-13980HX</u>	47,295	150	70.80
<u>Intel Core i9-14900</u>	47,737	148	77.94
<u>Intel Core i9-14900F</u>	47,992	145	91.99
<u>Intel Core i9-14900HX</u>	45,784	164	67.43
<u>Intel Core i9-14900K</u>	60,345	84	104.58
<u>Intel Core i9-14900KF</u>	59,541	86	111.08
<u>Intel Core i9-14900KS</u>	62,624	71	100.46
<u>Intel Core i9-14900T</u>	44,248	174	80.60
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,166	2879	7.71
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,586	2628	NA
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,733	2559	NA
<u>Intel Core m3-8100Y @ 1.10GHz</u>	2,874	2502	10.23
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,271	2810	NA
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,352	2764	NA
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475	3326	NA
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,338	2775	NA
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,628	3215	NA
<u>Intel Core M-5Y10a @ 0.80GHz</u>	1,905	3035	NA
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,892	3048	6.73
<u>Intel Core M-5Y31 @ 0.90GHz</u>	1,899	3042	NA
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,009	2967	NA
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,823	3091	NA
<u>Intel Core M-5Y71 @ 1.20GHz</u>	2,032	2953	7.23
<u>Intel Core Solo T1300 @ 1.66GHz</u>	210	4690	NA
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	4717	NA
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	4625	NA
<u>Intel Core Solo U1300 @ 1.06GHz</u>	127	4810	NA
<u>Intel Core Solo U1400 @ 1.20GHz</u>	130	4808	NA
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164	4762	NA
<u>Intel Core Ultra 5 125H</u>	22,406	546	NA
<u>Intel Core Ultra 5 125U</u>	17,731	747	48.85
<u>Intel Core Ultra 5 134U</u>	11,783	1054	35.49
<u>Intel Core Ultra 5 135H</u>	22,863	524	NA
<u>Intel Core Ultra 5 135U</u>	17,663	750	NA
<u>Intel Core Ultra 7 155H</u>	25,089	447	NA
<u>Intel Core Ultra 7 155U</u>	16,734	791	34.15
<u>Intel Core Ultra 7 164U</u>	15,106	862	NA
<u>Intel Core Ultra 7 165H</u>	26,080	418	NA
<u>Intel Core Ultra 7 165U</u>	17,524	754	NA
<u>Intel Core Ultra 7 258V</u>	19,148	679	NA
<u>Intel Core Ultra 9 185H</u>	29,438	331	NA

<u>Intel CoreT i5-1350P</u>	19,976	648	NA
<u>Intel N50</u>	2,907	2490	NA
<u>Intel N95</u>	5,372	1805	NA
<u>Intel N97</u>	5,816	1703	45.44
<u>Intel N100</u>	5,505	1776	43.01
<u>Intel N200</u>	5,145	1853	26.66
<u>Intel Pentium 4 1.50GHz</u>	86	4843	NA
<u>Intel Pentium 4 1.60GHz</u>	84	4844	NA
<u>Intel Pentium 4 1.70GHz</u>	86	4842	NA
<u>Intel Pentium 4 1.80GHz</u>	115	4826	NA
<u>Intel Pentium 4 1.90GHz</u>	104	4833	NA
<u>Intel Pentium 4 2.00GHz</u>	133	4803	NA
<u>Intel Pentium 4 2.20GHz</u>	157	4771	NA
<u>Intel Pentium 4 2.26GHz</u>	151	4781	NA
<u>Intel Pentium 4 2.40GHz</u>	131	4806	NA
<u>Intel Pentium 4 2.50GHz</u>	160	4766	NA
<u>Intel Pentium 4 2.53GHz</u>	162	4764	NA
<u>Intel Pentium 4 2.60GHz</u>	215	4685	NA
<u>Intel Pentium 4 2.66GHz</u>	157	4770	NA
<u>Intel Pentium 4 2.80GHz</u>	237	4656	NA
<u>Intel Pentium 4 2.93GHz</u>	150	4782	NA
<u>Intel Pentium 4 3.00GHz</u>	317	4537	NA
<u>Intel Pentium 4 3.06GHz</u>	249	4632	NA
<u>Intel Pentium 4 3.20GHz</u>	330	4524	NA
<u>Intel Pentium 4 3.40GHz</u>	298	4562	NA
<u>Intel Pentium 4 3.46GHz</u>	295	4565	NA
<u>Intel Pentium 4 3.60GHz</u>	315	4542	NA
<u>Intel Pentium 4 3.73GHz</u>	385	4452	NA
<u>Intel Pentium 4 3.80GHz</u>	358	4477	NA
<u>Intel Pentium 4 3.83GHz</u>	154	4776	NA
<u>Intel Pentium 4 1300MHz</u>	77	4848	NA
<u>Intel Pentium 4 1400MHz</u>	83	4845	NA
<u>Intel Pentium 4 1500MHz</u>	81	4846	NA
<u>Intel Pentium 4 1700MHz</u>	100	4836	1.18
<u>Intel Pentium 4 1800MHz</u>	114	4828	NA
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116	4824	NA
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114	4827	NA
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136	4800	NA
<u>Intel Pentium 4 Mobile 2.00GHz</u>	132	4805	NA
<u>Intel Pentium 957 @ 1.20GHz</u>	622	4185	4.64
<u>Intel Pentium 967 @ 1.30GHz</u>	643	4163	NA
<u>Intel Pentium 987 @ 1.50GHz</u>	657	4145	NA
<u>Intel Pentium 997 @ 1.60GHz</u>	809	3957	NA

<u>Intel Pentium 1403 @ 2.60GHz</u>	1,851	3069	NA
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284	2801	NA
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,379	3403	10.29
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,413	3379	10.54
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,021	3733	7.62
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,064	3689	7.94
<u>Intel Pentium 2129Y @ 1.10GHz</u>	587	4222	4.38
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,330	3429	6.16
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,058	3692	NA
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,036	3717	NA
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,345	3423	35.41
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	3910	NA
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,180	3571	NA
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,399	3389	NA
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,117	2906	NA
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,526	3294	NA
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,384	3400	2.25
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,232	2841	NA
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,581	3248	9.82
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,245	2831	13.94
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,704	3166	10.58
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,257	2820	14.02
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,356	2762	14.64
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,424	1983	27.48
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,210	3543	NA
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,249	3502	NA
<u>Intel Pentium B940 @ 2.00GHz</u>	849	3909	9.44
<u>Intel Pentium B950 @ 2.10GHz</u>	998	3759	NA
<u>Intel Pentium B960 @ 2.20GHz</u>	976	3785	25.24
<u>Intel Pentium B970 @ 2.30GHz</u>	1,088	3657	21.33
<u>Intel Pentium B980 @ 2.40GHz</u>	1,082	3668	30.22
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	2338	25.12
<u>Intel Pentium D 3.40GHz</u>	736	4048	NA
<u>Intel Pentium D 805 @ 2.66GHz</u>	374	4464	NA
<u>Intel Pentium D 830 @ 3.00GHz</u>	564	4255	NA
<u>Intel Pentium D 915 @ 2.80GHz</u>	465	4363	NA
<u>Intel Pentium D 940 @ 3.20GHz</u>	552	4271	NA
<u>Intel Pentium D 950 @ 3.40GHz</u>	681	4116	NA
<u>Intel Pentium D 960 @ 3.60GHz</u>	807	3961	NA
<u>Intel Pentium Dual T2390 @ 1.86GHz</u>	745	4037	NA
<u>Intel Pentium E2140 @ 1.60GHz</u>	539	4282	13.48
<u>Intel Pentium E2160 @ 1.80GHz</u>	643	4161	32.15
<u>Intel Pentium E2180 @ 2.00GHz</u>	683	4114	35.05

<u>Intel Pentium E2200 @ 2.20GHz</u>	730	4058	29.18
<u>Intel Pentium E2210 @ 2.20GHz</u>	702	4085	NA
<u>Intel Pentium E2220 @ 2.40GHz</u>	842	3923	42.11
<u>Intel Pentium E5200 @ 2.50GHz</u>	931	3829	23.27
<u>Intel Pentium E5300 @ 2.60GHz</u>	901	3856	15.15
<u>Intel Pentium E5400 @ 2.70GHz</u>	975	3786	11.50
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,037	3715	64.86
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,084	3662	72.35
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,165	3585	20.08
<u>Intel Pentium E6300 @ 2.80GHz</u>	1,032	3720	22.45
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,172	3576	14.02
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,121	3626	22.41
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,182	3567	84.51
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,164	3587	46.66
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469	4358	15.02
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987	3773	NA
<u>Intel Pentium G620 @ 2.60GHz</u>	1,212	3540	100.98
<u>Intel Pentium G620T @ 2.20GHz</u>	896	3862	9.95
<u>Intel Pentium G630 @ 2.70GHz</u>	1,336	3426	35.65
<u>Intel Pentium G630T @ 2.30GHz</u>	1,090	3653	12.97
<u>Intel Pentium G640 @ 2.80GHz</u>	1,358	3415	45.28
<u>Intel Pentium G640T @ 2.40GHz</u>	1,139	3611	12.80
<u>Intel Pentium G645 @ 2.90GHz</u>	1,422	3371	20.32
<u>Intel Pentium G645T @ 2.50GHz</u>	1,228	3525	5.48
<u>Intel Pentium G840 @ 2.80GHz</u>	1,253	3497	21.74
<u>Intel Pentium G850 @ 2.90GHz</u>	1,435	3356	43.09
<u>Intel Pentium G860 @ 3.00GHz</u>	1,459	3336	20.84
<u>Intel Pentium G870 @ 3.10GHz</u>	1,537	3286	19.96
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,599	3235	69.63
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,686	3181	48.18
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,430	3360	30.04
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,747	3144	29.35
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,581	3247	12.12
<u>Intel Pentium G2100T @ 2.60GHz</u>	1,691	3175	NA
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,892	3047	36.38
<u>Intel Pentium G2120T @ 2.70GHz</u>	1,613	3220	NA
<u>Intel Pentium G2130 @ 3.20GHz</u>	1,926	3019	44.13
<u>Intel Pentium G2140 @ 3.30GHz</u>	2,092	2920	46.48
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,894	3044	63.14
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,609	3223	39.97
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,933	3016	23.75
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,630	3212	NA
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,988	2980	32.59

<u>Intel Pentium G3250T @ 2.80GHz</u>	1,809	3103	36.18
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,076	2930	40.42
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,092	2919	34.93
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,837	3080	36.75
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,570	3256	NA
<u>Intel Pentium G3420 @ 3.20GHz</u>	1,933	3015	19.33
<u>Intel Pentium G3420T @ 2.70GHz</u>	1,912	3028	11.95
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,127	2902	23.09
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,202	2857	42.71
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107	2911	NA
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,178	2872	41.84
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016	2965	NA
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,231	2842	17.85
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428	2714	7.73
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,582	2630	35.42
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,344	2770	15.84
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,190	2864	34.23
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,776	2540	28.64
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,399	2732	NA
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,707	2568	9.50
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,536	2224	51.57
<u>Intel Pentium G4560T @ 2.90GHz</u>	2,974	2459	37.18
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,610	2202	40.15
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,062	2417	25.95
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,754	2160	26.83
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,238	3511	33.02
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,383	3401	18.68
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,433	3357	NA
<u>Intel Pentium GOLD 6500Y @ 1.10GHz</u>	3,016	2434	NA
<u>Intel Pentium Gold 7505 @ 2.00GHz</u>	5,188	1846	NA
<u>Intel Pentium Gold 8505</u>	9,292	1223	NA
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,736	2167	45.07
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,173	2369	52.92
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,738	2164	46.78
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	3,408	2264	53.25
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,823	2137	38.62
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,311	2315	44.14
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	3,825	2135	12.03
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,124	2052	137.53
<u>Intel Pentium Gold G5600T @ 3.30GHz</u>	3,601	2205	NA
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,272	2021	35.60
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,122	2053	55.97
<u>Intel Pentium Gold G6400E @ 3.80GHz</u>	3,908	2109	49.46

<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,541	2223	55.33
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,244	2026	59.67
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,341	2299	52.20
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,140	2047	58.32
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	3,874	2121	51.65
<u>Intel Pentium Gold G6505 @ 4.20GHz</u>	4,371	2000	58.28
<u>Intel Pentium Gold G6505T @ 3.60GHz</u>	3,698	2177	41.08
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,273	2020	17.81
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,509	1959	25.12
<u>Intel Pentium Gold G7400</u>	6,735	1534	62.58
<u>Intel Pentium Gold G7400T</u>	5,737	1719	89.65
<u>Intel Pentium III 1400 @ 1400MHz</u>	193	4719	NA
<u>Intel Pentium III 1400S @ 1400MHz</u>	194	4715	NA
<u>Intel Pentium III Mobile 800MHz</u>	119	4822	1.51
<u>Intel Pentium III Mobile 866MHz</u>	99	4837	9.89
<u>Intel Pentium III Mobile 1066MHz</u>	160	4765	NA
<u>Intel Pentium III Mobile 1133MHz</u>	164	4763	NA
<u>Intel Pentium III Mobile 1200MHz</u>	156	4773	NA
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,016	3738	NA
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,249	3503	NA
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,455	3340	NA
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,404	2727	NA
<u>Intel Pentium J6426 @ 2.00GHz</u>	4,180	2039	52.25
<u>Intel Pentium M 1.10GHz</u>	184	4733	NA
<u>Intel Pentium M 1.20GHz</u>	199	4703	NA
<u>Intel Pentium M 1.30GHz</u>	196	4710	NA
<u>Intel Pentium M 1.40GHz</u>	225	4675	NA
<u>Intel Pentium M 1.50GHz</u>	240	4647	NA
<u>Intel Pentium M 1.60GHz</u>	194	4716	NA
<u>Intel Pentium M 1.70GHz</u>	239	4648	NA
<u>Intel Pentium M 1.73GHz</u>	205	4698	NA
<u>Intel Pentium M 1.80GHz</u>	280	4588	NA
<u>Intel Pentium M 1.86GHz</u>	222	4679	NA
<u>Intel Pentium M 2.00GHz</u>	270	4602	NA
<u>Intel Pentium M 2.10GHz</u>	292	4573	NA
<u>Intel Pentium M 2.13GHz</u>	234	4659	NA
<u>Intel Pentium M 2.26GHz</u>	227	4671	NA
<u>Intel Pentium M 900MHz</u>	141	4793	NA
<u>Intel Pentium M 1000MHz</u>	156	4774	NA
<u>Intel Pentium M 1200MHz</u>	155	4775	NA
<u>Intel Pentium M 1300MHz</u>	197	4707	NA
<u>Intel Pentium M 1400MHz</u>	208	4692	NA
<u>Intel Pentium M 1500MHz</u>	188	4728	NA

<u>Intel Pentium M 1600MHz</u>	193	4721	NA
<u>Intel Pentium M 1700MHz</u>	237	4653	NA
<u>Intel Pentium N3510 @ 1.99GHz</u>	878	3878	NA
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,145	3607	NA
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,189	3558	NA
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,200	3548	4.78
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,252	3499	2.82
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,391	3393	NA
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,170	2877	9.49
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,532	2225	44.15
<u>Intel Pentium P6000 @ 1.87GHz</u>	810	3956	NA
<u>Intel Pentium P6100 @ 2.00GHz</u>	880	3875	47.74
<u>Intel Pentium P6200 @ 2.13GHz</u>	908	3849	36.41
<u>Intel Pentium P6300 @ 2.27GHz</u>	834	3932	NA
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,101	2401	5.94
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,254	2335	NA
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,613	2614	16.23
<u>Intel Pentium Silver N5020 @ 1.10GHz</u>	3,404	2268	NA
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,582	2629	NA
<u>Intel Pentium Silver N6000 @ 1.10GHz</u>	3,059	2420	NA
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	5,367	1806	NA
<u>Intel Pentium SU2700 @ 1.30GHz</u>	228	4670	NA
<u>Intel Pentium SU4100 @ 1.30GHz</u>	492	4334	NA
<u>Intel Pentium T2060 @ 1.60GHz</u>	330	4525	NA
<u>Intel Pentium T2080 @ 1.73GHz</u>	341	4499	2.27
<u>Intel Pentium T2130 @ 1.86GHz</u>	382	4455	NA
<u>Intel Pentium T2310 @ 1.46GHz</u>	531	4296	NA
<u>Intel Pentium T2330 @ 1.60GHz</u>	538	4284	5.98
<u>Intel Pentium T2370 @ 1.73GHz</u>	558	4264	22.31
<u>Intel Pentium T2390 @ 1.86GHz</u>	568	4247	NA
<u>Intel Pentium T2410 @ 2.00GHz</u>	566	4251	NA
<u>Intel Pentium T3200 @ 2.00GHz</u>	631	4176	52.58
<u>Intel Pentium T3400 @ 2.16GHz</u>	653	4152	8.17
<u>Intel Pentium T4200 @ 2.00GHz</u>	712	4073	7.19
<u>Intel Pentium T4300 @ 2.10GHz</u>	757	4021	7.65
<u>Intel Pentium T4400 @ 2.20GHz</u>	769	4005	7.00
<u>Intel Pentium T4500 @ 2.30GHz</u>	824	3941	27.51
<u>Intel Pentium U5400 @ 1.20GHz</u>	552	4272	NA
<u>Intel Pentium U5600 @ 1.33GHz</u>	624	4183	NA
<u>Intel T1400 @ 1.73GHz</u>	548	4277	36.56
<u>Intel T1500 @ 1.86GHz</u>	548	4279	NA
<u>Intel T2050 @ 2.00GHz</u>	516	4312	NA
<u>Intel U300</u>	8,299	1316	43.00

<u>Intel U300E</u>	9,478	1204	48.36
<u>Intel U4100 @ 1.30GHz</u>	610	4196	NA
<u>Intel Xeon 2.00GHz</u>	152	4780	NA
<u>Intel XEON 2.20GHz</u>	164	4759	NA
<u>Intel Xeon 2.40GHz</u>	180	4742	19.73
<u>Intel Xeon 2.80GHz</u>	260	4619	NA
<u>Intel Xeon 3.00GHz</u>	425	4393	NA
<u>Intel Xeon 3.20GHz</u>	478	4348	NA
<u>Intel Xeon 3.40GHz</u>	375	4462	NA
<u>Intel Xeon 3.60GHz</u>	403	4428	0.47
<u>Intel Xeon 3.73GHz</u>	901	3858	NA
<u>Intel Xeon 3.80GHz</u>	393	4442	0.46
<u>Intel Xeon 3040 @ 1.86GHz</u>	790	3979	31.53
<u>Intel Xeon 3050 @ 2.13GHz</u>	818	3945	5.18
<u>Intel Xeon 3060 @ 2.40GHz</u>	983	3777	42.74
<u>Intel Xeon 3065 @ 2.33GHz</u>	867	3890	41.49
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,025	3728	35.78
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096	3647	3.13
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070	3683	NA
<u>Intel Xeon 5110 @ 1.60GHz</u>	405	4421	11.57
<u>Intel Xeon 5120 @ 1.86GHz</u>	763	4011	2.56
<u>Intel Xeon 5130 @ 2.00GHz</u>	795	3973	16.22
<u>Intel Xeon 5133 @ 2.20GHz</u>	887	3871	NA
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	3898	23.16
<u>Intel Xeon 5148 @ 2.33GHz</u>	912	3841	45.62
<u>Intel Xeon 5150 @ 2.66GHz</u>	924	3836	29.80
<u>Intel Xeon 5160 @ 3.00GHz</u>	963	3797	22.14
<u>Intel Xeon 6740E</u>	76,167	42	NA
<u>Intel Xeon @ 2.00GHz</u>	7,363	1432	NA
<u>Intel Xeon @ 2.20GHz</u>	1,324	3439	NA
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,437	1976	36.97
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,753	1713	10.16
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,832	1905	31.29
<u>Intel Xeon Bronze 3408U</u>	9,557	1199	23.03
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,532	1955	NA
<u>Intel Xeon D-1520 @ 2.20GHz</u>	4,917	1892	NA
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,696	1729	NA
<u>Intel Xeon D-1527 @ 2.20GHz</u>	5,213	1843	24.48
<u>Intel Xeon D-1528 @ 1.90GHz</u>	6,823	1519	NA
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,592	1393	21.82
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,444	1418	13.04
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175	1463	14.76
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,025	1162	NA

<u>Intel Xeon D-1541 @ 2.10GHz</u>	10,056	1159	NA
<u>Intel Xeon D-1548 @ 2.00GHz</u>	9,075	1247	16.35
<u>Intel Xeon D-1557 @ 1.50GHz</u>	9,285	1225	13.38
<u>Intel Xeon D-1559 @ 1.50GHz</u>	8,015	1351	NA
<u>Intel Xeon D-1567 @ 2.10GHz</u>	10,447	1134	NA
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645	1065	9.90
<u>Intel Xeon D-1581 @ 1.80GHz</u>	13,282	972	NA
<u>Intel Xeon D-1587 @ 1.70GHz</u>	13,566	955	NA
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459	2698	23.20
<u>Intel Xeon D-1622 @ 2.60GHz</u>	6,205	1632	36.50
<u>Intel Xeon D-1715TER @ 2.40GHz</u>	9,104	1243	31.94
<u>Intel Xeon D-1718T @ 2.60GHz</u>	9,713	1186	30.93
<u>Intel Xeon D-1726 @ 2.90GHz</u>	15,511	846	31.65
<u>Intel Xeon D-1732TE @ 1.90GHz</u>	14,254	919	18.78
<u>Intel Xeon D-1733NT @ 2.00GHz</u>	14,849	876	20.62
<u>Intel Xeon D-1736NT @ 2.70GHz</u>	17,826	740	NA
<u>Intel Xeon D-1747NTE @ 2.50GHz</u>	20,279	636	16.89
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	6,676	1545	31.34
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,117	1040	21.83
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	12,461	1020	22.02
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,736	1058	18.31
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	15,105	863	15.03
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	19,377	672	10.98
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	735	9.08
<u>Intel Xeon D-2712T @ 1.90GHz</u>	7,990	1355	22.01
<u>Intel Xeon D-2733NT @ 2.10GHz</u>	16,206	815	20.26
<u>Intel Xeon D-2752TER @ 1.80GHz</u>	19,102	681	17.30
<u>Intel Xeon D-2753NT @ 2.00GHz</u>	20,626	618	NA
<u>Intel Xeon D-2775TE @ 2.00GHz</u>	27,299	388	15.00
<u>Intel Xeon D-2795NT @ 2.00GHz</u>	28,463	352	12.77
<u>Intel Xeon D-2796TE @ 2.00GHz</u>	26,342	410	12.06
<u>Intel Xeon D-2799 @ 2.40GHz</u>	33,792	264	17.48
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682	1735	29.44
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,847	2132	148.03
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,674	1929	51.96
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,179	1848	57.58
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	5,805	1704	38.19
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,783	1707	26.12
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,295	2796	NA
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,248	2826	12.65
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	3383	NA
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,909	2108	18.99
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,750	1916	22.63

<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,297	1823	21.30
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	5,974	1685	34.14
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	5,765	1711	16.47
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,540	1770	8.67
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	5,136	1855	18.54
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,196	1635	32.62
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,816	1521	22.00
<u>Intel Xeon E3-1230 v5 @ 3.40GHz</u>	7,921	1360	209.54
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,212	1329	18.25
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	5,251	1831	21.00
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	7,045	1481	20.13
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	5,053	1872	23.07
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013	1880	NA
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,403	1801	40.93
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,358	1603	42.39
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	7,053	1479	38.64
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,247	1325	10.27
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,645	1278	288.26
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,655	1743	6.31
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,511	1574	23.42
<u>Intel Xeon E3-1241 v3 @ 3.50GHz</u>	7,139	1468	28.02
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,334	1814	21.77
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,308	1616	20.03
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,021	1488	13.15
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,024	1350	23.72
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,790	1269	44.29
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,293	1444	9.62
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	4,063	2075	15.05
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	8,222	1328	31.78
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,726	2170	13.85
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	5,145	1854	11.10
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	6,204	1633	15.55
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954	1503	NA
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,770	1709	NA
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,334	1611	13.87
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,376	1804	30.20
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,488	1577	41.87
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,274	1447	17.36
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,356	1315	21.29
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,931	1258	12.40
<u>Intel Xeon E3-1270L v4 @ 3.00GHz</u>	7,662	1386	NA
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,534	1402	61.01
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,516	1775	34.48

<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	6,631	1551	17.73
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,213	1459	16.27
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,501	1298	19.14
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,303	1222	26.07
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,290	1621	NA
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,508	1407	8.29
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,615	1751	15.69
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	6,563	1560	12.50
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,393	1426	29.69
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,407	1308	28.12
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,032	1253	16.07
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,452	1416	13.64
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,974	1499	NA
<u>Intel Xeon E3-1285 v4 @ 3.50GHz</u>	7,808	1370	NA
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	8,536	1293	8.62
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,803	1525	7.57
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	8,074	1347	6.61
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418	1424	8.84
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,929	1508	8.95
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	5,429	1797	6.13
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,526	1570	7.37
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	5,083	1866	NA
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088	1660	NA
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	6,955	1502	NA
<u>Intel Xeon E3-1505M v6 @ 3.00GHz</u>	7,466	1414	NA
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938	1359	NA
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,524	1404	12.08
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	7,941	1358	12.75
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,813	1369	NA
<u>Intel Xeon E3-1575M v5 @ 3.00GHz</u>	8,006	1353	6.63
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,408	1307	15.12
<u>Intel Xeon E3-1585L v5 @ 3.00GHz</u>	8,083	1345	18.16
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,915	1893	109.25
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,715	1721	297.65
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,255	1625	307.05
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,463	2241	102.18
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,427	1981	343.70
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,683	1927	NA
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,731	2168	323.58
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,173	2040	18.15
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,950	1888	NA
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,200	1844	29.21
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,861	1697	83.73

<u>Intel Xeon E5-1620 v2 @ 3.70GHz</u>	6,543	1567	503.67
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,992	1496	538.28
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,384	1428	52.38
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,395	1425	5.46
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,585	1396	NA
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,113	1342	78.01
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,326	1218	40.56
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,424	1136	6.91
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	11,450	1075	26.63
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,413	1306	31.49
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	10,268	1145	16.72
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,472	1018	237.78
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,609	949	38.62
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,618	1012	NA
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,071	984	22.16
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	14,211	924	9.48
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820	880	NA
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,367	2756	13.22
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	2504	5.31
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,658	2592	204.59
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	3,504	2235	86.53
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,518	2232	NA
<u>Intel Xeon E5-2418L v2 @ 2.00GHz</u>	5,380	1803	8.86
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,030	1877	14.15
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,356	1604	107.72
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,492	1780	140.83
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	7,039	1484	5.71
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,539	1771	26.21
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	6,190	1637	NA
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	6,091	1658	3.12
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	7,655	1387	58.91
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774	1530	4.76
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,534	1403	153.75
<u>Intel Xeon E5-2450 v2 @ 2.50GHz</u>	9,041	1252	31.73
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,880	1695	75.39
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,295	1319	43.67
<u>Intel Xeon E5-2470 v2 @ 2.40GHz</u>	10,675	1123	269.83
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,319	2782	5.73
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,735	2558	69.76
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,817	2139	78.96
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1926	36.13
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	1593	14.55
<u>Intel Xeon E5-2608L v4 @ 1.60GHz</u>	7,447	1417	20.51

<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,858	2510	46.86
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,369	2285	42.36
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,430	1979	23.32
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,443	1794	17.79
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	11,181	1088	10.86
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,429	1022	13.78
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,291	1826	58.82
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,246	1627	480.80
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,804	1373	558.22
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,198	1235	188.37
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,790	1527	29.53
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,940	1506	701.73
<u>Intel Xeon E5-2628 v3 @ 2.50GHz</u>	8,447	1303	168.97
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181	1462	NA
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	1168	NA
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	1095	20.94
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139	1238	18.28
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,183	1639	249.93
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,473	1411	57.51
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,392	1137	1,157.19
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,609	1067	774.43
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,305	1821	102.37
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,703	1540	80.70
<u>Intel Xeon E5-2630L v3 @ 1.80GHz</u>	8,701	1272	110.13
<u>Intel Xeon E5-2630L v4 @ 1.80GHz</u>	9,943	1170	116.98
<u>Intel Xeon E5-2637 @ 3.00GHz</u>	2,978	2456	37.69
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	6,457	1584	49.69
<u>Intel Xeon E5-2637 v3 @ 3.50GHz</u>	7,246	1453	31.51
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	7,434	1422	64.64
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,308	1617	152.18
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,590	1394	75.90
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,102	1092	284.67
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	12,461	1021	277.52
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,433	1796	2.96
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,184	1236	460.35
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,465	1133	45.51
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,134	1090	12.36
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	5,262	1828	NA
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,828	1267	9.34
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	1177	16.40
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547	1069	8.34
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	12,399	1023	NA
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,375	1430	56.75

<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,866	1175	53.33
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,816	1052	21.29
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	13,579	953	205.77
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	6,192	1636	213.52
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,586	1395	194.51
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,880	1046	51.66
<u>Intel Xeon E5-2650L v4 @ 1.70GHz</u>	12,719	1005	55.31
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,544	1200	34.32
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073	1663	4.50
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,528	1128	83.07
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487	960	NA
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,434	907	577.58
<u>Intel Xeon E5-2658A v3 @ 2.20GHz</u>	14,879	874	8.12
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,149	1336	627.33
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,507	1131	618.44
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,135	980	69.15
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	16,032	827	327.17
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777	1055	NA
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,298	1317	55.34
<u>Intel Xeon E5-2666 v3 @ 2.90GHz</u>	14,291	914	NA
<u>Intel Xeon E5-2666 v4 @ 2.80GHz</u>	17,958	738	NA
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,511	1406	10.98
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,267	1029	49.08
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,646	1007	12.66
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	13,848	937	30.78
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107	821	NA
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,959	1256	40.17
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,325	1081	666.54
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,572	954	123.44
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	12,128	1038	NA
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,230	921	20.33
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	20,631	617	231.81
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	13,180	976	NA
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	13,501	958	NA
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	688	NA
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,712	886	138.54
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	24,131	482	8.93
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,396	1211	2.60
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,640	1008	105.38
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,152	858	421.02
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	17,754	743	888.16
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,487	756	NA
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	19,051	683	NA

<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	14,749	884	186.70
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,674	749	36.07
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	995	NA
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148	729	NA
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	20,434	629	NA
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,996	1164	8.47
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,254	1031	22.91
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	14,615	896	584.84
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	17,755	742	24.68
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,683	1188	52.99
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	17,049	777	NA
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,736	1185	5.17
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,489	959	182.31
<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	16,423	806	335.17
<u>Intel Xeon E5-2690 v4 @ 2.60GHz</u>	19,526	665	325.49
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119	1039	NA
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,306	971	192.84
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	16,509	801	48.56
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	19,109	680	41.32
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,096	930	NA
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	22,140	557	40.48
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	24,858	456	13.58
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,260	917	73.72
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	18,627	708	931.83
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	20,906	604	50.44
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,530	581	NA
<u>Intel Xeon E5-2697R v4 @ 2.30GHz</u>	20,843	606	NA
<u>Intel Xeon E5-2698 v3 @ 2.30GHz</u>	18,872	693	2.15
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	23,608	499	25.98
<u>Intel Xeon E5-2698B v3 @ 2.00GHz</u>	16,287	812	NA
<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	25,605	430	NA
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	20,321	633	38.35
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	25,544	434	16.01
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	25,654	428	5.20
<u>Intel Xeon E5-2699C v4 @ 2.20GHz</u>	22,283	552	NA
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,391	2274	25.65
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	1498	95.96
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460	1582	30.58
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	1456	5.93
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298	1619	175.52
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	7,037	1485	104.78
<u>Intel Xeon E5-4620 v2 @ 2.60GHz</u>	9,590	1197	105.38
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,525	1129	521.58

<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320	1219	18.68
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	11,344	1079	4.73
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969	993	12.97
<u>Intel Xeon E5-4628L v4 @ 1.80GHz</u>	12,461	1019	4.92
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,012	1489	501.24
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372	1140	NA
<u>Intel Xeon E5-4648 v3 @ 1.70GHz</u>	9,061	1248	NA
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,630	1280	616.90
<u>Intel Xeon E5-4650 v2 @ 2.40GHz</u>	11,064	1096	44.26
<u>Intel Xeon E5-4650 v3 @ 2.10GHz</u>	10,838	1115	2.82
<u>Intel Xeon E5-4650 v4 @ 2.20GHz</u>	15,871	831	161.94
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,533	1294	42.66
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,377	1212	2.03
<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	11,613	1066	15.46
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	918	2.97
<u>Intel Xeon E5-4660 v4 @ 2.20GHz</u>	15,375	852	4.26
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397	851	2.69
<u>Intel Xeon E5-4667 v4 @ 2.20GHz</u>	20,319	634	3.55
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430	763	3.23
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523	1070	NA
<u>Intel Xeon E7-4809 v2 @ 1.90GHz</u>	16,471	803	NA
<u>Intel Xeon E7-8880 v3 @ 2.30GHz</u>	18,244	725	137.17
<u>Intel Xeon E7-8891 v3 @ 2.80GHz</u>	21,615	578	3.16
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027	2956	1.14
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	3509	6.21
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429	3361	145.96
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,408	3381	NA
<u>Intel Xeon E5205 @ 1.86GHz</u>	838	3929	58.75
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448	3346	16.32
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306	3450	26.65
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,469	3330	37.91
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549	3274	87.15
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,868	3060	124.61
<u>Intel Xeon E5405 @ 2.00GHz</u>	1,718	3157	7.30
<u>Intel Xeon E5410 @ 2.33GHz</u>	2,007	2970	187.78
<u>Intel Xeon E5420 @ 2.50GHz</u>	2,022	2960	8.09
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,238	2838	9.73
<u>Intel Xeon E5440 @ 2.83GHz</u>	2,374	2753	62.50
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,579	2636	69.73
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,146	2893	9.50
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,286	2800	114.06
<u>Intel Xeon E5502 @ 1.87GHz</u>	837	3931	21.47
<u>Intel Xeon E5503 @ 2.00GHz</u>	804	3964	6.28

<u>Intel Xeon E5504 @ 2.00GHz</u>	1,519	3301	52.39
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,944	3005	21.93
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,928	3018	19.28
<u>Intel Xeon E5520 @ 2.27GHz</u>	2,524	2664	64.15
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,690	2575	89.70
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,783	2537	31.30
<u>Intel Xeon E5603 @ 1.60GHz</u>	1,935	3014	21.74
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,365	2757	81.54
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,686	2579	92.67
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,592	2208	239.49
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,790	2150	24.61
<u>Intel Xeon E5640 @ 2.67GHz</u>	3,782	2152	54.74
<u>Intel Xeon E5645 @ 2.40GHz</u>	5,046	1873	36.83
<u>Intel Xeon E5649 @ 2.53GHz</u>	5,686	1733	440.80
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469	3329	NA
<u>Intel Xeon E E-2414</u>	11,923	1043	55.98
<u>Intel Xeon E E-2434</u>	16,552	800	58.90
<u>Intel Xeon E E-2486</u>	24,713	465	48.84
<u>Intel Xeon E-2104G @ 3.20GHz</u>	5,913	1691	11.59
<u>Intel Xeon E-2124 @ 3.30GHz</u>	6,915	1510	15.05
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,418	1423	15.97
<u>Intel Xeon E-2126G @ 3.30GHz</u>	10,390	1138	30.56
<u>Intel Xeon E-2134 @ 3.50GHz</u>	9,239	1232	13.25
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,460	962	38.13
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,314	1220	28.07
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,259	973	26.75
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,689	1187	31.72
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,598	951	28.33
<u>Intel Xeon E-2176M @ 2.70GHz</u>	10,899	1111	24.22
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,817	939	32.13
<u>Intel Xeon E-2186M @ 2.90GHz</u>	11,455	1074	18.39
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,317	1439	24.64
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,643	1390	28.52
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,110	1091	33.53
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,114	1241	15.44
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,012	932	31.00
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,624	1193	28.75
<u>Intel Xeon E-2246G @ 3.60GHz</u>	13,721	942	44.12
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	6,333	1612	NA
<u>Intel Xeon E-2274G @ 4.00GHz</u>	9,892	1172	22.92
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,946	933	30.30
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,846	1049	26.32
<u>Intel Xeon E-2276ME @ 2.80GHz</u>	8,167	1334	18.15

<u>Intel Xeon E-2276ML @ 2.00GHz</u>	6,353	1605	NA
<u>Intel Xeon E-2278G @ 3.40GHz</u>	17,082	774	34.58
<u>Intel Xeon E-2278GE @ 3.30GHz</u>	16,379	808	33.15
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024	1042	24.34
<u>Intel Xeon E-2286G @ 4.00GHz</u>	14,020	931	11.19
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,092	864	10.99
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,444	761	32.36
<u>Intel Xeon E-2314 @ 2.80GHz</u>	8,146	1337	33.26
<u>Intel Xeon E-2324G @ 3.10GHz</u>	9,771	1183	33.38
<u>Intel Xeon E-2334 @ 3.40GHz</u>	13,011	990	40.66
<u>Intel Xeon E-2336 @ 2.90GHz</u>	16,768	790	46.19
<u>Intel Xeon E-2356G @ 3.20GHz</u>	18,521	711	55.62
<u>Intel Xeon E-2374G @ 3.70GHz</u>	13,607	950	32.44
<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,472	758	37.46
<u>Intel Xeon E-2378G @ 2.80GHz</u>	21,153	593	35.31
<u>Intel Xeon E-2386G @ 3.50GHz</u>	19,613	659	33.82
<u>Intel Xeon E-2388G @ 3.20GHz</u>	23,616	497	43.81
<u>Intel Xeon E-2436</u>	22,398	547	70.21
<u>Intel Xeon E-2456</u>	23,743	494	63.31
<u>Intel Xeon E-2468</u>	25,579	432	60.04
<u>Intel Xeon E-2478</u>	29,827	325	53.65
<u>Intel Xeon E-2488</u>	29,590	328	48.83
<u>Intel Xeon Gold 5115 @ 2.40GHz</u>	14,677	888	39.79
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816	834	NA
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,627	797	37.04
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	18,111	732	11.60
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	18,127	731	10.50
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,868	1265	22.74
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,624	841	21.10
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,429	850	10.46
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	21,986	563	48.86
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	24,742	464	29.99
<u>Intel Xeon Gold 5218T @ 2.10GHz</u>	21,433	585	15.89
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	24,154	480	23.36
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	32,765	275	25.62
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,489	1203	10.93
<u>Intel Xeon Gold 5315Y @ 3.20GHz</u>	20,820	607	15.13
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	27,387	384	29.67
<u>Intel Xeon Gold 5318H @ 2.50GHz</u>	29,301	335	23.02
<u>Intel Xeon Gold 5318Y @ 2.10GHz</u>	33,283	269	22.52
<u>Intel Xeon Gold 5320 @ 2.20GHz</u>	37,558	222	21.46
<u>Intel Xeon Gold 5320H @ 2.40GHz</u>	31,718	290	20.40
<u>Intel Xeon Gold 5412U</u>	52,557	125	47.22

<u>Intel Xeon Gold 5415+</u>	24,951	452	23.41
<u>Intel Xeon Gold 5416S</u>	35,976	237	38.11
<u>Intel Xeon Gold 5418Y</u>	44,487	173	30.00
<u>Intel Xeon Gold 5420+</u>	58,209	97	31.50
<u>Intel Xeon Gold 5512U</u>	60,365	83	49.08
<u>Intel Xeon Gold 5515+</u>	25,587	431	23.28
<u>Intel Xeon Gold 6122 @ 1.80GHz</u>	23,781	493	11.88
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	19,189	676	106.61
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	12,881	998	43.81
<u>Intel Xeon Gold 6130 @ 2.10GHz</u>	20,647	616	299.23
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,804	572	8.55
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	22,099	559	320.28
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,650	796	33.37
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	20,796	608	20.19
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	674	NA
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	24,161	479	110.32
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	20,649	615	6.17
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	24,445	472	49.89
<u>Intel Xeon Gold 6142 @ 2.60GHz</u>	25,215	443	54.05
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786	462	NA
<u>Intel Xeon Gold 6144 @ 3.50GHz</u>	19,993	647	26.12
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,296	508	27.80
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	29,009	336	100.03
<u>Intel Xeon Gold 6150 @ 2.70GHz</u>	27,446	382	137.92
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	25,441	437	39.14
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	28,632	347	26.46
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	27,085	395	28.51
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915	339	23.79
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	27,470	380	7.04
<u>Intel Xeon Gold 6222V @ 1.80GHz</u>	24,764	463	14.47
<u>Intel Xeon Gold 6226 @ 2.70GHz</u>	20,429	630	23.06
<u>Intel Xeon Gold 6226R @ 2.90GHz</u>	26,297	412	22.23
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	27,069	397	32.46
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	33,724	265	32.21
<u>Intel Xeon Gold 6234 @ 3.30GHz</u>	17,752	744	16.39
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	28,668	345	38.75
<u>Intel Xeon Gold 6238R @ 2.20GHz</u>	37,511	223	22.78
<u>Intel Xeon Gold 6240 @ 2.60GHz</u>	28,369	355	43.30
<u>Intel Xeon Gold 6240R @ 2.40GHz</u>	33,353	268	21.52
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288	414	33.57
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	34,282	254	17.45
<u>Intel Xeon Gold 6244 @ 3.60GHz</u>	18,980	687	6.39
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,829	458	7.98

<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,468	312	15.77
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	29,831	324	49.72
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	36,186	234	18.19
<u>Intel Xeon Gold 6250 @ 3.90GHz</u>	20,915	603	7.94
<u>Intel Xeon Gold 6252 @ 2.10GHz</u>	27,148	392	26.97
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	28,549	350	NA
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	31,513	293	16.88
<u>Intel Xeon Gold 6258R @ 2.70GHz</u>	40,252	203	11.25
<u>Intel Xeon Gold 6262 @ 1.90GHz</u>	21,823	571	NA
<u>Intel Xeon Gold 6262V @ 1.90GHz</u>	3,155	2376	0.95
<u>Intel Xeon Gold 6268CL @ 2.80GHz</u>	34,558	250	NA
<u>Intel Xeon Gold 6278C @ 2.60GHz</u>	32,835	272	NA
<u>Intel Xeon Gold 6312U @ 2.40GHz</u>	42,124	189	23.28
<u>Intel Xeon Gold 6314U @ 2.30GHz</u>	48,013	144	17.26
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,270	239	25.19
<u>Intel Xeon Gold 6330 @ 2.00GHz</u>	43,056	186	38.07
<u>Intel Xeon Gold 6330N @ 2.20GHz</u>	36,360	233	18.79
<u>Intel Xeon Gold 6334 @ 3.60GHz</u>	21,521	582	11.22
<u>Intel Xeon Gold 6336Y @ 2.40GHz</u>	45,517	168	23.58
<u>Intel Xeon Gold 6338 @ 2.00GHz</u>	33,814	262	21.05
<u>Intel Xeon Gold 6338N @ 2.20GHz</u>	42,086	190	9.01
<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	47,320	149	19.72
<u>Intel Xeon Gold 6346 @ 3.10GHz</u>	37,665	221	20.25
<u>Intel Xeon Gold 6348 @ 2.60GHz</u>	52,276	126	24.36
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,445	194	19.74
<u>Intel Xeon Gold 6414U</u>	57,200	104	24.91
<u>Intel Xeon Gold 6416H</u>	40,606	200	28.12
<u>Intel Xeon Gold 6421N</u>	58,797	92	24.83
<u>Intel Xeon Gold 6423N</u>	57,434	101	26.58
<u>Intel Xeon Gold 6426Y</u>	38,159	215	25.15
<u>Intel Xeon Gold 6434</u>	24,836	457	9.60
<u>Intel Xeon Gold 6438N</u>	52,789	122	15.75
<u>Intel Xeon Gold 6442Y</u>	56,263	110	19.55
<u>Intel Xeon Gold 6448Y</u>	60,449	82	16.87
<u>Intel Xeon Gold 6526Y</u>	46,025	161	30.34
<u>Intel Xeon Gold 6530</u>	65,533	64	30.80
<u>Intel Xeon Gold 6538N</u>	44,895	171	13.40
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	3424	NA
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,412	2722	27.03
<u>Intel Xeon L3406 @ 2.27GHz</u>	928	3832	3.60
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,470	2690	12.35
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	3425	42.57
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385	3399	12.31

<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118	3630	15.97
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,737	3148	92.43
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,769	3139	NA
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,940	3010	19.38
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,143	2895	77.91
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,260	2819	10.32
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,274	2806	78.43
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,522	2666	40.68
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298	2319	NA
<u>Intel Xeon L5630 @ 2.13GHz</u>	3,018	2433	26.88
<u>Intel Xeon L5638 @ 2.00GHz</u>	3,707	2175	53.03
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,419	1985	NA
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,645	1934	51.64
<u>Intel Xeon L7455 @ 2.13GHz</u>	2,494	2679	NA
<u>Intel Xeon Max 9480</u>	87,420	23	94.98
<u>Intel Xeon MV 3.20GHz</u>	582	4230	NA
<u>Intel Xeon Phi 7210 @ 1.30GHz</u>	7,306	1442	3.88
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	27,336	387	NA
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	5,669	1738	NA
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	28,825	341	19.28
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396	438	NA
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	33,099	271	22.08
<u>Intel Xeon Platinum 8171M @ 2.60GHz</u>	30,632	309	NA
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	28,025	363	NA
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	403	NA
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179	510	8.30
<u>Intel Xeon Platinum 8180 @ 2.50GHz</u>	38,259	214	10.20
<u>Intel Xeon Platinum 8252C @ 3.80GHz</u>	28,147	358	NA
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	31,142	298	NA
<u>Intel Xeon Platinum 8260 @ 2.40GHz</u>	30,347	315	14.79
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	261	4.41
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	34,483	251	5.74
<u>Intel Xeon Platinum 8270 @ 2.70GHz</u>	29,986	323	7.46
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794	199	NA
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	32,781	273	10.57
<u>Intel Xeon Platinum 8347C @ 2.10GHz</u>	49,386	139	NA
<u>Intel Xeon Platinum 8358 @ 2.60GHz</u>	54,416	116	12.37
<u>Intel Xeon Platinum 8360Y @ 2.40GHz</u>	54,078	118	19.31
<u>Intel Xeon Platinum 8368Q @ 2.60GHz</u>	46,681	154	NA
<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	56,202	111	NA
<u>Intel Xeon Platinum 8380 @ 2.30GHz</u>	62,318	75	8.54
<u>Intel Xeon Platinum 8454H</u>	62,347	74	9.53
<u>Intel Xeon Platinum 8461V</u>	74,982	45	16.70

<u>Intel Xeon Platinum 8470 @2.00GHz</u>	89,850	22	9.60
<u>Intel Xeon Platinum 8475B</u>	3,280	2328	NA
<u>Intel Xeon Platinum 8481C @ 2.70GHz</u>	11,681	1062	NA
<u>Intel Xeon Platinum 8571N</u>	68,385	55	NA
<u>Intel Xeon Platinum 8575C</u>	3,342	2297	NA
<u>Intel Xeon Platinum 8592+</u>	84,013	26	7.24
<u>Intel Xeon Platinum P-8124 @ 3.00GHz</u>	22,674	531	NA
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	8,909	1260	49.21
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	1142	14.95
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,215	1148	74.11
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,446	1587	28.91
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	13,139	979	438.13
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	14,660	890	192.89
<u>Intel Xeon Silver 4116T @ 2.10GHz</u>	15,187	857	13.66
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405	910	NA
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,259	1084	38.30
<u>Intel Xeon Silver 4209T @ 2.20GHz</u>	11,080	1094	17.07
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	13,457	963	45.83
<u>Intel Xeon Silver 4210R @ 2.40GHz</u>	15,118	861	31.04
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	16,190	816	51.31
<u>Intel Xeon Silver 4214R @ 2.40GHz</u>	18,275	722	32.49
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	16,442	804	21.92
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439	905	22.84
<u>Intel Xeon Silver 4215R @ 3.20GHz</u>	15,004	868	17.26
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	20,613	620	28.24
<u>Intel Xeon Silver 4216R @ 2.20GHz</u>	24,027	483	NA
<u>Intel Xeon Silver 4309Y @ 2.80GHz</u>	19,100	682	48.30
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	22,642	533	46.53
<u>Intel Xeon Silver 4310T @ 2.30GHz</u>	20,973	602	29.36
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	28,954	337	34.06
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	31,341	296	34.82
<u>Intel Xeon Silver 4410T</u>	28,859	340	46.25
<u>Intel Xeon Silver 4410Y</u>	24,399	474	43.34
<u>Intel Xeon Silver 4416+</u>	46,208	159	39.29
<u>Intel Xeon Silver 4510</u>	34,170	257	60.69
<u>Intel Xeon w3-2423</u>	15,275	855	NA
<u>Intel Xeon w3-2425</u>	18,655	703	35.26
<u>Intel Xeon w3-2435</u>	26,358	409	39.40
<u>Intel Xeon w5-2445</u>	32,251	282	38.44
<u>Intel Xeon w5-2455X</u>	37,857	219	33.19
<u>Intel Xeon w5-2465X</u>	46,906	153	31.61
<u>Intel Xeon w5-2545</u>	41,688	191	46.89
<u>Intel Xeon w5-2555X</u>	51,912	127	48.56

<u>Intel Xeon w5-2565X</u>	56,653	108	42.31
<u>Intel Xeon w5-3423</u>	28,273	357	23.78
<u>Intel Xeon w5-3425</u>	36,726	228	30.89
<u>Intel Xeon w5-3433</u>	34,849	243	NA
<u>Intel Xeon w5-3435X</u>	46,352	157	27.21
<u>Intel Xeon w7-2475X</u>	55,249	113	30.88
<u>Intel Xeon w7-2495X</u>	58,228	96	22.36
<u>Intel Xeon w7-2575X</u>	61,402	79	36.35
<u>Intel Xeon w7-3445</u>	47,108	152	23.68
<u>Intel Xeon w7-3455</u>	57,164	105	22.97
<u>Intel Xeon w7-3465X</u>	65,879	63	22.80
<u>Intel Xeon w7-3565X</u>	76,649	40	28.50
<u>Intel Xeon w9-3475X</u>	65,034	65	15.94
<u>Intel Xeon w9-3495X</u>	92,363	20	15.68
<u>Intel Xeon w9-3575X</u>	81,519	34	21.51
<u>Intel Xeon w9-3595X</u>	100,127	13	17.00
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,118	3629	111.93
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,161	3589	78.13
<u>Intel Xeon W3520 @ 2.67GHz</u>	2,935	2477	49.75
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,068	2415	9.07
<u>Intel Xeon W3540 @ 2.93GHz</u>	3,109	2395	20.86
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,218	2354	64.42
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,366	2290	56.15
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,267	2332	6.95
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,609	2203	16.82
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,436	1588	21.80
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,995	1495	55.94
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,226	1457	144.55
<u>Intel Xeon W5580 @ 3.20GHz</u>	3,368	2287	5.81
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,342	2298	2.38
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,610	948	40.81
<u>Intel Xeon W-1250E @ 3.50GHz</u>	12,212	1032	46.97
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,353	912	44.64
<u>Intel Xeon W-1270 @ 3.40GHz</u>	17,641	751	48.73
<u>Intel Xeon W-1270E @ 3.40GHz</u>	18,635	707	50.78
<u>Intel Xeon W-1270P @ 3.80GHz</u>	17,113	773	45.15
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553	956	36.93
<u>Intel Xeon W-1290 @ 3.20GHz</u>	20,071	645	34.10
<u>Intel Xeon W-1290E @ 3.50GHz</u>	18,786	699	37.57
<u>Intel Xeon W-1290P @ 3.70GHz</u>	22,435	545	34.55
<u>Intel Xeon W-1290T @ 1.90GHz</u>	18,409	716	37.27
<u>Intel Xeon W-1350 @ 3.30GHz</u>	18,999	686	56.55
<u>Intel Xeon W-1350P @ 4.00GHz</u>	19,749	656	53.06

<u>Intel Xeon W-1370 @ 2.90GHz</u>	22,926	519	48.88
<u>Intel Xeon W-1370P @ 3.60GHz</u>	23,306	507	45.79
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,902	488	41.64
<u>Intel Xeon W-1390P @ 3.50GHz</u>	25,304	440	NA
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,079	1868	17.70
<u>Intel Xeon W-2104 @ 3.20GHz</u>	5,552	1766	21.77
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,465	1301	19.82
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,030	1161	17.75
<u>Intel Xeon W-2133 @ 3.60GHz</u>	12,665	1006	20.53
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,451	904	14.34
<u>Intel Xeon W-2140B @ 3.20GHz</u>	17,330	766	NA
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,180	727	14.84
<u>Intel Xeon W-2150B @ 3.00GHz</u>	20,513	626	NA
<u>Intel Xeon W-2155 @ 3.30GHz</u>	21,059	597	13.76
<u>Intel Xeon W-2170B @ 2.50GHz</u>	23,902	489	NA
<u>Intel Xeon W-2175 @ 2.50GHz</u>	23,345	506	54.04
<u>Intel Xeon W-2191B @ 2.30GHz</u>	28,076	359	NA
<u>Intel Xeon W-2195 @ 2.30GHz</u>	27,978	366	14.10
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,583	1285	21.52
<u>Intel Xeon W-2225 @ 4.10GHz</u>	10,539	1127	20.37
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,375	911	21.55
<u>Intel Xeon W-2245 @ 3.90GHz</u>	19,454	669	36.77
<u>Intel Xeon W-2255 @ 3.70GHz</u>	22,369	549	34.73
<u>Intel Xeon W-2265 @ 3.50GHz</u>	25,973	420	34.91
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,866	369	30.42
<u>Intel Xeon W-2295 @ 3.00GHz</u>	30,668	305	19.56
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167	226	12.23
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,039	779	20.77
<u>Intel Xeon W-3235 @ 3.30GHz</u>	25,558	433	12.79
<u>Intel Xeon W-3245 @ 3.20GHz</u>	30,832	300	11.49
<u>Intel Xeon W-3245M @ 3.20GHz</u>	26,814	400	5.36
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105	321	6.61
<u>Intel Xeon W-3265M @ 2.70GHz</u>	33,800	263	5.32
<u>Intel Xeon W-3275 @ 2.50GHz</u>	40,931	197	8.36
<u>Intel Xeon W-3275M @ 2.50GHz</u>	39,834	206	5.34
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875	422	27.27
<u>Intel Xeon W-3335 @ 3.40GHz</u>	39,293	208	30.25
<u>Intel Xeon W-3345 @ 3.00GHz</u>	45,694	165	18.28
<u>Intel Xeon W-3365 @ 2.70GHz</u>	59,038	91	15.33
<u>Intel Xeon W-3375 @ 2.50GHz</u>	59,069	90	13.13
<u>Intel Xeon W-10855M @ 2.80GHz</u>	12,627	1011	28.06
<u>Intel Xeon W-10885M @ 2.40GHz</u>	15,737	837	25.26
<u>Intel Xeon W-11155MLE @ 1.80GHz</u>	8,502	1297	35.13

<u>Intel Xeon W-11555MLE @ 1.90GHz</u>	12,591	1015	36.18
<u>Intel Xeon W-11555MRE @ 2.60GHz</u>	17,484	757	53.63
<u>Intel Xeon W-11855M @ 3.20GHz</u>	18,159	728	40.35
<u>Intel Xeon W-11865MLE @ 1.50GHz</u>	15,958	829	34.17
<u>Intel Xeon W-11865MRE @ 2.60GHz</u>	19,589	661	40.81
<u>Intel Xeon W-11955M @ 2.60GHz</u>	22,587	535	36.26
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,293	3462	6.96
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,973	2989	29.83
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,052	2943	5.86
<u>Intel Xeon X3320 @ 2.50GHz</u>	1,986	2981	8.65
<u>Intel Xeon X3323 @ 2.50GHz</u>	1,837	3082	94.86
<u>Intel Xeon X3330 @ 2.66GHz</u>	2,111	2909	10.05
<u>Intel Xeon X3350 @ 2.66GHz</u>	2,263	2817	37.73
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229	2843	30.33
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,398	2734	59.97
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,358	2760	26.92
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,465	2695	61.63
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,568	2642	5.04
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,293	2797	20.31
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,773	2542	64.49
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,853	2514	73.15
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,957	2465	40.49
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,268	2331	34.56
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,273	2330	NA
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238	3513	95.20
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524	3297	NA
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	3341	10.36
<u>Intel Xeon X5355 @ 2.66GHz</u>	1,979	2984	6.60
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331	2776	37.01
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,389	2739	47.82
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,572	2640	11.71
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,901	2493	16.12
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,197	2858	9.76
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,755	2551	27.56
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,912	2486	2.09
<u>Intel Xeon X5550 @ 2.67GHz</u>	3,027	2430	30.89
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,124	2390	31.24
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,294	2321	32.94
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,441	1975	222.81
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,715	1722	38.11
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,015	1682	40.11
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,659	1932	258.26
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,104	1657	203.52

<u>Intel Xeon X5672 @ 3.20GHz</u>	4,996	1882	111.05
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,395	1598	457.46
<u>Intel Xeon X5677 @ 3.47GHz</u>	5,043	1874	45.84
<u>Intel Xeon X5679 @ 3.20GHz</u>	7,095	1476	NA
<u>Intel Xeon X5680 @ 3.33GHz</u>	6,833	1517	284.84
<u>Intel Xeon X5687 @ 3.60GHz</u>	5,309	1817	27.95
<u>Intel Xeon X5690 @ 3.47GHz</u>	7,037	1486	37.79
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,447	2246	NA
<u>Intel Xeon X6550 @ 2.00GHz</u>	1,936	3013	24.50
<u>JLQ JR510</u>	1,039	3713	NA
<u>lisa based Qualcomm Technologies, Inc. SM7325</u>	5,456	1790	NA
<u>M7221</u>	760	4014	NA
<u>Manta</u>	356	4481	NA
<u>Mars based on Qualcomm Technologies, Inc SM8350</u>	5,230	1840	NA
<u>Mediatek Dimensity 7025 (MT6855)</u>	4,577	1947	NA
<u>Mediatek Dimensity 7200-Pro (MT6886)</u>	4,717	1921	NA
<u>Mediatek Dimensity 7300-Ultra (MT6878)</u>	6,874	1513	NA
<u>Mediatek Dimensity 8200-Ultimate (MT6896)</u>	7,435	1421	NA
<u>Mediatek Dimensity 9200 (MT6985)</u>	7,878	1363	NA
<u>Mediatek DM700</u>	4,471	1970	NA
<u>MediaTek G85 (MT6769Z)</u>	2,742	2554	NA
<u>MediaTek G88 (MT6769H)</u>	2,769	2545	NA
<u>MediaTek G99 Ultimate (MT6789)</u>	4,237	2028	NA
<u>MediaTek Kompanio 520/528 (MT8186/MT8186T)</u>	3,650	2190	NA
<u>MediaTek MT6735</u>	577	4237	NA
<u>MediaTek MT6737</u>	465	4361	NA
<u>MediaTek MT6737M</u>	427	4389	NA
<u>MediaTek MT6737T</u>	689	4106	NA
<u>Mediatek MT6739</u>	695	4093	NA
<u>MediaTek MT6739WA</u>	395	4438	NA
<u>MediaTek MT6739WW</u>	438	4379	NA
<u>MediaTek MT6750</u>	1,047	3705	NA
<u>MediaTek MT6750T</u>	1,187	3562	NA
<u>MediaTek MT6750V/WT</u>	1,153	3600	NA
<u>MediaTek MT6753</u>	1,015	3739	NA
<u>MediaTek MT6753T</u>	1,149	3605	NA
<u>MediaTek MT6757CD</u>	1,761	3141	NA
<u>MediaTek MT6757V</u>	1,846	3075	NA
<u>Mediatek MT6761</u>	1,166	3582	NA
<u>Mediatek MT6761V/CAB</u>	1,069	3684	NA
<u>MediaTek MT6761V/WBB</u>	780	3994	NA
<u>Mediatek MT6761V/WD</u>	744	4038	NA
<u>MediaTek MT6761V/WE</u>	757	4020	NA

<u>Mediatek MT6762</u>	1,810	3102	NA
<u>MediaTek MT6762G</u>	1,231	3518	NA
<u>MediaTek MT6762V/CA</u>	1,272	3477	NA
<u>MediaTek MT6762V/CB</u>	1,620	3217	NA
<u>MediaTek MT6762V/CN</u>	611	4195	NA
<u>MediaTek MT6762V/WA</u>	1,470	3328	NA
<u>MediaTek MT6762V/WB</u>	1,449	3345	NA
<u>MediaTek MT6762V/WD</u>	1,569	3257	NA
<u>MediaTek MT6762V/WR</u>	1,545	3279	NA
<u>MediaTek MT6763V/CE</u>	2,130	2900	NA
<u>MediaTek MT6763V/V</u>	1,585	3245	NA
<u>Mediatek MT6765</u>	1,688	3176	NA
<u>MediaTek MT6765G</u>	1,650	3202	NA
<u>Mediatek MT6765H</u>	2,098	2914	NA
<u>MediaTek MT6765V/CA</u>	1,842	3079	NA
<u>MediaTek MT6765V/CB</u>	1,884	3052	NA
<u>Mediatek MT6765V/WA</u>	2,186	2870	NA
<u>Mediatek MT6765V/WB</u>	1,771	3137	NA
<u>Mediatek MT6765V/XBA</u>	1,610	3222	NA
<u>Mediatek MT6768</u>	2,758	2549	NA
<u>Mediatek MT6768G</u>	3,232	2343	NA
<u>MediaTek MT6768V/CA</u>	2,328	2778	NA
<u>Mediatek MT6769</u>	3,093	2405	NA
<u>MediaTek MT6769T</u>	2,560	2646	NA
<u>MediaTek MT6769V/CB</u>	2,419	2720	NA
<u>Mediatek MT6769V/CT</u>	2,543	2654	NA
<u>MediaTek MT6769V/CU</u>	2,715	2564	NA
<u>MediaTek MT6769V/WB</u>	2,192	2863	NA
<u>MediaTek MT6771V/C</u>	2,681	2582	NA
<u>MediaTek MT6771V/CT</u>	2,659	2591	NA
<u>MediaTek MT6771V/W</u>	2,445	2704	NA
<u>MediaTek MT6771V/WM</u>	2,225	2847	NA
<u>MediaTek MT6771V/WT</u>	2,387	2741	NA
<u>Mediatek MT6779</u>	3,443	2248	NA
<u>MediaTek MT6779V/CE</u>	3,087	2410	NA
<u>MediaTek MT6779V/CU</u>	2,622	2610	NA
<u>MediaTek MT6779V/CV</u>	2,712	2566	NA
<u>Mediatek MT6781</u>	3,806	2142	NA
<u>Mediatek MT6781V/CD</u>	3,746	2162	NA
<u>Mediatek MT6781V/CDZAMB-H</u>	4,182	2038	NA
<u>Mediatek MT6785</u>	3,618	2200	NA
<u>MediaTek MT6785V/CC</u>	3,406	2265	NA
<u>MediaTek MT6785V/CD</u>	3,649	2191	NA

<u>Mediatek MT6789V/CD</u>	4,277	2017	NA
<u>MediaTek MT6797</u>	1,903	3036	NA
<u>MediaTek MT6797T</u>	1,605	3228	NA
<u>MediaTek MT6797X</u>	2,212	2851	NA
<u>Mediatek MT6833</u>	4,058	2077	NA
<u>Mediatek MT6833G</u>	4,430	1980	NA
<u>Mediatek MT6833GP</u>	4,471	1971	NA
<u>Mediatek MT6833P</u>	3,640	2197	NA
<u>Mediatek MT6833V/NZA</u>	3,588	2209	NA
<u>Mediatek MT6833V/PNZA</u>	4,037	2082	NA
<u>Mediatek MT6833V/ZA</u>	4,287	2015	NA
<u>MediaTek MT6853T</u>	3,425	2257	NA
<u>Mediatek MT6853V/NZA</u>	4,049	2079	NA
<u>Mediatek MT6853V/TNZA</u>	4,128	2051	NA
<u>MediaTek MT6873</u>	4,087	2066	NA
<u>Mediatek MT6875</u>	5,249	1833	NA
<u>Mediatek MT6877</u>	5,009	1881	NA
<u>Mediatek MT6877V/TTZA</u>	4,980	1883	NA
<u>Mediatek MT6877V/TZA</u>	4,834	1903	NA
<u>Mediatek MT6877V/ZA</u>	4,757	1913	NA
<u>Mediatek MT6879V/ZA</u>	4,367	2001	NA
<u>Mediatek MT6879V T/ZA</u>	5,230	1839	NA
<u>Mediatek MT6883Z/CZA</u>	6,413	1595	NA
<u>Mediatek MT6889</u>	6,415	1594	NA
<u>Mediatek MT6891</u>	5,412	1800	NA
<u>Mediatek MT6891Z/CZA</u>	6,644	1549	NA
<u>Mediatek MT6891Z T/CZA</u>	7,294	1443	NA
<u>Mediatek MT6891Z Z/CZA</u>	6,509	1575	NA
<u>Mediatek MT6893</u>	6,310	1615	NA
<u>Mediatek MT6893Z T/CZA</u>	6,427	1591	NA
<u>MediaTek MT6895</u>	7,615	1391	NA
<u>Mediatek MT6895Z/TCZA</u>	6,621	1553	NA
<u>Mediatek MT6895Z A/TCZA</u>	7,686	1384	NA
<u>Mediatek MT6895Z B/TCZA</u>	7,044	1482	NA
<u>Mediatek MT6897</u>	7,491	1408	NA
<u>MediaTek MT6983</u>	6,615	1555	NA
<u>Mediatek MT6983W/CZA</u>	9,136	1239	NA
<u>Mediatek MT6983Z/CZA</u>	7,726	1378	NA
<u>Mediatek MT6989</u>	10,763	1120	NA
<u>MediaTek MT8163</u>	606	4199	NA
<u>MediaTek MT8166B</u>	953	3807	NA
<u>MediaTek MT8167B</u>	403	4429	NA
<u>MediaTek MT8168</u>	1,029	3722	NA

<u>MediaTek MT8168A</u>	712	4072	NA
<u>Mediatek MT8168B</u>	784	3988	NA
<u>Mediatek MT8175B</u>	592	4217	NA
<u>MediaTek MT8183</u>	2,551	2648	NA
<u>MediaTek MT8188</u>	3,144	2382	NA
<u>Mediatek MT8195</u>	8,419	1305	NA
<u>Mediatek MT8365</u>	1,214	3539	NA
<u>Mediatek MT8370AV/A</u>	4,107	2059	NA
<u>Mediatek MT8390AV/A</u>	4,509	1960	NA
<u>Mediatek MT8696</u>	740	4043	NA
<u>MediaTek MT8735B</u>	418	4402	NA
<u>Mediatek MT8765WA</u>	564	4256	NA
<u>Mediatek MT8766A</u>	979	3781	NA
<u>Mediatek MT8766B</u>	1,192	3556	NA
<u>Mediatek MT8768A</u>	1,524	3296	NA
<u>MediaTek MT8768CT</u>	2,031	2954	NA
<u>Mediatek MT8768CX</u>	2,274	2807	NA
<u>Mediatek MT8768N</u>	2,382	2745	NA
<u>MediaTek MT8768WA</u>	1,693	3174	NA
<u>Mediatek MT8768WE</u>	1,785	3120	NA
<u>MediaTek MT8768WT</u>	1,998	2976	NA
<u>Mediatek MT8771V/PZA</u>	4,414	1987	NA
<u>Mediatek MT8781V/CA</u>	4,087	2067	NA
<u>Mediatek MT8781V/NA</u>	4,367	2002	NA
<u>Mediatek MT8786</u>	2,167	2878	NA
<u>Mediatek MT8786V/CT</u>	3,300	2318	NA
<u>Mediatek MT8786V/N</u>	3,168	2372	NA
<u>Mediatek MT8788</u>	3,367	2289	NA
<u>Mediatek MT8789</u>	6,640	1550	NA
<u>Mediatek MT8789V/CT</u>	3,946	2099	NA
<u>Mediatek MT8789V/T</u>	4,293	2013	NA
<u>Mediatek MT8791V/TN</u>	4,972	1885	NA
<u>Mediatek MT8797Z/CNZA</u>	7,260	1452	NA
<u>Mediatek MT8798Z/CNZA</u>	9,110	1242	NA
<u>Mediatek t50</u>	1,001	3757	NA
<u>Microsoft SQ1 @ 3.0 GHz</u>	5,750	1714	NA
<u>Microsoft SQ2 @ 3.15 GHz</u>	6,459	1583	NA
<u>Microsoft SQ3 @ 3.0 GHz</u>	11,706	1059	NA
<u>Mobile AMD Athlon 4 2400+</u>	233	4661	NA
<u>Mobile AMD Athlon 64 3200+</u>	326	4529	NA
<u>Mobile AMD Athlon 64 3400+</u>	333	4518	NA
<u>Mobile AMD Athlon 64 3700+</u>	356	4480	NA
<u>Mobile AMD Athlon 64 4000+</u>	313	4547	NA

<u>Mobile AMD Athlon 2500+</u>	241	4645	NA
<u>Mobile AMD Athlon MP-M 1800+</u>	173	4751	NA
<u>Mobile AMD Athlon MP-M 2400+</u>	192	4723	NA
<u>Mobile AMD Athlon XP-M 1600+</u>	169	4755	NA
<u>Mobile AMD Athlon XP-M 1800+</u>	193	4718	NA
<u>Mobile AMD Athlon XP-M 2000+</u>	196	4711	NA
<u>Mobile AMD Athlon XP-M 2200+</u>	237	4654	NA
<u>Mobile AMD Athlon XP-M 2400+</u>	225	4674	NA
<u>Mobile AMD Athlon XP-M 2500+</u>	226	4672	NA
<u>Mobile AMD Athlon XP-M 2600+</u>	241	4644	NA
<u>Mobile AMD Athlon XP-M 2800+</u>	238	4652	NA
<u>Mobile AMD Athlon XP-M 3000+</u>	238	4650	NA
<u>Mobile AMD Sempron 2100+</u>	164	4761	NA
<u>Mobile AMD Sempron 2600+</u>	256	4621	NA
<u>Mobile AMD Sempron 2800+</u>	237	4655	NA
<u>Mobile AMD Sempron 3000+</u>	269	4605	NA
<u>Mobile AMD Sempron 3100+</u>	277	4594	NA
<u>Mobile AMD Sempron 3200+</u>	245	4637	NA
<u>Mobile AMD Sempron 3300+</u>	294	4569	NA
<u>Mobile AMD Sempron 3400+</u>	269	4603	NA
<u>Mobile AMD Sempron 3500+</u>	259	4620	NA
<u>Mobile AMD Sempron 3600+</u>	284	4584	NA
<u>Mobile AMD Sempron 3800+</u>	335	4509	NA
<u>Mobile Intel Celeron 1.70GHz</u>	118	4823	NA
<u>Mobile Intel Celeron 1.80GHz</u>	121	4818	NA
<u>Mobile Intel Celeron 2.00GHz</u>	133	4804	NA
<u>Mobile Intel Celeron 2.20GHz</u>	147	4786	NA
<u>Mobile Intel Celeron 2.40GHz</u>	154	4778	NA
<u>Mobile Intel Celeron 1333MHz</u>	183	4738	NA
<u>Mobile Intel Pentium 4 2.66GHz</u>	182	4739	NA
<u>Mobile Intel Pentium 4 2.80GHz</u>	205	4697	NA
<u>Mobile Intel Pentium 4 3.06GHz</u>	220	4682	NA
<u>Mobile Intel Pentium 4 3.20GHz</u>	232	4664	NA
<u>Mobile Intel Pentium 4 3.33GHz</u>	344	4492	NA
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	121	4817	2.14
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	119	4821	NA
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	138	4799	NA
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	143	4789	NA
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	139	4794	NA
<u>Mobile Intel Pentium III - M 933MHz</u>	130	4809	NA
<u>Mobile Intel Pentium III - M 1200MHz</u>	146	4787	NA
<u>mocha</u>	1,125	3621	NA
<u>Montage Jintide C4215R</u>	14,672	889	NA

<u>Montage Jintide C5418Y</u>	49,045	140	NA
<u>msm8960dt</u>	306	4552	NA
<u>MT3561S</u>	723	4064	NA
<u>MT5893</u>	702	4087	NA
<u>MT6580</u>	394	4439	NA
<u>MT6592</u>	521	4305	NA
<u>MT6592T</u>	1,056	3695	NA
<u>MT6735M</u>	308	4550	NA
<u>MT6735P</u>	374	4463	NA
<u>MT6737H</u>	528	4299	NA
<u>MT6738</u>	692	4101	NA
<u>MT6739CH</u>	533	4292	NA
<u>MT6739WM</u>	338	4505	NA
<u>MT6750V/C</u>	1,396	3391	NA
<u>MT6750V/CS</u>	955	3804	NA
<u>MT6750V/DN</u>	1,271	3480	NA
<u>MT6750V/W</u>	845	3919	NA
<u>MT6750V/WS</u>	934	3825	NA
<u>MT6752</u>	1,728	3153	NA
<u>MT6752M</u>	1,735	3149	NA
<u>MT6755</u>	1,278	3473	NA
<u>MT6755BM</u>	1,070	3682	NA
<u>MT6755M</u>	1,229	3521	NA
<u>MT6755V/BM</u>	1,219	3534	NA
<u>MT6755V/C</u>	1,554	3269	NA
<u>MT6755V/W</u>	1,608	3226	NA
<u>MT6755V/WM</u>	1,090	3652	NA
<u>MT6755V/WS</u>	1,389	3394	NA
<u>MT6757W</u>	1,941	3006	NA
<u>MT6757WD</u>	1,771	3136	NA
<u>MT6757WH</u>	1,161	3590	NA
<u>MT6761V/CAB</u>	816	3948	NA
<u>MT6761V/CBB</u>	910	3846	NA
<u>MT6761V/CD</u>	784	3987	NA
<u>MT6761V/WAB</u>	816	3949	NA
<u>MT6761V/WD</u>	580	4231	NA
<u>MT6762</u>	1,735	3150	NA
<u>mt6762m</u>	538	4283	NA
<u>MT6762V/CR</u>	1,022	3730	NA
<u>MT6763V/B</u>	1,544	3280	NA
<u>MT6763V/CT</u>	1,794	3117	NA
<u>MT6763V/WT</u>	1,375	3407	NA
<u>MT6765</u>	1,825	3087	NA

MT6765H	2,132	2897	NA
MT6765V/WA	1,820	3095	NA
MT6765V/WB	1,891	3049	NA
MT6768G	2,838	2519	NA
MT6769V	2,229	2844	NA
MT6769V/CT	2,477	2685	NA
MT6771V/CL	3,079	2411	NA
MT6771V/WL	2,299	2793	NA
mt6779	2,251	2823	NA
MT6781	3,875	2120	NA
MT6781V/CD	3,969	2093	NA
MT6785	3,555	2216	NA
MT6795	1,290	3463	NA
MT6795M	968	3794	NA
MT6795MM	618	4189	NA
MT6797D	758	4017	NA
MT6797M	2,099	2913	NA
MT6833	3,784	2151	NA
MT6833GP	3,238	2339	NA
MT6833P	4,158	2043	NA
MT6833V/NZA	3,641	2196	NA
MT6833V/PNZA	4,164	2041	NA
MT6833V/ZA	4,104	2061	NA
MT6853V/NZA	3,330	2302	NA
MT6853V/TNZA	3,616	2201	NA
MT6853V/ZA	3,505	2234	NA
MT6875	4,393	1991	NA
MT6877T	4,548	1951	NA
MT6877V/TTZA	5,253	1829	NA
MT6877V/TZA	4,871	1898	NA
MT6877V/ZA	4,787	1910	NA
MT6883Z/CZA	5,665	1740	NA
MT6889Z/CZA	4,504	1962	NA
MT6891	5,817	1702	NA
MT6891Z/CZA	6,025	1680	NA
MT6893	5,102	1862	NA
MT6893Z/CZA	6,467	1580	NA
MT6893Z A/CZA	6,050	1673	NA
MT6893Z B/CZA	6,371	1601	NA
MT6893Z C/CZA	6,139	1647	NA
MT6893Z D/CZA	5,701	1727	NA
MT6893Z Z/CZA	6,485	1578	NA
MT6969T	2,228	2845	NA

MT8127	429	4386	NA
MT8161A	818	3946	NA
MT8161AA	857	3897	NA
MT8161P	508	4319	NA
MT8165	950	3812	NA
MT8167A	478	4349	NA
MT8167D	532	4293	NA
MT8168B	1,050	3704	NA
MT8168M	887	3872	NA
MT8169A	1,962	2993	NA
MT8173	804	3965	NA
MT8175B	1,199	3549	NA
MT8176	1,406	3384	NA
MT8186	3,862	2128	NA
MT8188JV/A	5,120	1858	NA
MT8195AV/ZA	5,735	1720	NA
MT8365	889	3869	NA
MT8395AV/ZA	2,410	2723	NA
MT8667	3,230	2344	NA
MT8696	738	4046	NA
MT8732T	1,081	3669	NA
MT8735	495	4332	NA
MT8735A	655	4149	NA
MT8735M	388	4449	NA
MT8735P	572	4242	NA
MT8735T	704	4083	NA
MT8765WA	567	4248	NA
MT8765WB	419	4401	NA
MT8766A	956	3802	NA
MT8766B	822	3943	NA
MT8768CA	1,912	3025	NA
MT8768WB	1,074	3677	NA
MT8768WD	1,122	3624	NA
MT8768WE	1,323	3441	NA
MT8771V/PZA	4,723	1920	NA
MT8783	1,039	3712	NA
MT8786V/CA	3,137	2386	NA
MT8786V/N	2,992	2447	NA
MT8788	2,756	2550	NA
MT8789V/CT	4,119	2054	NA
MT8789V/T	4,104	2062	NA
MT8797Z/CNZA	6,550	1562	NA
MT9950	845	3916	NA

<u>MTK6757</u>	1,158	3594	NA
<u>MTK8257</u>	842	3922	NA
<u>Nakamichi</u>	353	4484	NA
<u>Nvidia Tegra T132</u>	1,224	3528	NA
<u>Nvidia Tegra T210</u>	1,635	3207	NA
<u>nxp IMX8MP</u>	1,020	3736	NA
<u>nxp IMX8MQ</u>	803	3966	NA
<u>Odin based on Qualcomm Technologies, Inc SM8350</u>	6,456	1585	NA
<u>OMAP4 Espresso board</u>	98	4838	NA
<u>P22</u>	1,908	3030	NA
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,472	3327	NA
<u>Pentium Dual-Core T4200 @ 2.00GHz</u>	775	3998	NA
<u>Pentium Dual-Core T4300 @ 2.10GHz</u>	901	3857	NA
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	932	3828	NA
<u>QCT APQ8064 AWIFI</u>	382	4456	NA
<u>QCT APQ8064 DEB</u>	453	4372	NA
<u>QCT APQ8064 FLO</u>	553	4270	NA
<u>QCT APQ8064 MAKO</u>	399	4435	NA
<u>QCT APQ8064 MTP</u>	389	4448	NA
<u>QTI MSM8937</u>	2,142	2896	NA
<u>QTI MSM8953</u>	2,065	2939	NA
<u>QTI QCM2290</u>	875	3884	NA
<u>QTI QCM4290</u>	2,512	2671	NA
<u>QTI QCM4490</u>	5,308	1818	NA
<u>QTI QCM5430</u>	4,006	2085	NA
<u>QTI QCS5430</u>	3,760	2157	NA
<u>QTI QCS8550</u>	10,369	1141	NA
<u>QTI SDM439</u>	1,556	3268	NA
<u>QTI SDM450</u>	1,672	3184	NA
<u>QTI SDM660</u>	2,850	2516	NA
<u>QTI SDM845</u>	2,666	2587	NA
<u>QTI SG8175P</u>	6,713	1539	NA
<u>QTI SM611</u>	3,180	2368	NA
<u>QTI SM4350</u>	3,719	2172	NA
<u>QTI SM4375</u>	3,947	2098	NA
<u>QTI SM4450</u>	3,918	2105	NA
<u>QTI SM6115</u>	2,881	2499	NA
<u>QTI SM6125</u>	2,904	2491	NA
<u>QTI SM6150</u>	3,385	2279	NA
<u>QTI SM6225</u>	3,520	2230	NA
<u>QTI SM6350</u>	4,152	2044	NA
<u>QTI SM6375</u>	4,186	2037	NA
<u>QTI SM6450</u>	5,665	1741	NA

QTI SM7125	3,899	2114	NA
QTI SM7150	3,764	2155	NA
QTI SM7225	4,302	2012	NA
QTI SM7250	4,304	2011	NA
QTI SM7325	5,923	1690	NA
QTI SM7350	5,589	1758	NA
QTI SM7435	5,603	1755	NA
QTI SM7450	5,479	1785	NA
QTI SM7475	7,312	1440	NA
QTI SM7550	6,609	1556	NA
QTI SM7675	8,597	1283	NA
QTI SM8150	5,331	1815	NA
QTI SM8250	6,583	1559	NA
QTI SM8350	6,543	1566	NA
QTI SM8450	6,385	1599	NA
QTI SM8475	7,273	1449	NA
QTI SM8550	9,118	1240	NA
QTI SM8635	8,521	1295	NA
QTI SM8650	11,514	1071	NA
Qualcomm	1,354	3418	NA
Qualcomm APQ8026	332	4521	NA
Qualcomm APQ8084	603	4202	NA
Qualcomm APQ 8084 (Flattened Device Tree)	720	4065	NA
Qualcomm MSM8212	378	4458	NA
Qualcomm MSM8226	344	4491	NA
Qualcomm MSM8228	332	4523	NA
Qualcomm MSM8626	294	4568	NA
Qualcomm MSM8916	424	4394	NA
Qualcomm MSM8917	656	4147	NA
Qualcomm MSM8926	286	4582	NA
Qualcomm MSM8928	367	4469	NA
Qualcomm MSM8937	1,043	3709	NA
Qualcomm MSM8939	1,180	3572	NA
Qualcomm MSM8953	1,589	3242	NA
Qualcomm MSM8956	2,127	2901	NA
Qualcomm MSM8974	719	4067	NA
Qualcomm MSM8974PRO-AA	672	4130	NA
Qualcomm MSM8974PRO-AB	686	4109	NA
Qualcomm MSM8974PRO-AC	643	4162	NA
Qualcomm MSM8992	1,255	3494	NA
Qualcomm MSM8994	785	3986	NA
Qualcomm MSM8996	1,424	3369	NA
Qualcomm MSM8996PRO-AB	1,658	3192	NA

<u>Qualcomm MSM8998</u>	3,520	2231	NA
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,088	3655	NA
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,065	3687	NA
<u>Qualcomm MSM 8939 HUAWEI TEXAS-A1</u>	1,085	3661	NA
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</u>	566	4249	NA
<u>Qualcomm QCM6490</u>	6,068	1666	NA
<u>Qualcomm SC7180</u>	3,978	2091	NA
<u>Qualcomm SC7180P</u>	4,558	1948	NA
<u>Qualcomm SDM439</u>	2,195	2860	NA
<u>Qualcomm SDM450</u>	2,836	2521	NA
<u>Qualcomm SDM630</u>	2,388	2740	NA
<u>Qualcomm SDM660</u>	2,444	2706	NA
<u>Qualcomm SDM670</u>	3,235	2341	NA
<u>Qualcomm SDM845</u>	4,409	1989	NA
<u>Qualcomm SM4250</u>	2,587	2627	NA
<u>Qualcomm SM4350</u>	3,575	2212	NA
<u>Qualcomm SM6115</u>	3,107	2396	NA
<u>Qualcomm SM6125</u>	2,916	2484	NA
<u>Qualcomm SM6150</u>	2,989	2449	NA
<u>Qualcomm SM6225</u>	3,801	2144	NA
<u>Qualcomm SM7125</u>	3,737	2166	NA
<u>Qualcomm SM7150</u>	4,138	2048	NA
<u>Qualcomm SM7250</u>	3,907	2110	NA
<u>Qualcomm SM7325</u>	6,077	1661	NA
<u>Qualcomm SM8150</u>	5,677	1737	NA
<u>Qualcomm SM8250</u>	6,734	1535	NA
<u>Qualcomm SM8350</u>	6,545	1565	NA
<u>Qualcomm Snapdragon 810</u>	1,316	3446	NA
<u>Qualcomm Snapdragon X Elite - X1E-78-100</u>	22,664	532	NA
<u>Qualcomm Snapdragon X Elite - X1E-80-100</u>	23,285	509	NA
<u>Qualcomm Snapdragon X Elite - X1E-84-100</u>	23,576	501	NA
<u>Qualcomm Snapdragon X Plus X1P-64-100</u>	22,147	556	NA
<u>Qualcomm Technologies, Inc</u>	3,865	2125	NA
<u>Qualcomm Technologies, Inc 450</u>	1,978	2986	NA
<u>Qualcomm Technologies, Inc APQ8009</u>	341	4497	NA
<u>Qualcomm Technologies, Inc APQ8016</u>	404	4425	NA
<u>Qualcomm Technologies, Inc APQ8017</u>	520	4306	NA
<u>Qualcomm Technologies, Inc APQ8053</u>	2,149	2891	NA
<u>Qualcomm Technologies, Inc APQ8076</u>	1,673	3183	NA
<u>Qualcomm Technologies, Inc APQ8094</u>	1,564	3262	NA
<u>Qualcomm Technologies, Inc APQ8096</u>	1,708	3163	NA
<u>Qualcomm Technologies, Inc APQ8096pro</u>	730	4057	NA
<u>Qualcomm Technologies, Inc ATOLL-AB</u>	3,475	2239	NA

Qualcomm Technologies, Inc BENGAL	2,445	2705	NA
Qualcomm Technologies, Inc BENGAL-IOT	1,912	3026	NA
Qualcomm Technologies, Inc BENGALP	2,614	2613	NA
Qualcomm Technologies, Inc BENGALP-IOT	3,127	2389	NA
Qualcomm Technologies, Inc KHAJE	3,405	2267	NA
Qualcomm Technologies, Inc KONA	5,662	1742	NA
Qualcomm Technologies, Inc KONA-IOT	6,282	1623	NA
Qualcomm Technologies, Inc LAGOON	3,418	2262	NA
Qualcomm Technologies, Inc LITO	3,337	2300	NA
Qualcomm Technologies, Inc MSM8216	292	4572	NA
Qualcomm Technologies, Inc MSM8909	291	4575	NA
Qualcomm Technologies, Inc MSM8916	404	4424	NA
Qualcomm Technologies, Inc MSM8917	527	4300	NA
Qualcomm Technologies, Inc MSM8920	487	4338	NA
Qualcomm Technologies, Inc MSM8929	560	4261	NA
Qualcomm Technologies, Inc MSM8937	1,099	3645	NA
Qualcomm Technologies, Inc MSM8939	959	3801	NA
Qualcomm Technologies, Inc MSM8952	907	3853	NA
Qualcomm Technologies, Inc MSM8953	1,819	3096	NA
Qualcomm Technologies, Inc MSM8956	1,515	3307	NA
Qualcomm Technologies, Inc MSM8976	1,788	3118	NA
Qualcomm Technologies, Inc MSM8976SG	2,057	2942	NA
Qualcomm Technologies, Inc MSM8992	878	3880	NA
Qualcomm Technologies, Inc MSM8994	1,076	3675	NA
Qualcomm Technologies, Inc MSM8996	1,421	3373	NA
Qualcomm Technologies, Inc MSM8996pro	1,568	3259	NA
Qualcomm Technologies, Inc MSM8998	2,830	2523	NA
Qualcomm Technologies, Inc QCM2150	409	4414	NA
Qualcomm Technologies, Inc QCM6125	2,775	2541	NA
Qualcomm Technologies, Inc QCS610	1,949	3000	NA
Qualcomm Technologies, Inc QM215	458	4369	NA
Qualcomm Technologies, Inc SA8195P	6,554	1561	NA
Qualcomm Technologies, Inc SCUBAIIOT	926	3835	NA
Qualcomm Technologies, Inc SCUBAPIIOT	1,123	3622	NA
Qualcomm Technologies, Inc SDA429W	715	4069	NA
Qualcomm Technologies, Inc SDA450	1,518	3303	NA
Qualcomm Technologies, Inc SDA660	2,853	2513	NA
Qualcomm Technologies, Inc SDM429	1,011	3744	NA
Qualcomm Technologies, Inc SDM439	1,479	3324	NA
Qualcomm Technologies, Inc SDM450	1,348	3421	NA
Qualcomm Technologies, Inc SDM460	2,041	2949	NA
Qualcomm Technologies, Inc SDM630	1,921	3020	NA
Qualcomm Technologies, Inc SDM632	2,096	2915	NA

Qualcomm Technologies, Inc SDM636	2,187	2868	NA
Qualcomm Technologies, Inc SDM660	2,431	2713	NA
Qualcomm Technologies, Inc SDM662	2,237	2840	NA
Qualcomm Technologies, Inc SDM665	2,381	2747	NA
Qualcomm Technologies, Inc SDM670	2,551	2649	NA
Qualcomm Technologies, Inc SDM710	2,701	2569	NA
Qualcomm Technologies, Inc SDM712	2,581	2632	NA
Qualcomm Technologies, Inc SDM720G	3,285	2326	NA
Qualcomm Technologies, Inc SDM730G AIE	3,384	2280	NA
Qualcomm Technologies, Inc SDM750G	4,350	2004	NA
Qualcomm Technologies, Inc SDM765G 5G	3,425	2258	NA
Qualcomm Technologies, Inc SDM778G	5,553	1765	NA
Qualcomm Technologies, Inc SDM845	3,370	2284	NA
Qualcomm Technologies, Inc SDMMAGPIE	3,159	2374	NA
Qualcomm Technologies, Inc SDMMAGPIEP	3,523	2228	NA
Qualcomm Technologies, Inc SM4250	2,120	2904	NA
Qualcomm Technologies, Inc SM4350	3,087	2409	NA
Qualcomm Technologies, Inc SM6125	2,266	2814	NA
Qualcomm Technologies, Inc SM6150	2,931	2480	NA
Qualcomm Technologies, Inc SM6225	2,692	2572	NA
Qualcomm Technologies, Inc SM6375	4,266	2022	NA
Qualcomm Technologies, Inc SM7125	3,365	2292	NA
Qualcomm Technologies, Inc SM7150	3,264	2333	NA
Qualcomm Technologies, Inc SM7225	3,390	2275	NA
Qualcomm Technologies, Inc SM7250	3,459	2243	NA
Qualcomm Technologies, Inc SM7325	6,431	1590	NA
Qualcomm Technologies, Inc SM8150	4,593	1944	NA
Qualcomm Technologies, Inc SM8150 Plus	4,212	2033	NA
Qualcomm Technologies, Inc SM8150P	4,495	1965	NA
Qualcomm Technologies, Inc SM8250	5,857	1698	NA
Qualcomm Technologies, Inc SM8250 AC	6,416	1592	NA
Qualcomm Technologies, Inc SM8350	6,117	1653	NA
Qualcomm Technologies, Inc SM8350AC	6,588	1557	NA
Qualcomm Technologies, Inc TRINKET	2,449	2702	NA
Qualcomm Technologies, Inc TRINKET-IOT	3,230	2345	NA
Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP	1,426	3364	NA
redwood based Qualcomm Technologies, Inc. SM7325	6,448	1586	NA
Renoir based on Qualcomm Technologies, Inc SM7350	4,869	1899	NA
RK30board	198	4706	NA
rk3399	2,046	2946	NA
rk3566	595	4212	NA
ROC-RK3568-PC HDMI (Android)	1,197	3552	NA
Rockchip (Device Tree)	666	4136	NA

Rockchip RK	1,246	3505	NA
Rockchip RK3229	244	4639	NA
Rockchip RK3288	708	4078	NA
Rockchip RK3288 (Flattened Device Tree)	508	4320	NA
Rockchip RK3326	422	4396	NA
Rockchip rk3326 863 rkisp1 board	365	4470	NA
Rockchip rk3326 evb board	463	4364	NA
Rockchip RK3328	319	4533	NA
Rockchip RK3328 box liantong avb	491	4335	NA
Rockchip RK3368	827	3937	NA
Rockchip RK3399	2,925	2482	NA
Rockchip RK3399 Board (Android)	1,456	3338	NA
Rockchip RK3399 EVB IND LPDDR4 Board lvds (Android)	1,862	3064	NA
Rockchip RK3399 Excavator Board edp avb (Android)	1,533	3288	NA
Rockchip RK3399 Generic Board edp (Android)	391	4447	NA
Rockchip RK3528 DEMO4 DDR4 V10 Board	888	3870	NA
Rockchip RK3562	1,055	3698	NA
Rockchip RK3566	980	3778	NA
Rockchip RK3566 BOX DEMO V10 ANDROID Board	1,079	3670	NA
Rockchip RK3566 EVB1 DDR4 V10 Board	751	4029	NA
Rockchip RK3566 EVB2 LP4X V10 Board	951	3810	NA
Rockchip RK3566 EVB3 DDR3 V10 Board	994	3765	NA
Rockchip RK3566 HD15 Board	1,160	3592	NA
Rockchip RK3566 RK817 TABLET LP4X Board	1,010	3746	NA
Rockchip RK3566 RK817 TABLET RKG11 LP4 Board	686	4110	NA
Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	795	3972	NA
Rockchip RK3568 EVB1 DDR4 V10 Board	1,084	3664	NA
Rockchip RK3568 EVB2 LP4X V10 Board	895	3864	NA
Rockchip RK3568 EVB7 DDR4 V10 Board	1,106	3640	NA
Rockchip RK3576	3,885	2119	NA
Rockchip RK3588	4,411	1988	NA
rockchip,rk3328	761	4012	NA
rockchip,rk3368	870	3886	NA
Samsung "Exynos 9610"	3,168	2373	NA
Samsung A04S EUR OPEN REV03C board based on EXYNOS	2,452	2701	NA
Samsung A13 EUR OPEN REV02B board based on EXYNOS8	1,230	3520	NA
Samsung A13 USA SINGLE REV02B board based on EXYNO	1,528	3293	NA
SAMSUNG EXPRESS2	233	4662	NA
Samsung Exynos	2,423	2719	NA
Samsung EXYNOS5420	693	4096	NA
Samsung EXYNOS5430	1,380	3402	NA

Samsung EXYNOS5433	1,178	3573	NA
SAMSUNG Exynos7420	2,047	2945	NA
SAMSUNG Exynos7580	910	3845	NA
Samsung Exynos7870	2,093	2917	NA
samsung exynos7885	2,498	2677	NA
Samsung Exynos 850	2,088	2922	NA
Samsung Exynos 980	4,584	1945	NA
Samsung Exynos 990	6,128	1652	NA
Samsung Exynos 2100	5,476	1786	NA
Samsung Exynos 7420	2,164	2881	NA
Samsung Exynos 7570	470	4356	NA
Samsung Exynos 7580	878	3879	NA
Samsung Exynos 7870	1,029	3721	NA
Samsung Exynos 7880	1,805	3107	NA
Samsung Exynos 7884	1,569	3258	NA
Samsung Exynos 7885	1,835	3085	NA
Samsung Exynos 7904	1,835	3084	NA
Samsung Exynos 8890	2,596	2622	NA
Samsung Exynos 8895	3,142	2383	NA
Samsung Exynos 9610	2,261	2818	NA
Samsung Exynos 9611	2,574	2639	NA
Samsung Exynos 9810	3,759	2158	NA
Samsung Exynos 9820	3,933	2101	NA
Samsung Exynos 9825	3,819	2138	NA
Samsung GrandPrimePlus LTE CIS rev04 board based o	312	4548	NA
Samsung GrandPrimePlus LTE LTN DTV rev04 board bas	599	4207	NA
Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba	415	4408	NA
Samsung J7 Max LTE SWA board based on MT6757V/WL	928	3833	NA
SAMSUNG JF	537	4285	NA
Samsung M13 EUR OPEN REV02 board based on EXYNOS85	1,425	3366	NA
Samsung M13 SWA INS 00 board based on EXYNOS850	1,269	3482	NA
Samsung s5e8535	4,507	1961	NA
Samsung s5e8825	4,468	1972	NA
Samsung s5e8835	6,041	1676	NA
Samsung s5e8845	7,209	1460	NA
Samsung s5e9925	6,483	1579	NA
Samsung s5e9945	10,869	1113	NA
SAMSUNG SERRANO	266	4610	NA
Samsung Technologies, Inc Exynos E1080	4,846	1901	NA
SM6375	4,441	1973	NA
SM7325	6,074	1662	NA
SM8325	5,629	1747	NA
SM8350	6,134	1649	NA

<u>SM8450</u>	4,896	1895	NA
<u>SMDK4x12</u>	3,006	2440	NA
<u>Snapdragon 7c @ 1.96 GHz</u>	3,712	2173	NA
<u>Snapdragon 7c @ 2.40 GHz</u>	3,395	2271	NA
<u>Snapdragon 7c Gen 2 @ 2.55 GHz</u>	3,853	2131	NA
<u>Snapdragon 7cPlus Gen 3 @ 2.40 GHz</u>	6,028	1679	NA
<u>Snapdragon 8 Gen2 Mobile Platform for Galaxy</u>	9,362	1215	NA
<u>Snapdragon 8c @ 2.46 GHz</u>	5,230	1838	NA
<u>Snapdragon 8cx @ 2.84 GHz</u>	5,032	1876	NA
<u>Snapdragon 8cx Gen 2 @ 3.0 GHz</u>	6,728	1537	NA
<u>Snapdragon 8cx Gen 2 @ 3.15 GHz</u>	6,657	1547	NA
<u>Snapdragon 8cx Gen 3 @ 2.69 GHz</u>	10,110	1155	NA
<u>Snapdragon 8cx Gen 3 @ 3.0</u>	1,811	3100	NA
<u>Snapdragon 8cx Gen 3 @ 3.0 GHz</u>	11,762	1056	NA
<u>Snapdragon 435</u>	1,062	3691	NA
<u>Snapdragon 662</u>	2,431	2712	NA
<u>Snapdragon 835</u>	2,211	2853	NA
<u>Snapdragon 835 @ 2.45 GHz</u>	3,524	2227	NA
<u>Snapdragon 845 @ 2.8 GHz</u>	3,446	2247	NA
<u>Snapdragon 850 @ 2.40 GHz</u>	2,946	2472	NA
<u>Snapdragon 850 @ 2.96 GHz</u>	3,326	2304	NA
<u>Snapdragon 855 @ 2.84 GHz</u>	5,547	1767	NA
<u>Snapdragon 860 @ 2.96 GHz</u>	5,291	1825	NA
<u>Snapdragon 7325</u>	5,561	1764	NA
<u>Snapdragon 8350</u>	4,608	1942	NA
<u>Snapdragon X Elite - X1E8010</u>	26,323	411	NA
<u>Sony Mobile fusion3</u>	428	4388	NA
<u>Spreadtrum SC7731e</u>	318	4535	NA
<u>Spreadtrum SC9832E</u>	535	4289	NA
<u>Spreadtrum SC9853I-IA</u>	748	4033	NA
<u>Spreadtrum SC9863A</u>	1,450	3343	NA
<u>Spreadtrum SC9863A Board</u>	1,671	3185	NA
<u>Spreadtrum T310</u>	1,600	3232	NA
<u>Spreadtrum T603</u>	1,809	3104	NA
<u>Spreadtrum T606</u>	2,772	2543	NA
<u>Spreadtrum T610</u>	2,747	2553	NA
<u>Spreadtrum T612</u>	3,051	2422	NA
<u>Spreadtrum T616</u>	2,957	2466	NA
<u>Spreadtrum T618</u>	2,938	2474	NA
<u>Spreadtrum T760</u>	4,735	1919	NA
<u>Spreadtrum T820</u>	5,600	1757	NA
<u>Spreadtrum UIS7885(prototype)</u>	5,741	1717	NA
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	5,241	1834	NA

sun8iw11p1	335	4510	NA
sun50iw1p1	559	4262	NA
sun50iw6	498	4328	NA
Synaptics VS640	862	3895	NA
T606	2,824	2525	NA
T610-Unisoc	2,539	2656	NA
T610S-Unisoc	2,781	2538	NA
T618	2,772	2544	NA
T700-Unisoc	2,398	2733	NA
taoyao based Qualcomm Technologies, Inc. Yupik IDP	6,359	1602	NA
Thor	839	3928	NA
tn8	1,027	3725	NA
UGOOS UT8 Board	1,100	3644	NA
UIS7862A	2,557	2647	NA
Unisoc SC7731e	338	4506	NA
Unisoc SC9832e	498	4326	NA
Unisoc SC9863a	1,433	3358	NA
Unisoc SC9863A1	1,399	3390	NA
Unisoc T310	1,420	3375	NA
Unisoc T606	2,663	2588	NA
Unisoc T610	2,812	2529	NA
Unisoc T612	2,632	2604	NA
Unisoc T616	3,152	2379	NA
Unisoc T618	2,563	2644	NA
Unisoc T700	2,644	2598	NA
Unisoc UIS7862S	2,601	2621	NA
Unisoc UIS8581A	1,704	3165	NA
Unisoc UIS8581E	1,279	3469	NA
Unisoc ums312	972	3792	NA
Unisoc ums512	2,608	2619	NA
Unisoc ums9230	2,266	2815	NA
Unisoc ums9230H	2,924	2483	NA
Unisoc ums9230T	2,897	2494	NA
UNIVERSAL3470	391	4446	NA
UNIVERSAL3475	306	4553	NA
vendor Kirin710	2,818	2527	NA
vendor Kirin810	4,219	2032	NA
vendor Kirin820	5,067	1871	NA
vendor Kirin970	3,056	2421	NA
vendor Kirin980	5,252	1830	NA
vendor Kirin985	5,481	1784	NA
vendor Kirin990	6,132	1651	NA
vendor Kirin9000	6,914	1511	NA

<u>vendor Kirin9000E</u>	7,141	1467	NA
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	5,398	1802	NA
<u>VIA C7-D 1800MHz</u>	150	4783	NA
<u>VIA C7-M 1200MHz</u>	112	4830	NA
<u>VIA C7-M 1600MHz</u>	116	4825	NA
<u>VIA C7-M 6300MHz</u>	145	4788	NA
<u>VIA Eden 1000MHz</u>	80	4847	NA
<u>VIA Eden 1200MHz</u>	93	4841	NA
<u>VIA Eden C1050@1.06GHz</u>	263	4614	NA
<u>VIA Eden X2 U4200 @ 1.0+ GHz</u>	327	4528	NA
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	904	3854	NA
<u>VIA Esther 1000MHz</u>	95	4840	NA
<u>VIA Esther 1500MHz</u>	135	4802	NA
<u>VIA Nano L2007@1600MHz</u>	238	4651	NA
<u>VIA Nano L2100@1800MHz</u>	279	4592	NA
<u>VIA Nano L2207@1600MHz</u>	165	4758	NA
<u>VIA Nano U2250 (1.6GHz Capable)</u>	187	4729	NA
<u>VIA Nano U2250@1300+MHz</u>	179	4744	NA
<u>VIA Nano U2500@1200MHz</u>	199	4705	NA
<u>VIA Nano U3500@1000MHz</u>	184	4732	NA
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	400	4434	NA
<u>VIA Nehemiah</u>	101	4834	NA
<u>VIA QuadCore C4650@2.0GHz</u>	1,352	3420	NA
<u>VIA QuadCore L4700 @ 1.2+ GHz</u>	773	4000	NA
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	666	4137	NA
<u>Vili based on Qualcomm Technologies, Inc SM8350</u>	5,296	1824	NA
<u>Virtual @ 2.56GHz</u>	3,778	2153	NA
<u>Virtual @ 3.41GHz</u>	10,076	1156	NA
<u>Virtual @ 3.80GHz</u>	12,575	1017	NA
<u>XTRONS IX</u>	1,266	3485	NA
<u>Z3-6540M@2.1GHz</u>	1,599	3236	NA
<u>ZHAOXIN KaiXian KX-6640MA@2.1+GHz</u>	1,597	3237	NA
<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,561	3263	NA
<u>ZHAOXIN KaiXian KX-7000</u>	9,450	1208	NA
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,227	2350	NA
<u>ZHAOXIN KaiXian KX-U6780@2.7GHz</u>	3,693	2179	NA
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,643	2195	NA
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547	3276	NA
<u>ZHAOXIN KaiXian ZX-D D4600@2.0GHz</u>	1,492	3322	NA
<u>ZHAOXIN Z3-6540M@2.1+GHz</u>	1,378	3404	NA
<u>天玑 900</u>	4,259	2024	NA