

Informacja o optymalnej technologii pozyskania drewna (potencjał)

Pakiet: 1

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Maszewo	15-15-1-02- - -	PR			72	100	72
Maszewo	15-15-1-02- - -	PTP			171	100	171
Maszewo	15-15-1-02- - -	PTW			35	100	35
Maszewo	15-15-1-02-10 -a -00	IVD			462	100	462
Maszewo	15-15-1-02-110 -a -00	TPP			178	100	178
Maszewo	15-15-1-02-110 -f -00	TPP	720	94	45	6	765
Maszewo	15-15-1-02-11 -c -00	TPP			57	100	57
Maszewo	15-15-1-02-123 -a -00	TPP			66	100	66
Maszewo	15-15-1-02-123 -d -00	TPP	211	84	40	16	251
Maszewo	15-15-1-02-123 -g -00	IVD			462	100	462
Maszewo	15-15-1-02-123 -h -00	IIIB			253	100	253
Maszewo	15-15-1-02-124 -f -00	TPP			519	100	519
Maszewo	15-15-1-02-17 -b -00	TWP			40	100	40
Maszewo	15-15-1-02-29 -c -00	TWP			109	100	109
Maszewo	15-15-1-02-31 -c -00	IIAU			526	100	526
Maszewo	15-15-1-02-34 -a -00	PRZEST			213	100	213
Maszewo	15-15-1-02-34 -a -00	TWP			43	100	43
Maszewo	15-15-1-02-34 -b -00	TWP			60	100	60
Maszewo	15-15-1-02-34 -d -00	TWP			71	100	71
Maszewo	15-15-1-02-53 -a -00	TPP			373	100	373
Maszewo	15-15-1-02-53 -b -00	TWP			337	100	337
Maszewo	15-15-1-02-53 -f -00	TPP			91	100	91
Maszewo	15-15-1-02-53 -h -00	TPP	140	98	3	2	143
Maszewo	15-15-1-02-57 -b -00	TPP			123	100	123
Maszewo	15-15-1-02-8 -h -00	PRZEST			65	100	65
Maszewo	15-15-1-02-9 -a -00	IVD			275	100	275
Okalice	15-15-1-01- - -	PR			110	100	110
Okalice	15-15-1-01- - -	PTP			100	100	100
Okalice	15-15-1-01- - -	PTW			50	100	50
Okalice	15-15-1-01-1 -b -00	TWP			131	100	131
Okalice	15-15-1-01-25 -c -00	TPP	433	97	13	3	446
Okalice	15-15-1-01-26 -c -00	TPP	173	100			173
Okalice	15-15-1-01-26 -d -00	IVD	321	88	45	12	366
Okalice	15-15-1-01-26 -f -00	IVD	241	89	30	11	271
Okalice	15-15-1-01-37 -b -00	IIB	243	100			243
Okalice	15-15-1-01-37 -c -00	TPP	66	100			66
Okalice	15-15-1-01-37 -d -00	TWP			18	100	18

Informacja o optymalnej technologii pozyskania drewna (potencjał)

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Okalice	15-15-1-01-37 -g -00	TPP	33	97	1	3	34
Okalice	15-15-1-01-37 -h -00	TPP	27	100			27
Okalice	15-15-1-01-38 -a -00	IIIB	585	99	4	1	589
Okalice	15-15-1-01-38 -c -00	TPP	36	100			36
Okalice	15-15-1-01-41 -d -00	TPP			77	100	77
Okalice	15-15-1-01-42 -b -00	TPP			65	100	65
Okalice	15-15-1-01-43 -d -00	TPP			24	100	24
Okalice	15-15-1-01-43 -f -00	TPP	164	81	38	19	202
Okalice	15-15-1-01-44 -g -00	TWP	62	91	6	9	68
Okalice	15-15-1-01-44 -i -00	TWP	61	91	6	9	67
Okalice	15-15-1-01-45 -a -00	TPP	57	97	2	3	59
Okalice	15-15-1-01-45 -b -00	TWP	94	97	3	3	97
Okalice	15-15-1-01-46 -a -00	TPP			68	100	68
Okalice	15-15-1-01-46 -h -00	TPP	100	94	6	6	106
Okalice	15-15-1-01-5 -b -00	IIIB	325	94	20	6	345
Okalice	15-15-1-01-63 -a -00	TWP			12	100	12
Okalice	15-15-1-01-63 -d -00	IIB	460	99	6	1	466
Okalice	15-15-1-01-65 -a -00	IIB	431	99	5	1	436
Okalice	15-15-1-01-66 -b -00	IIIB	364	96	15	4	379
Okalice	15-15-1-01-67 -c -00	TWP			98	100	98
Okalice	15-15-1-01-7 -k -00	TPP	358	98	9	2	367
		Suma:	5 705	50	5 651	50	11 356